



SPECIFICATIONS

Power output

65 watts * per channel minimum RMS, both channels driven, at 8 ohms from 20 Hz to 20,000 Hz with no more than 0.03% total harmonic distortion.

Both Channels Driven 70 + 70 watts 8 ohms at 1,000 Hz
83 + 83 watts 4 ohms at 1,000 Hz

Total Harmonic Distortion
(20 Hz to 20,000 Hz)
AUX input to SPEAKER output 0.03% at rated power into 8 ohms
PHONO input to SPEAKER output 0.03% at 1/2 rated power into 8 ohms

PHONO input to SPEAKER output 0.05% at rated power with VOLUME = 20 dB
Intermodulation Distortion 0.006% at rated power into 8 ohms
(60 Hz : 7 kHz = 4 : 1)

Damping Factor 60, 20 Hz - 20,000 Hz into 8 ohms
Transient Response
Rise Time 1.0 μs

Slew Rate ±100 V/μs
Power Bandwidth 5 Hz to 40,000 Hz at 0.03% T.H.D.
Frequency Response 2 Hz to 300 kHz, +0 dB, -3 dB
Accept 4 ohms to 16 ohms

Speaker Impedance 2.5 mV/50 kohms
Input Sensitivity/Impedance
Tuner, AUX, Tape A, B 150 mV/50 kohms
Signal to Noise Ratio (IHF-A)
Phono 86 dB for 2.5 mV input
92 dB for 5.0 mV input
98 dB for 10 mV input
105 dB for 150 mV input
Maximum Input Level for Phono 240 mV (RMS), T.H.D. 0.02% at 1,000 Hz
Output Level/Impedance
Tape REC (Pin) 200 mV/120 ohms
(DIN) 30 mV/80 kohms
R.I.A.A. standard curve ±0.3 dB
(20 Hz to 20,000 Hz)

Frequency Response for Phono R.I.A.A. standard curve ±0.3 dB
(20 Hz to 20,000 Hz)

Tone Control
Bass ±10 dB at 100 Hz
Treble ±10 dB at 10,000 Hz
Subsonic Filter 18 Hz, 6 dB/oct.
Loudness Control +8 dB at 100 Hz (at -30 dB VOLUME level)

GENERAL
Power Consumption 3.5 A (I.L. and C.S.A)
430 W (E.C.)
2.70 W (8 ohms at rated power)
2.5 W (Non signal)
Switched 2, Unswitched 1
A.C. Outlet W 440 mm (17-10/32")
H 153 mm (6-6/32")
D 407 mm (16-6/32")
Weight (Net) 10.7 kg (23.6 lbs)

Note: Kenwood follows a policy of continuous advancements in developments. For this reason specifications may be changed without notice.

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775

- 2SA912 2SC1845 2SA841
- 2SA992 2SC1885 2SA794
- 2SC945 2SC1980 2SB631K
- 2SC1775