

Engine & Cooling	Fuel	Ignition	Electrical	Running gear	Torque settings	Capacities	Notes & Illustrations
------------------	------	----------	------------	--------------	-----------------	------------	-----------------------



Automotive Technical DATA BOOK

Click on one of the buttons above to view data for this car. To return to this screen and make another choice, click anywhere on the data screen.

MENU

HELP

Engine and cooling system 306, 2.0i GTI-6 1996 to 1997

Type	XU10J4RS 120kW DOHC 16	
Capacity (cm ³) / number of cylinders	1998 / 4	
Compression ratio / pressure	bar	10.4 / _
Oil pressure	bar	[2.2 to 5.2]
Oil temperature	°C	80
Valve clearance - inlet	mm	0: Hyd.
Valve clearance - exhaust	mm	0: Hyd.
Firing order	1-3-4-2	
No 1 cylinder position	FE	
Thermostat opening temperature	°C	89 to 99
Radiator cap pressure	bar	1.4

Fuel system 306, 2.0i GTI-6 1996 to 1997

Idle speed - manual [auto]	rpm	850±50 N/A
Fast idle speed - manual [auto]	rpm	_
CO @ idle speed [3000 rpm] - see page VI	%	≤0.3
HC @ idle speed [3000 rpm] - see page VI	ppm	≤200
CO ₂ @ idle speed [3000 rpm] - see page VI	%	≥10.0
O ₂ @ idle speed [3000 rpm] - see page VI	%	_
Carburettor / fuel injection	Magneti-Marelli	
Type / ref	AP 10 SEFI	
Main jet / needle	_	
Injection pressure	bar	3.0
Pump pressure	bar	2.8 to 3.2
Octane rating	RON	95[U] ¹

Ignition system 306, 2.0i GTI-6 1996 to 1997

Type	Direct electronic	
Ignition coil	4xBAE01 (1 per cylinder)	
Primary resistance	ohms	0.7
Ballast resistor	ohms	_
Voltage - Tmnl 15(+) to earth	V	_
Distributor	_	
Points gap (air gap)	mm	_
Dwell angle	° (%)	_
Condenser capacity	µF	_
Rotation	_	
Ignition timing - basic [static	° Crankshaft @ rpm	Computer control
V = Vacuum NV = No Vacuum	_	
Total ignition advance	° Crankshaft @ rpm	Computer control
	° Crankshaft @ rpm	_
	° Crankshaft @ rpm	_
Centrifugal check.	° Crankshaft @ rpm	Computer control
	° Crankshaft @ rpm	_
	° Crankshaft @ rpm	_
Vacuum range check	mbar	Computer control
Maximum vacuum advance	° Crankshaft	_
Spark plugs	Eyquem/Champion	
Type	FC62LS3 / C7YCX	
Electrode gap	mm	1.20

Electrical system 306, 2.0i GTI-6 1996 to 1997

Battery	V / CC / RC	(12L1 250)
Alternator voltage / full load current / engine rpm	13.8 to 14.8 / _ / 3000	
Starter motor current / voltage - cranking	A / V	_
- locked	A / V	_

Running gear 306, 2.0i GTI-6 1996 to 1997

Brakes -		
Front (min. friction material thickness)	mm	1.0
Rear (min. friction material thickness)	mm	_
Tyres		
Saloon	Size	195/55x15
Estate / Van	Size	_
Pressure - front / rear - Saloon	bar	2.3 / 2.3
- Estate / Van	bar	_

Front suspension / wheel alignment

Toe-in (+) / Toe-out (-)	mm [°]	+1.0±0.5
Camber		-20'±30
Castor		3°20'±30'
King pin inclination		+11°±30'

Rear suspension / wheel alignment

Toe-in (+) / Toe-out (-)	mm [°]	+2.2±0.75
Camber		-1°20'±15'

Torque wrench settings 306, 2.0i GTI-6 1996 to 1997


Cylinder head - stage 1	Nm	60
- stage 2	Nm	Slacken
Cylinder head - stage 3	Nm	20
- stage 4	Nm	+ 300°
Big-end bearings	Nm	40 ¹
Main bearings	Nm	70
Clutch cover	Nm	25
Flywheel [driveplate]	Nm	50 LkC
Front hubs	Nm	325
Rear hubs	Nm	185
Wheel nuts / bolts	Nm	85
Spark plugs	Nm	27

Capacities 306, 2.0i GTI-6 1996 to 1997

Engine oil & filter	litres	4.25
Gearbox - 4-speed [5-speed]	litres	1.8
Automatic transmission - refill	litres	_
Final drive	litres	WT
Cooling system	litres	7.0
Fuel tank	litres	60

Notes and Illustrations

¹Engine runs best on 97 RON [U]



1998 cm³, 16V