

**Boldface Type Indicates Major Treatment of a Topic.***Italic Type Indicates Illustrations.*

## A

- Abby, 314
- Abiotic factors, 475, 476
- Abrus precatorius*, 26
- Abscisic acid (ABA), 157, 197, 200
- Abscission
  - general causes, 122–23
  - hormones affecting, 197, 198–99
  - of pine needles, 412
  - of tumbleweeds, 140
- Abscission zones, 122–23
- Absorption spectra, 172, 173, 174
- Acacia*, 479
- Accelerator mass -spectroscopy, 146
- Acceptor molecules, 181
- Accessory fruits, 134
- Acclimatizing micropropagated plants, 264
- Accumulation of favorable -variations, 270
- Acer macrophyllum*, 138
- Acetabularia*, 33, 324–25
- Acetic acid, 20
- Acetone, 303
- Acetylcholine, 554
- Acetyl CoA
  - role in citric acid cycle, 181, 184, 185
  - role in GA synthesis, 196
- Achenes, 136, 138
- Acid deposition, 492
- Acidity of soils, 81
- Acidophilus bacteria, 303
- Acid rain, 20, 75, 492
- Acids, 20, 78, 79
- Aconite, 453
- Aconitum* species, 280
- Acorns, 138
- Acquired immune deficiency syndrome (AIDS), 313
- Activation energy, 26
- Active transport, 153–54
- Adaptation, 15, 269, 475–76
- Adenine, 197, 226, 227, 228
- Adenosine triphosphate (ATP)
  - as cellular energy source, 168
  - light-dependent reactions -producing, 174, 175, 176
  - role in respiration, 181, 184–85
- Adhesion, 18
- Advanced flowers, 437
- Adventitious buds, 71
- Adventitious roots
  - defined, 65
  - as garden nuisance, 71
  - of ground pines, 389
  - of horsetails and scouring rushes, 394
  - from specialized stems, 66, 97, 98
  - stimulation for plant -propagation, 259
- Aerenchyma, 56
- Aerial roots, 64, 65, 71–72, 201
- Aerobic respiration, 180,
  - 181–82, 185(2)
- Aerotaxic responses, 208
- Aerotropism, 204
- Afghanistan pine, 421
- Aflatoxin, 365
- African continent, as region of origin, 450–51
- African sausage tree, 205
- African violet, 260, 264

After-ripening, 144, 211–12  
Agar  
    commercial uses, 337–38  
    production by red algae, 333  
    use in micropropagation, 262  
    use in Went's plant movement studies, 193–94  
*Agaricus bisporus*, 363  
*Agathis*, 421  
*Agave*, 123, 124, 480  
Agent Orange, 196, 302  
Aggregate fruits, 136, 138, 139  
Aggregates, 80  
*Aglaophyton*, 403  
Agriculture. *See also* Crop plants  
    beneficial bacteria for, 301–3  
    Green Revolution, 250  
    hormone use in, 195–99  
    origins, 248–49  
*Agrobacterium tumefaciens*, 254, 255  
A horizon, 78  
*Ailanthus altissima*, 71  
Air, disease access from, 298–99  
Air currents, 157  
Air filtration by ferns, 402–3  
Air layering, 260  
Air plants, 117, 118  
Air pollution  
    ferns' removal, 402–3  
    impact on leaf wax -production, 109  
    impact on lichens, 367  
    impact on pine trees, 421  
    ozone layer destruction from, 490  
Air spaces  
    in leaves, 111, 179  
    in monocot stems, 96  
    in soils, 77, 81  
Aizoaceae, 116  
Akaka Falls, 149  
Akinetes, 304, 305  
*Albrightia*, 304  
Albuminous cells, 58, 412  
Alcohols, 6, 183  
Alders, 130, 132  
Alfalfa, 90  
Algae  
    bioluminescent, 206  
    blooms, 306  
    brown, 328–30, 337, 343  
    chlorophyll in, 171  
    cryptomonads, 334–35  
    cyanobacteria versus, 303  
    diatoms, 327–28  
    dinoflagellates, 333–34  
    diversity, 319  
    effects of pollution on, 167  
    Engelmann's experiments with, 172, 173  
    essential elements for, 163  
    euglenoids, 333  
    golden-brown, 327  
    green, 319–25, 326, 366, 372  
    haptophytes, 335  
    heat-tolerant, 183  
    human and ecological -relevance, 336–38  
    in lichens, 366  
    oxygen production from, 7, 324  
    phyla compared, 336  
    preserving, 441  
    red, 330–33, 337  
    role in succession, 486  
    stoneworts, 335  
    yellow-green, 326–27  
Algal layer, 366, 367  
Algerian ivy, 108

Algin, 329, 337, 338  
Alkaline compounds, 20  
Alkaline soils, 81  
Alkaloids, 186  
Allard, Henry A., 208  
Alleles, 237  
Allergic reactions, 257–58  
Allicin, 554–55  
*Allium cepa*, 287, 537  
*Allium sativum*, 554–55  
Almonds, 133, 134  
*Alnus*, 132  
*Aloe*, 469  
*Aloe vera*, 124  
Alpha-amanitin, 361  
Alpha helixes, 25, 26  
Alpha lipoic acid, 361  
Alpine pennycress, 80  
Alpine tundra, 499  
Alternately arranged leaves, 85, 109  
Alternation of generations,  
    221–22, 374  
Alternative energy sources, 5–6, 107  
*Amanita*, 357, 358, 361, 362  
*Amanita muscaria*, 346  
'Ama'uma'u, 399  
Amazon rain forest, 507  
Amber, 421  
American chestnut, 501  
American elm, 501  
Amino acids  
    bacterial production, 303  
    encoding with RNA, 231–32  
    production in -chloro-plasts, 180  
    in protein structures, 24–26  
Amino groups, 24  
Ammonia, 180  
*Amorphophallus titanum*, 128, 129  
Amphibious liverworts, 377  
Amyloplasts, 42, 66, 202–4  
*Anabaena*, 304, 305, 306  
Anabolism, 167  
Anaerobic respiration, 180–81, 183  
Anaphase (mitosis), 47, 48  
Anaphase I (meiosis), 218, 219  
Anaphase II (meiosis), 220, 221  
Ancient seed germination, 145, 146  
Aneuploid plants, 235  
Angiosperm Phylogeny Group, 290  
Angiosperms, 410, 429–36. *See also* Flowering plant uses; Flowering plants  
Animalcules, 31  
Animals  
    beneficial, 530  
    cells compared with plant cells, 50–51  
    desert, 504  
    forest and grassland, 501, 502  
    grazing, 479  
    mountain, 506  
    seed dispersal by, 140, 141  
    taiga, 500  
    tropical rain forest, 507  
    tundra, 500  
Anise, 464  
Anisogamy, 322  
Annual growth rings, 87,  
    91–93, 412  
Annuals, 89, 129, 480  
Annuli, 357, 399, 402  
Ant colonies, leaf structures for, 116  
Antenna pigments, 174  
Antheridia  
    of ascomycetes, 351, 353  
    of brown algae, 330

- of ferns, 400, 402
- of green algae, 323, 324
- of horsetails and scouring rushes, 396
- of liverworts, 376, 377, 378
- of mosses, 380
- of spike mosses, 390, 392
- of stoneworts, 335
- of water molds, 342, 343
- of whisk ferns, 388
- of yellow-green algae, 327
- Antheridiophores, 376, 377
- Anthers, 131, 430, 434
- Anthocerophyta, 378
- Anthocyanins, 44, 122
- Anthrax, 298, 300
- Anthuriums, 403
- Antibiotics
  - from cyanobacteria, 306
  - from fungi, 364
  - from lichens, 368
  - in peat mosses, 372
- Anticodons, 231
- Antipodals, 430
- Ants, 116, 140, 141, 479. *See also* Insects
- Apertures in pollen grains, 431
- Aphanocapsa*, 305
- Aphids, 159, 160, 311
- Apiaceae, 452, 464–65
- Apical dominance, 199
- Apical meristems, 54, 55, 66–67, 86
- Aplanospores, 321
- Apomixis, 275–76, 434
- Apothecia, 352, 354
- Apples, 134, 135
- Approach grafting, 581, 583
- Aquatic lotus plant seeds, 145
- Aquatic plants, 56, 114–15
- Aquifers, 480, 491
- Arabidopsis thaliana*, 49
- Araucariaceae, 424
- Arboretums, 11
- Arborvitae*, 423
- Archaea
  - basic features, 285, 287, 294–97, 307–9
  - further divisions, 283, 284
- Archegonia
  - of ferns, 400, 402
  - of ground pines, 391
  - of gymnosperms, 414
  - of liverworts, 376, 377, 378
  - of mosses, 380
  - of spike mosses, 392
  - of whisk ferns, 388
- Archegoniophores, 376, 377
- Arctic tundra, 499–500
- Arctic tundra lupine seeds, 145
- Arctium lappa*, 13
- Arid conditions
  - bryophytes resistant to, 373, 374
  - gymnosperm species in, 411, 418, 420
  - influence on respiration, 183
  - leaf structures for, 113–14, 115
  - lichens' tolerance, 366
  - mosses in, 382
  - photorespiration in, 177–78
  - photosynthesis in, 157, 159, 179, 180, 504
  - tree adaptations, 87
- Arils, 415, 416
- Aristolochia*, 113
- Aristotle, 267
- Arms of root xylem, 69
- Arnold Arboretum, 11

Arrowroot starch, 425  
*Arthrospira*, 304  
Artificial lighting, 562–63  
Asci, 351, 352, 353  
*Asclepias curassavica*, 428  
Ascogenous hyphae, 351  
Ascogonia, 351, 353  
Ascomata, 351, 352  
Ascomycetes, 351–55  
Ascorbic acid, 303  
Ascospores, 351, 352, 353  
Asexual plant propagation,  
259–64, 275–76  
Asexual reproduction  
of ascomycetes, 351  
of bacteria, 294–96  
of chytrids, 348–49  
of club fungi, 356  
of coenocytic fungi, 349, 351  
of green algae, 320, 321, 322, 323, 324  
of hornworts, 378  
of lichens, 367  
of liverworts, 376  
sexual reproduction -versus, 216  
of water molds, 342, 343  
Asparagus, 573  
Aspergilloses, 365  
*Aspergillus*, 26, 365  
Assimilation, 15, 187  
Asteraceae, 452, 466–67  
Asters, 47  
*Astragalus*, 457–58  
Astringents, horsetails as, 398  
Asymmetric growth, 202  
Atmospheric carbon dioxide, 168–69  
Atomic mass, 16, 17  
Atomic number, 16, 17  
Atoms, 16–17, 18  
ATP. *See* Adenosine triphosphate (ATP)  
ATPase, 176  
Atropine, 123, 464  
Attar of roses, 456–57  
Australian National Botanic Gardens, 10  
Australian orchid, 127  
Authors, in scientific names, 287  
Autoclaves, 262, 263  
Autofusions, 252–53  
Autograph tree, 137  
Autospores, 321  
Autotrophic bacteria, 297  
Autumnal changes in leaves, 122  
Auxins  
application to stimulate -rooting, 259  
discovery and major -functions, 193–96  
interaction with other -hormones, 196, 197, 200  
role in phototropism, 202  
Auxospores, 327, 328  
Available water, 81  
Avian flu, 312–13  
*Avicennia nitida*, 64, 71  
Avocados, 454  
Axillary buds, 55, 85, 86, 107  
Axils, 85  
*Azolla*, 405

## B

Bacilli, 296  
*Bacillosiphon*, 304  
*Bacillus*, 304  
*Bacillus popilliae*, 302  
*Bacillus thuringiensis*

- as biological control product, 301–2, 530, 577
- transgenic plants with toxin from, 256, 257
- Backcrosses, 239, 242–44
- Bacteria. *See also* Cyanobacteria; Microorganisms
  - basic features, 294–97
  - beneficial, 297–98, 301–3, 492, 530
  - carbon cycle role, 480
  - classification, 283, 285, 287
  - cyanobacteria, 303–7
  - diversity, 314
  - dusting crop seeds with, 258
  - evolution of photosynthesis in, 173, 175
  - inhibitory chemicals from, 478–79
  - interferon synthesis in, 312
  - nitrogen cycle role, 481–82, 483
  - overview, 293–94
  - prochlorobacteria, 307
  - proteins in, 15
  - in root nodules, 75
  - in soils, 78
  - true bacteria, 297–303
  - use in recombinant technology, 253–54
  - use of PCR technique to detect, 229
  - viruses attacking, 310
- Bacterial diseases, 298–301
- Bacterial rhodopsin, 308
- Bacteriochlorophyll, 297
- Bacteriophages, 310
- Bacteriophyta, 297
- Bakanae*, 196
- Bald cypress
  - logging of, 421
  - manufactured goods from, 100, 423
  - pneumatophores, 71
- Balsam firs, 422
- Balsamroot, 467
- Balsa wood, 99
- Bamboo, 206
- Bamboo orchids, 471
- Bananas, 134
- Banner petals, 457, 458
- Banyan trees, 71–72, 201
- Barberry
  - as black stem rust host, 360, 361
  - flower movements, 205
  - spines, 117
- Bark, 94–95
- Barrel cacti, 159, 270, 461
- Barrel spurge, 270
- Barrier islands, 490–91
- Bases (chemical), 20
- Bases (DNA), 226–27
- Basidia, 356, 357
- Basidioma, 357
- Basidiomycetes, 355–63
- Basidiospores, 357, 358, 360
- Batasins, 199
- Bateson, W., 242, 244
- Bats, pollination by, 439, 440
- Beach erosion, 490
- Beadle, George, 234
- Beagle* voyage, 268–69
- Beal, William J., 145
- Beano, 26
- Beans, 143, 162, 573–74
- Bedstraw, 110
- Bedstraw fruits, 140, 141
- Beefsteak morels, 352
- Bees, pollination by, 437–39, 440
- Beet leaves, 109
- Beetles, pollination by, 439
- Beets, 574
- Begonia*, 260

Beijerinck, Martinus, 311  
Belladonna, 123, 464  
Belt, Thomas, 479  
*Berberis* spines, 117  
Bermuda grass, 202  
Berries, 133–34. *See also specific berries*  
Betacyanins, 122  
Beta sheets, 26  
Beverages, 124  
B horizon, 78  
Biblical accounts, 276–77  
Biennial root crops, 75, 77  
Biennials, 129, 480  
Big bang reproduction -strategy, 480  
Big-leaf maples, 138  
Bilateral symmetry, 436  
Binnig, Gerd, 32  
Binomial nomenclature, 281–83  
Bioassays, 172, 194  
Biodegradable polymers, 256  
Biodiversity loss, 491–95  
Biological controls  
    bacterial, 301–2, 530, 577  
    general and specific, 529–35  
    insects as, 462, 529–30  
Bioluminescence, 206, 318  
Biomass, 4, 476  
Biomes, 9, 499–508. *See also Climate*  
Bioreactors, 255  
Bioremediation, 302, 492  
Biotic communities, 476  
Biotic factors, 475, 476  
Bipinnately compound leaves, 107, 108  
Bird-disseminated fruits, 140  
Bird flu virus, 312  
Birds, pollination by, 439, 440  
Bird's-nest fungi, 359, 360  
Birds' nests, bryophytes used in, 374  
Blackberries, 139, 579  
Black bread mold, 349–50  
Black-eyed peas, 153  
Black locust tree, 60  
Black mangrove, 64, 71  
Black stem rust of wheat, 360, 361  
Black walnut, 100, 110, 478  
Bladders of brown algae, 329  
Bladderworts, 15, 121–22, 204  
Blades  
    of brown algae, 328, 329  
    of leaves, 85, 86, 107  
Blancmange, 337  
Bleeding hearts, 141, 429  
*Bletilla* orchids, 137  
Bloodroot, 455  
Blooms (algal), 306, 333–34  
Blowouts, 500  
Blue-baby syndrome, 492  
Blue cheese, 364  
Blue-eyed Mary, 241  
Bog orchids, 440  
Boletes, 358, 359  
Bolting, 208  
Bonds, 19–20, 21–27  
Bongard, August, 287  
Bonsai, 579, 580  
Borax, 445  
Bordeaux mixture, 343  
Bordered pits, 59  
Borlaug, Norman, 250  
Boron, 161  
Boston fern, 264, 402–3  
Boston ivy, 98  
Botanical Society of America, 10

Botany, development and diversification, 7–11  
Botany websites, 10–11  
*Botryocladia*, 331  
Botulism, 299–300, 310–12  
Bowstring hemps, 468–69  
Bracken ferns, 403–4  
Bracket fungi, 356, 358, 359  
Bracts, 108, 117–18, 119, 131, 458  
Branch roots, 65  
Brassicaceae, 451, 455–56  
*Brassica juncea*, 80  
Brassinosteroids, 199  
Brazil nuts, 136  
Bread molds, 349–50  
Breeding methods. *See also* Genetics  
    overview, 249–50  
    with sexually compatible germplasm, 250–52  
    with sexually incompatible germplasm, 252–58  
Breil, David, 374  
*Brevibacterium*, 303  
Brewing, 338  
Bridge grafting, 581–82, 584  
Bristlecone pines, 87, 200, 411  
Broad beans, 574  
Broad phloem rays, 91  
Broccoli, 574  
Broomrapes, 430  
*Brosimum utile*, 2  
Brown, Robert, 31  
Brown algae, 328–30, 337, 343  
Brownian movement, 151  
Browser software, 10  
Brucellosis, 300  
Bryologists, 9  
Bryophyta, 287  
Bryophytes  
    basic features, 372–74  
    hornworts, 378  
    human and ecological -relevance, 383  
    liverworts, 375–78  
    mosses, 372–74, 379–83  
    preserving, 441  
Bryopsids, 319  
Bt plants, 256, 257, 258. *See also* *Bacillus thuringiensis*  
Bubonic plague, 300–301  
Buchner, Eduard, 31  
Buckeye, 110  
Budding, 351, 352, 582–84  
Bud gaps, 86, 88  
Bud grafting, 582–84  
Bud primordia, 55, 86, 88  
Bud scales, 85  
Bud sticks, 583, 584  
Bud types, 85  
Buffalo, 501, 502  
Buffon (Georges-Louis Leclerc), 267  
“Bug juice” technique, 531  
Bulbils, 199  
Bulblets, 98  
Bulbs  
    contractile roots of, 72, 73  
    propagating, 261, 262  
    soils for, 572  
    structure of, 97, 98  
Bulk flow, 157  
Bulliform cells, 112, 113, 207  
Bundle scars, 86  
Bundle sheath cells, 111, 112  
Bur clover fruits, 140  
Bur clover root nodules, 77  
Burdock, 13  
Burnam, Charles, 234  
Burn scars on trees, 93



Bush monkey flowers, 205  
Buttercup Family  
    basic features, 451, 452  
    seed dispersal, 140  
    uses by humans, 452–53  
Buttercup roots, 69, 157  
Butterflies, pollination by, 439, 440, 442  
Butterfly iris, 137  
Butterfly pea, 246  
Butterfly weed, 428  
Butterworts, 120  
Buttons, 357  
Button snakeroots, 140  
Buttress roots, 73, 74  
Butyl alcohol, 303

## C

C<sub>3</sub> plants, 177–78, 179, 481  
C<sub>4</sub> plants, 178–79, 481  
Cabbage, 574  
Cacao tree pods, 448  
Cactaceae, 451  
Cacti  
    basic features, 451  
    cladophylls, 98  
    convergent evolution, 269, 270  
    examples, 461  
    grafted, 261  
    photosynthesis in, 159, 504  
    spines, 115  
    uses by humans, 460–62  
Cactus Family. *See* Cacti  
Caffeine, 470–71  
Calabazilla plant, 71  
*Calamites*, 397  
Calcium  
    adding to soils, 81  
    atomic mass and number, 17  
    uses and deficiency -symptoms, 161, 162  
    valence, 18–19  
Calcium chloride, 18–19  
California bay, 454  
California coastal redwoods, 3, 416, 423, 505  
California Flora Database, 10  
California fuschia, 440  
California nutmeg, 414–15  
California poppy, 145  
California soaproot, 469–71  
Callose, 15, 58  
Calluses, 15, 58  
Calmodulin, 198  
Calvin, Melvin, 171, 459–60  
Calvin cycle, 171, 175, 177, 179  
*Calycadenia*, 215  
Calyptras, 377, 378, 380  
Calyx, 131  
Cambia  
    formation in roots, 68, 69  
    formation in stems, 88–89, 90–93  
    structure and functions, 45, 54–55  
Cambrian period, 389  
Camelina oil, 456  
Camphor, 186, 454  
CAM photosynthesis, 157, 179, 180, 504  
Canada balsam, 422  
Canada thistle, 71  
Canals of moss archegonia, 380  
Canary Island rabbits, 272, 273  
Cancer, 312  
Cancer drugs, 424–25  
Candelilla, 460

- Cannel, 398
- Canola, 257, 456
- Cantaloupes, 466
- Cape Hatteras lighthouse, 490
- Capillarity, 155–56
- Capillary water, 81
- Capillitium, 341
- Capsaicin, 464
- Capsicum, 464
- Capsules
  - dry fruits as, 135, 137
  - of liverwort sporophytes, 376, 377, 378
  - of moss sporophytes, 380
- Caraway seeds, 464
- Carbohydrates
  - assimilation and digestion, 187–88
  - conversion of carbon dioxide to, 177
  - dictyosome role in modification, 40
  - storage in roots, 70
  - types and properties, 22, 23
- Carbon
  - atomic mass and number, 17
  - in compost, 298
  - covalent bonding, 19
  - as defining feature of organic molecules, 21
  - global fixation, 508
  - half-life, 269
  - symbol for, 16
- Carbon cycle, 480–81, 482
- Carbon dioxide
  - atmospheric increases,
    - 168–69, 489, 508
  - in Calvin cycle, 171
  - carbon cycle and, 480–81
  - conversion to carbohydrates, 168, 177
  - in 4-carbon pathway, 178, 179
  - greenhouse effect, 168, 187, 488–90, 508
  - production by yeasts, 353–54
  - rain forest interactions with, 508
  - role in photosynthesis, 168–69
  - soil acidity and, 78
- Carbon-fixing and reducing reactions, 171, 172, 174, 176–80
- Carboniferous period, 389, 397, 402
- Carbon monoxide, 324, 329
- Carboxyl groups, 24
- Carinal canals, 394
- Carnauba wax, 61, 124
- Carnivorous plants, 2, 11, 118–22
- Carnivorous Plants Database, 11
- Carob, 457
- Carotenoid pigments
  - absorption spectra, 173
  - in chloroplasts, 122, 171
  - in chromoplasts, 41, 44
  - in cyanobacteria, 304
- Carpels
  - of capsules, 135
  - development of, 131–32
  - of early flowering plants, 436
  - as feature of angiosperms, 429
  - of simple fleshy fruits, 133
- Carpetweed Family, 116
- Carpogonia, 332
- Carposporangia, 332
- Carpospores, 332
- Carrageenan, 337
- Carrière, Élie, 287
- Carrier molecules, 181
- Carrion flowers, 439(2)
- Carrot Family, 452, 464–65
- Carrots, 138, 574–75
- Carson, Rachel, 9
- Caryopses, 137, 138

Cashews, 136–37  
Casparian strips, 68–69, 157  
Cassava, 75, 77, 459  
Cassia, 454  
*Cassia obtusifolia*, 555  
Castor beans, 144–45, 460  
Casts, fossil, 405  
Catabolism, 167  
Catalpa trees, 140  
Catalysts, 18, 31  
*Catasetum* orchids, 274, 275  
Catastrophism, 267  
Caterpillar nematode, 530  
Caterpillars, 302, 530  
Catkins, 130, 132  
Cattails, 80, 486  
Cauliflower, 575  
Caussu wax, 124  
Caustic soda, 20  
Cedar trees, 423–24, 425  
Cell biology, 9–11  
Cell cycle, 44–50  
Cell division region, 66–68  
Cell membranes, 50, 151–52  
Cell plates, 48–50, 372  
Cells. *See also* Meiosis; Mitosis  
    chemical components, 21  
    communication between, 36  
    differentiation, 192  
    eukaryotic versus -prokaryotic, 33  
    history of discoveries about, 30–32  
    major components, 36–44  
    major tissue types, 54–62  
    osmosis between, 151–52  
    plant versus animal, 50–51  
    reproduction, 44–50  
    research growth, 9–11  
    stimulation of division, 197  
    structure, 14, 33–36  
Cell sap, 44  
Cell theory, 31  
Cellular respiration, 41, 167. *See also* Respiration  
Cellular slime molds, 341–42  
Cellulose  
    abundance, 35  
    manufactured goods from, 5  
    molecular structure, 22  
    percentage in wood, 99  
    role in cell walls, 35, 36, 37  
Cell walls  
    basic features, 14, 35–36  
    formation in meiosis, 220, 221  
    in generalized cell -drawing, 34  
    secondary structure, 37  
Cenozoic era, 389  
*Centella asiatica*, 554  
Centers of diversity, 449, 450  
Centers of Origin, 249  
Central American region of -origin, 451  
Central cell nuclei, 430  
Central Dogma of Molecular Genetics, 232, 234  
Central vacuoles, 34  
Centrioles, 47, 51  
Centromeres, 46, 47, 217  
*Ceratium*, 334  
*Cercis canadensis*, 272–73  
*Cercis occidentalis*, 272–73  
Cereals, 467  
Cesalpino, Andrea, 362  
*Chaetoceros*, 337  
*Chaetomorpha melagonium*, 36  
Chailakhyan, M. H., 210  
Chain ferns, 404

*Chamaesiphon*, 305  
Chamberland, Charles, 309  
Chaparrals, 488, 498  
*Chara*, 335  
Character state, 289  
Chargaff, Erwin, 227  
Cheeses, 364  
Chemical bases of life  
  acidity and alkalinity, 20  
  cell components, 21  
  elements and molecules, 15–20  
  energy forms, 20–21  
  monomers and polymers, 21–27  
Chemical reactions, 18  
Chemical toxins, bacterial alternatives, 301–2, 530  
Chemiosmosis, 176, 185  
Chemoautotrophic bacteria, 297  
Chemotactic responses, 208  
Chemotherapeutic agents, 424–25  
Chemotropism, 204  
Chernobyl disaster, 80, 368  
Chestnut blight, 355, 501  
Chewing gum, 95  
Chewing tobacco, 123  
Chia, 463  
Chiasmata, 217  
Chickweeds, 128  
Chicory, 467  
Chinese club moss, 554  
Chinese region of origin, 450  
Chisholm, Sally, 307  
Chitin, 348  
Chlamydias, 298–99  
*Chlamydomonas*, 320–21  
*Chlorella*, 324, 337  
Chlorenchyma tissues, 56, 112  
Chlorine, 18, 19  
Chlorobium chlorophyll, 297  
Chlorofluorocarbons, 490  
4-chloroindoleacetic acid, 195  
Chlorophyll  
  in bacteria, 297  
  breakdown leading to leaf color changes, 122  
  in diatoms, 327  
  light absorption characteristics, 172–73, 174  
  in mosses, 379  
  plants without, 73–74  
  role in photosynthesis, 170–71  
  in thylakoids, 40  
Chlorophyll *a*  
  absorption spectrum, 173  
  in cyanobacteria, 303, 304  
  molecular formula, 170  
  in photosystems I and II, 173–74  
  in red algae, 333  
Chlorophyll *b*, 170–71, 173, 174  
Chlorophyll *c*, 171, 327  
Chlorophyll *d*, 171, 333  
Chlorophyta, 319–25, 326  
Chloroplasts  
  amino acid production in, 180  
  in cryptomonads, 334–35  
  cyanobacteria as, 304–5  
  in diatoms, 327  
  endosymbiont -hypothesis, 242  
  in euglenoids, 283  
  in green algae, 320, 321, 322, 324  
  in guard cells, 111, 112  
  of hornworts, 378  
  in Kranz anatomy, 178–79  
  location in plant cells, 34, 35  
  in mesophyll, 112  
  in mosses, 379

- as photosynthesis sites, 40, 168
- pigments, 122
- structure, 40–41, 42
- types of chlorophyll in, 170–71
- Chloroxybacteria, 294, 297
- Cholesterol, 543, 554–55
- C horizon, 78
- Chromatids, 45–46, 48, 217
- Chromatin strands, 38
- Chromophyta, 326–30
- Chromoplasts, 41, 42
- Chromosomes. *See also* Deoxyribonucleic acid (DNA); Meiosis; Mitosis
  - basic features, 38
  - behavior during meiosis, 217–21
  - behavior during mitosis, 45–46, 48
  - changes in structure and number, 234–35, 275
  - in gametes, 216–17
  - transposition in, 225–26
  - types of mutations, 271
  - in zygotes, 221–22
- Chronic wasting disease, 314
- Chrysophyceae, 327
- Chrysopidae, 529
- Chytrids, 348–49
- Cibotium*, 266
- Cibotium glaucum*, 385
- Cicuta*, 132, 537
- Cilia, 44, 207
- Cinnamon, 454
- Cinnamon ferns, 399
- Circadian rhythms, 205–6
- Cirsium arvense*, 71
- Citric acid, 303, 365
- Citric acid cycle, 181, 182, 184
- Citronella oil, 123, 468
- Citrus fruits, 134, 530–31
- Cladistics, 9, 289–90
- Cladograms, 289–90
- Cladophora*, 325
- Cladophylls, 97, 98
- Clamp connections, 357
- Clary's annual sage, 118
- Classes, 284
- Classification systems. *See also* Classification systems
  - for bacteria, 296–97
  - binomial system development, 281–83
  - cladistics used in, 289–90
  - for flowering plants, 436
  - future trends, 290
  - kingdom development, 283, 284, 285–86
  - major categories in, 283–87
  - plant taxonomy, 8–9
  - sample keys, 287–89, 451–52
- Clay, 79, 80
- Cleft grafting, 579–81, 582
- Cleistothecia, 352, 354
- Clematis*, 115
- Clients (network), 10
- Climacteric fruits, 199
- Climate. *See also* Arid- -conditions
  - arid-condition trees, 87
  - biomes, 499–508
  - global warming, 3–4, 168–69, 187, 488–90, 508
  - historic data from growth rings, 92–93
  - leaf structure for, 113–14
  - soil formation and, 78
  - tree ring evidence, 8
- Climax communities, 485, 486
- Climbing ferns, 404–5
- Climbing plant stems, 98
- Clinostats, 204
- Clitoria temata*, 246
- Clivia*, 60

- Cloning vectors, 253
- Closed systems, 7, 324
- Closterium*, 325
- Clostridium botulinum*, 299–300
- Clover ferns, 399
- Clovers, 458
- Club fungi, 355–63
- Club mosses
  - ancient relatives, 392
  - general appearance, 379
  - human and ecological -relevance, 393–94
  - major genera, 388–92
- Clusia rosea*, 137
- Clusters of pine needles, 411
- Coal
  - formation process, 405
  - as fuel, 102, 167
  - plant origins, 5, 398
- Cobra plants, 120
- Cocaine, 123
- Cocci, 296
- Coccidioides immitis*, 365
- Coccidiomycosis, 365
- Coccinellidae, 529
- Coccolithophores, 335
- Cochineal insects, 462
- Cockleburs, 141
- Cockroach plants, 124
- Coconut palms, 410
- Coconuts, 133, 142
- Codeine, 186, 455
- Codons, 231–32
- Coenocytic hyphae, 343
- Coenocytic mycelia, 348
- Coenocytic true fungi, 349–50
- Coenozygotes, 349
- Coenzyme A, 181, 184
- Coenzymes, 192–93
- Coffee, 6, 212, 470–71
- Cohesion-tension theory, 156–57
- Coiling movements, 201, 204
- Colchicine, 468
- Coleochaete*, 318, 319
- Coleoptiles, 143, 144, 193–94, 202
- Coleorhiza, 143, 144
- Coleus*, 203, 260, 463
- Collection numbers, 441
- Collenchyma cells, 56, 115
- Collinsia parviflora*, 241
- Colloids, 79, 152
- Colofonia, 421
- Colonies of green algae, 325
- Color changes in leaves, 122
- Colors of flowers
  - genetic controls, 239, 241–42
  - role in pollination, 437, 438, 439
- Columbine, 452, 453
- Columns, 471
- Commercial mushroom growing, 363
- Commercial products. *See* Manufactured goods
- Commiphora mukul*, 555
- Common Conifers of the Pacific Northwest, 11
- Common names, 280, 510–28
- Communication between cells, 36
- Communities, 476
- Companion cells, 58, 60
- Companion planting, 531–35
- Compass plants, 116
- Complete flowers, 436
- Complexity of organization, 15
- Complex tissues, 56–62
- Compost, 297–98
- Compound leaves, 107

Compound microscopes, 31, 32  
Compound pistils, 436  
Compounds (chemical), 17  
Compound umbels, 132  
Compressions, 405, 406  
Computer networks, 10  
Conceptacles, 329–30  
Condensation reactions, 22  
Condiments, 5  
Coneflower, 132, 438  
Confocal scanning -microscopy, 31  
Conidia, 351, 356, 363  
Conidiophores, 351  
Conifers, 411–16, 420–25, 504–6  
Conjugation  
    of bacteria, 295, 296  
    in coenocytic fungi, 349–50  
    of green algae, 323  
Conjugation tubes, 322  
Conservation efforts, PCR -technique in, 229  
Conservation practices, -importance of, 4–5  
Containers for house plants, 562  
Contractile roots, 72, 73, 201  
Contraction movements, 201  
Controls in experiments, 7  
Convergent evolution, 269, 270  
Conversion tables and scales, 586–87  
*Cooksonia*, 387  
Copals, 457  
Copeland, Herbert F., 283  
Copper, 16  
Coprolites, 406  
Coral trees, 136  
Cordage fibers, 123. *See also* Fibers  
*Cordyline fruticosa*, 149  
Cork, 30–31, 91, 95  
Cork cambia  
    formation in roots, 69–70  
    formation in stems, 88–89, 95  
    structure and functions, 45, 55  
    in woody dicot stems, 90  
Cork cells  
    formation in roots, 69–70  
    formation in stems, 88–89  
    structure and functions, 61, 62  
Corms  
    propagating, 261, 262  
    quillwort, 392  
    structure, 97, 98  
Corn  
    carbon accumulation -statistics, 168  
    domestication, 249  
    gardening tips, 575  
    grain structure, 138, 143, 144  
    hybrid seed, 251, 258  
    leaf anatomy, 178  
    prop roots, 71, 144  
    root growth rate, 157  
    stem structures, 96  
    transgenic varieties, 257, 258  
    transpiration statistics, 155  
    transposition in, 225–26  
Corn smut, 359–60  
Corollas, 131  
*Corollospora maritima*, 347  
Corpse flower, 128, 129  
Correns, Carl, 236  
Cortex  
    origins, 67, 86  
    in roots, 68, 69  
    in stems, 86, 91  
Corymbs, 132  
Cosmetics, 338

Cotton plants, 6  
Cottonwood seeds, 140  
Cotyledons, 89, 143, 144  
Coughing, 298  
Cough suppressants, 455  
Covalent bonds, 19  
Cow parsnip, 537  
Cowpox, 309  
Cowslips, 452  
Cow trees, 2  
Cox, Jeff, 531  
Crassulacean acid metabolism (CAM) photosynthesis, 157, 179, 180, 504  
*Crataegus oxycantha*, 555  
Cretaceous period, 389, 393  
Creutzfeldt-Jacob disease, 314  
Crick, Francis, 227, 228  
Crime investigations, 8  
Cristae, 41–42, 43  
Crop Evolution Laboratory, 450  
Crop plants. *See also* Flowering plant uses  
    breeding methods, 249–58  
    fungal infections, 359–60, 361  
    growing demand for, 491  
    importance of wild species, 491–92  
    nitrogen loss from, 482  
    origins, 247–49, 449–51  
    propagation methods, 258–64  
    protective bacteria, 301–2  
    viral damage, 311–12  
Cross, Brian, 196  
Crosses, Mendel's studies, 236–42  
Crossing-over, 217, 244  
Cross-pollinating plants, 250, 251  
*Croton*, 106  
Crown division, 259  
Crown galls, 254  
Crown-of-thorns, 460  
Crozier, 351, 398  
Crustose lichens, 367  
Cryptochromes, 210  
Cryptomonads, 334–35  
Crystals, 34  
Cucumbers, 575  
Cucurbitaceae, 134. *See also* Pumpkin Family  
*Cucurbita perennis*, 71  
Cultivated plant origins, 449–51  
*Cuscuta*, 75  
Cutgrass, 124  
Cuticles  
    importance to early plants, 372  
    of leaves, 109, 111  
    of root hairs, 68  
    structure and functions, 59–61  
Cutin, 23, 59, 109  
Cuttings, 2–3, 56, 259–60  
Cutworms, 572  
Cuvier, Georges, 267  
Cyanobacteria  
    basic features, 303–7  
    heat-tolerant, 183, 303–4  
    in lichens, 304, 366  
    in mosquito ferns, 405  
    movements of, 208  
    photosynthesis in, 175, 294, 297  
Cyanobacterins, 306  
Cyanophages, 306  
Cyanophycin, 304  
Cyathium, 458, 459  
Cycadeoids, 417  
Cycadophyta, 411, 417–18  
Cycads  
    appearance, 411  
    basic features, 417–18



- cyanobacteria in roots, 304
- manufactured goods from, 425
- Cyclamen, 202
- Cyclic electron flow, 176
- Cyclic photophosphorylation, 174, 176
- Cyclosis, 15
- Cyclosporine, 365
- Cystocarps, 332
- Cytochrome *c* oxidase, 269
- Cytochromes, 175, 181
- Cytogenetics, 234–35
- Cytokinesis, 45
- Cytokinins, 197, 199, 200, 212
- Cytology, 9–11
- Cytoplasm
  - composition, 21
  - defined, 14, 33
  - in generalized cell -drawing, 34
  - movement, 15, 44
- Cytoplasmic streaming, 44
- Cytosine, 27, 226, 227, 228
- Cytoskeleton, 44
- Cytosol, 33

## D

- 2,4-D, 195–96
- Daffodil bulbs, 469
- Dahlias, 466
- Dairy industry, 302–3
- Dammar, 421
- Dandelions, 140, 276, 282, 467
- Dark reactions, 171
- Darwin, Charles
  - development of evolutionary theory, 268–69
  - natural selection theory, 269, 270, 276
  - Origin of Species* publication, 267, 269
  - plant movement studies, 193, 200, 201
- Data, 8
- Datura* flowers, 131
- Daughter cells, 45, 50
- Daughter chromosomes, 48
- da Vinci, Leonardo, 267
- Day length, flowering and, 208–9
- Daylight, for house plants, 562–63
- Daylilies, 259
- Day-neutral plants, 209
- DDT, 338, 354
- Deadly nightshade, 464
- Death angel mushrooms, 357, 358, 361
- Decaffeination, 470–71
- de Candolle, Alphonse P., 211, 449
- Deciduous trees
  - autumn leaf colors, 122
  - biomes, 500–501, 502
  - leaf scars, 86
  - leaves' lifespan, 107, 122–23
- Decomposers, 477
- Dedifferentiation, 259
- Deficiency symptoms, 161, 162
- Deforestation, 3, 251, 492, 507, 508
- Dehiscent fruits, 134–35, 136, 137
- Dehydration movements, 208
- Dehydration synthesis, 21
- Deisenhofer, Johann, 175
- Deletion, 271
- Denaturing, 26
- Dendrobium*, 471
- Dendrochronology, 8
- Density of populations, 476
- Density of woods, 99
- Deoxyribonucleic acid (DNA)

- in chloroplasts, 40–41
- duplication in bacteria, 294–96
- exchange in meiosis, 217
- extranuclear, 242
- location in plant cells, 14
- major functions, 26–27, 227–34
- molecular structure, 26–27, 226–27
- quantity in -dinoflagellates, 334
- recombinant technology, 253–58
- role in cell functions, 37

Deoxyribose, 226, 231

Department of Agriculture (U.S.), 11

Derivatives, 55

Desert agave, 480

Desert biome, 502–4

Desert plants, 157, 159, 504

Desiccation, 382. *See also* Arid conditions

Desmids, 320, 324, 325

Desmotubules, 50

Detassling corn, 258

Determinate growth, 70, 192

Deuteromycetes, 363–65

Development, defined, 192

Devonian period, 389, 401, 410

de Vries, Hugo, 236, 271

Dew, guttation water versus, 158, 159

Dextran, 303

DHA, 555

DHEA, 199

Diabetes mellitus, 256

Diatomaceous earth, 336–37

Diatoms, 208, 327, 328, 336–37

*Dicentra canadensis*, 273, 274, 280

*Dicentra cucullaria*, 273, 274, 280

*Dicentra formosa*, 141, 429

Dichasiums, 132

2,4-dichlorophenoxyacetic acid, 195–96

Dichotomous keys, 287–89

Dichotomous venation, 109

Dicots. *See also* Flowering plant uses; Flowering plants

- defined, 89
- leaf venation, 109, 112
- monocots versus, 129–31
- root cross sections, 67, 70
- root systems, 65–66
- stem structures, 89–95
- as traditional -classification, 290

Dicotyledonous plants. *See* Dicots

Dictyosomes

- in generalized cell -drawing, 34
- of root caps, 66
- structure and functions, 40, 41, 48

Dictyosteliomycota, 341–42

Differential survival and -reproduction, 270

Differentiation, 192

Diffusion, 151

Digestion, 15, 22, 187–88

Digitalis, 123

Dihybrid crosses, 238–39, 240

Dikaryotic mycelia, 357

Dimethylaminoethanol (DMAE), 554

*Dinobryon*, 326

Dinoflagellates, 206, 318, 333–34

Dinosaurs, 14

Dioecious gymnosperms, 417, 418, 419

Dioecious species, 436

Diploid cells, 221, 222

Disaccharides, 22

*Dischidia*, 116, 118

Diseases

- bacterial, 298–301
- fungal, 352–53, 365
- of house plants, 572

- natural resistance to, 531
- from slime molds, 342
- use of PCR technique to detect, 229
- viral, 309–14

Disinfestation, 262

Dispersal of seeds, 139–43

Dissecting microscopes, 31, 32

Disturbances, succession -following, 483–84

Diuretics, 398

Divisions, 284

DNA polymerase, 228, 229–30

DNA synthesizers, 253

Docosahexaenoic acid (DHA), 555

Doctrine of Signatures, 375

Dodders, 75, 430

Dogwood leaf structure, 110, 118

Dolipores, 356

Dollar plant, 137

Dolomite, 87

Domains, 284, 307

Domestication of crop plants, 247–49

Dominant alleles, 237, 239

Dormancy, 144, 211–12

Dormins, 197

Double covalent bonds, 19

Double fertilization, 432

Double membranes, 40

Double-working grafts, 584–85

Douglas firs, 29, 422–23, 505

Downy mildew of grapes, 343

Dragon's blood plants, 471

Drainage of soils, 79

Drainage of wetlands, 4

*Drosera*, 120

Drought tolerance, 382. *See also* Arid conditions

Drugs. *See also* Flowering plant uses; Folk medicines

- algin in, 338
- from cacti, 462
- ergot, 353
- from ferns, 403
- from gymnosperms, 424–25
- from imperfect fungi, 364–65
- from leaves, 123
- from lichens, 368
- natural plant sources listed, 543–53
- in nightshades, 463–64
- plant origins, 5, 6
- from poppies, 455
- from rain forest sources, 508
- from roots, 76
- transgenic plants carrying, 255–56

Drupes, 133, 134, 136

Dry climates. *See* Arid -conditions

Dry fruits, 134–38

Drying flowers, 441–45

Duckweed, 128, 486, 487

Dulse, 337

Dung, 229, 406

Dung mosses, 381

Durability of woods, 99

Dustbowl, 491

Dutch elm disease, 354–55, 501

Dutchman's breeches, 273, 274, 280

Dutrochet, René J. H., 31

Dwarfing, grafts for, 584–85

Dwarf mistletoes, 142, 208

Dwarf wheat plants, 250

Dyer's woad, 456

Dyes

- from buttercup, 452
- from conifers, 423
- from leaves, 123
- from legumes, 457

from lichens, 365, 368  
plant sources listed, 555, 559–61  
Dysentery remedies, 457

## E

*E. coli*, 229, 253–54  
Earth Liberation Front, 257  
Earth stars, 356, 359  
Eastern hemlock, 423  
Eastern redbud, 272–73  
Eastern white pines, 420–21, 501  
Ecological isolation, 273  
Ecology  
    defined, 475  
    environmental interactions, 475–79  
    growth of awareness, 9  
    human impacts, 488–95  
    natural cycles, 480–83  
    succession, 483–88  
Economic botany, 11  
Ecosystems, 476–78  
Ectomycorrhizae, 76  
Edible roots, 75–76, 77  
Eggplant, 575  
Eggs, 216, 376, 414. *See also* Reproduction; Sexual reproduction  
E horizon, 78  
Einstein, Albert, 172  
Ejectosomes, 335  
Elaioplasts, 42  
Elaiosomes, 141  
Elaters  
    of hornworts, 378, 379  
    of horsetails and scouring rushes, 396  
    in liverworts, 376–77, 378  
Elderberry periderm cells, 62  
Electric charges, 16–17, 18, 79  
Electron microscopes, 11, 31, 32–33, 49–50  
Electrons  
    in atomic structure, 16  
    chemical bonding, 19–20  
    exciting, 175  
    oxidation-reduction -reactions, 167  
    transport systems, 175–76, 181–82, 184  
    valence, 18–19  
Electron shells, 16, 21, 22  
Electrotropism, 204  
Elements, 15–17, 160, 161  
Elephant heads, 132  
Elm trees, 354–55, 501  
*Elodea* leaf cells, 153  
Elongation region, 68  
Elongation stage, 233  
Embryos  
    apomictic, 434  
    defined, 65, 143  
    development in early plants, 372  
    of gymnosperms, 414, 415  
    of liverworts, 376  
    of mosses, 380  
    protective features of seeds for, 410  
    of typical flowering plants, 432  
Emerson, Roland, 234  
Empirical observations on biological controls, 531–35  
Enations, 387  
Endangered species, 264, 445, 537  
Endocarp, 132  
Endodermis, 68, 69, 115  
Endomycorrhizae, 76  
Endoplasmic reticulum (ER), 34, 38–39, 40  
Endosperm, 133, 432–33  
Endosymbiont hypothesis, 242

Energy. *See also* Photosynthesis; Respiration  
of activation, 26  
in active transport, 154  
defined, 20  
enzyme role in converting, 166–67  
forms of, 20–21  
required for metabolism, 166, 167  
solar, 107  
transfer within food chains, 478

Energy levels of electrons, 16, 21, 22

Engelmann, T. W., 172, 173

Engler, Adolph, 430

English ivy, 98

English system of -measurement, 586

English yew, 424

Environment. *See also* Ecology; Pollution  
adaptation to, 15  
impact on gene expression, 230, 242, 271  
overview of human interactions with, 4–7  
plants' response to, 2

Environmental impact reports, 492

Enzymes  
of ancient seeds, 146  
basic features and functions, 18, 26, 27, 227–28  
cytochrome *c* oxidase, 269  
discovery of, 31  
DNA polymerase, 228  
genes' role in synthesizing, 192, 227  
heat impact on, 183  
mutation detection, 228  
origins on ER, 39  
PEP carboxylase, 178–79  
production by yeasts, 353–54  
restriction, 253  
RNA polymerase, 231  
role in metabolism, 166–67  
rubisco, 177, 178, 179

*Eocytes*, 308

*Ephedra*, 418, 419, 425

Ephedrine, 354, 425

Epicotyls, 143

Epidermal cells  
of leaves, 107, 109–11, 114  
meristematic, 55  
origins, 67, 86  
in pine needles, 115  
varieties, 35, 56, 59–61

Epigynous parts, 436, 438

*Epilobium angustifolium*, 132, 275

Epinasty, 201

Epiphytes  
aerial roots, 65  
common in rain forests, 507  
defined, 116, 318  
as example of habitat -variation, 128, 130  
orchids, 471

Epstein-Barr virus, 312

Equational division, 217, 220–21

Equator of cell, 47, 48, 218, 220

Equilibrium in diffusion, 151

Equisetophyta, 386, 394–98

*Equisetum*, 396

ER (endoplasmic reticulum), 34, 38–39, 40

Ergotism, 352–53

Ergotized rye, 355

Ericaceae, 131

*Erodium* fruitlets, 142

Erosion, 79, 268–69, 490–91

*Erythrina*, 136

*Escherichia coli*, 229, 253–54

Essential elements, 160, 161

Ethnobotany, 11

Ethyl alcohol, 354

Ethylene, 198–99, 212  
Etiolation, 210  
Eubacteria, 285  
*Eucalyptus deglupta*, 84  
*Eucapsis*, 304  
*Euglena*, 40, 41, 333  
Euglenoids, 283, 333  
Eukarya, 285, 288–89, 318–19  
Eukaryotic cells, 33, 294  
*Euphorbia*, 2  
Euphorbiaceae, 106, 452, 458–60  
*Euphorbia obesa*, 270  
*Euphorbia pulcherrima*, 119  
European buttercup, 452  
European rock rose, 202  
Eusteles, 89  
Eutrophication, 486–87  
Evaporation, 61, 480  
Evolution  
  Darwin's theory, 268–69  
  domestication and, 248–49  
  early concepts, 267–68  
  evidence for, 269–70  
  hybridization's role, 274–76  
  of new species, 234–35, 272–74  
  other beliefs about origins and, 276–77  
  rates of, 272  
  role of mutations, 234  
  within species, 270–72  
Evolutionary relationships, 229, 289–90  
Exciting electrons, 175  
Exine, 431  
Exocarp, 132  
Experimental methods, 7–8  
Explants, 262  
Extinctions, 491–92, 507, 508  
Extinguisher mosses, 380  
Extranuclear DNA, 242  
Extreme habitats, 128  
*Ex vitro* plant growth, 263  
Eyespots, 320, 333, 334

## F

Fabaceae, 451, 457–58  
Factors, in Mendelian -genetics, 237  
FAD, 176, 184  
FADH<sub>2</sub>, 181, 182, 184  
Fairy rings, 358  
Fall colors, 122  
False morels, 352  
False Solomon's seal, 132  
Families, 283, 451–52  
Fan-shaped leaves, 110  
Farina, 459  
Fascicles, 411  
Fats, 23, 24, 188  
Fatty acids, 23, 24  
Fava beans, 574  
Fd, 176  
Feet  
  of hornworts, 379  
  of liverwort sporophytes, 376, 377, 378  
  of mosses, 380  
Female gametophytes  
  of gymnosperms, 414  
  of typical flowering plants, 430, 432, 433, 434  
Fermentation  
  early discoveries, 31  
  process overview, 180–81, 182, 183  
  role of yeast, 353–54  
Ferns, 163, 386–87, 398–405

Ferredoxin (Fd), 176  
*Ferrocactus*, 159  
Fertilization. *See also* Reproduction  
    alternation of generations and, 221, 222  
    barriers to, 274  
    dependence of fruit on, 132  
    of typical flowering plants, 431–33  
Fertilizers, 250–51, 298, 573, 577  
Fetal testing, 229  
Fibers  
    manufactured goods from, 5, 6, 96, 123  
    tissue structure, 56, 57  
Fibrous root systems, 65, 66  
*Ficus* prop roots, 73  
Fiddleheads, 398, 400, 401  
Fiddlenecks, 191  
Field capacity of soil, 81  
Figs, 138, 139  
Fig trees, 74  
Figwort Family, 479  
Filaments  
    of algae, 321, 331  
    in generalized flower, 131  
    of microorganisms, 294, 304  
Filaree fruitlets, 142  
Filial generations, 236  
Filterable viruses, 309  
Fire damage  
    impact on species -diversity, 484  
    required for germination, 212, 488, 505  
    secondary succession after, 487–88  
    to trees, 93, 505  
    when to control, 505  
Firedamp, 308  
Fire ecology, 488, 505  
Fireweed, 132, 275  
Firs, 29, 422, 505  
First filial ( $F_1$ ) generation, 236  
First law of thermodynamics, 20  
Fish, luminescent, 293  
Fission, 294, 295  
Five-finger fern, 404  
Five-kingdom classification -system, 283, 284  
Fixing of nitrogen, 481  
Flagella  
    of bacteria, 294, 296  
    of cryptomonads, 334  
    of cycad sperms, 417  
    of dinoflagellates, 334  
    to enable taxis -movements, 207  
    of euglenoids, 283, 333  
    of golden-brown algae, 327  
    of green algae, 320, 321, 323, 324  
    of haptophytes, 335  
    microtubules in, 44  
Flashlight fish, 293  
Flash powder, 388  
Flavin adenine dinucleotide (FAD), 176, 184  
Flax, 140  
Flaxseed, 555  
Fleming, Alexander, 364  
Fleshy fruits, 133–34, 144  
Flies, pollination by, 439  
Floating liverworts, 377  
Florets, 466, 467  
Florida arrowroot starch, 425  
Floridean starch, 333  
Florigen, 210  
Flowering hormones, 211  
Flowering plants  
    basic features, 430–36  
    classification, 290  
    cotyledons, 89

- cultivated plant origins, 449–51
- in grasslands, 502
- identification key, 451–52
- physical variations, 128–29
- pollination, 431, 436–40
- preserving, 441–45
- suggested origins, 430
- in temperate deciduous forests, 501

Flowering plant uses

- Buttercup Family, 452–53
- cacti, 460–62
- Carrot Family, 464–65
- Grass Family, 467–68
- Laurel Family, 453–54
- Lily Family, 468–71
- Mint Family, 462–63, 462–63
- Mustard Family, 455–56
- Nightshade Family, 463–64
- Poppy Family, 454–55
- Pumpkin Family, 465–66
- Rose Family, 456–57
- Spurge Family, 458–60
- Sunflower Family, 466–67

Flower-pot leaves, 116, 118

Flowers

- basic structure, 131–32
- classification based on features of, 282
- fruit types from, 132–38, 139
- genetics of color, 239, 241–42
- photoperiods for, 208–9
- preservation methods, 441–45
- suggested origins, 430
- transgenic varieties, 256–57
- turgor movements, 205

Fluid mosaic model, 36, 38

Fluorescence, 172

Fluorescence microscopy, 31

Fly agaric mushrooms, 346, 362

Foliose lichens, 367

Folk medicines. *See also* Native American plant use; Natural plant medicines

- from buttercup, 452–53
- from cacti, 461–62
- from club mosses, 393–94
- from ferns, 404
- from gymnosperms, 422, 425
- horsetails in, 397–98
- from Laurel Family, 454
- from Mint Family, 462–63
- from Mustard Family, 456
- from Poppy Family, 455
- preserving knowledge of, 7, 449
- from Rose Family, 457

Follicles, 135, 136

Food and Drug Administration, 537

Food chains, 477

Foods (human). *See also* Crop plants; Flowering plant uses; Spices

- agriculture's origins, 248–49
- algae products, 337, 338
- bacterial contamination, 299–300
- basic importance of plants for, 5
- from cacti, 460–61
- coffee, 470–71
- from cyanobacteria, 306
- from ferns, 403–4
- from grasses, 467–68
- from leaves, 123, 124
- mushrooms, 362–63
- PCR screening -techniques, 229
- from pines, 420
- from roots, 75–76, 77
- staple crop plants, 247
- transgenic plants in, 257–58
- wild plants and fungi, 538–40



Foods (plant), 70, 71, 159–60. *See also* Sugars  
Food webs, 477–78  
Ford, Clellan, 449  
Foreign species, 493–95  
Forensics, 8, 229  
Forests. *See also* Trees  
    in arid conditions, 87  
    biomes, 500–501, 502, 504–8  
    as climax communities, 485, 486  
    deforestation, 3, 251, 492, 507, 508  
    erosion prevention role, 490  
    fire's role in renewing, 484, 488, 505  
    impact of acid deposition on, 492  
    mycorrhizae importance, 74  
    preservation, 494  
    root resistance to storm damage, 65  
Form, growth and, 14  
*Forsythia*, 260  
Fossil fuels  
    acid deposition from use of, 492  
    greenhouse gases from, 187, 480–81, 489  
    origins of energy in, 167  
    plant origins, 5  
Fossils  
    bacteria, 293, 305  
    da Vinci's observations, 267  
    early plant features, 372  
    as evidence for evolution, 269, 270  
    evidence for flowering plant origins, 436  
    of ferns and fern ancestors, 270, 401–2  
    origins and common forms, 405–6  
    quillwort, 393  
    support for punctuated equilibrium model, 272  
    whisk ferns, 387  
4-carbon pathway, 178–79  
Foxglove, 123  
Fragmentation, 322  
Franklin, Rosalind, 227  
Frogs, 530  
Fronds, 398, 399, 404. *See also* Ferns  
Fructose, 22, 181, 466  
Fructose biphosphate, 184  
Fruits  
    applications of GA on,  
        196–97  
    controlled ripening, 195, 198, 199  
    origins in flowers, 131  
    seed dispersal mechanisms, 139–43  
    seedless, 235, 434–36  
    types and features,  
        132–38, 139  
Fruit trees, 195, 578, 579–85  
*Frullania*, 378  
Fruticose lichens, 367, 368  
Fucoxanthin, 326, 327  
*Fucus*, 329–30  
Fuels. *See also* Fossil fuels  
    alternative, 5–6  
    leaves as, 123  
    origins of energy in, 167  
    use of wood for, 102  
Fumariaceae, 280  
Fungi  
    bryophyte association with, 373  
    chytrids, 348–49  
    classification, 285, 288  
    club, 355–63  
    coenocytic, 349–50  
    edible, 538–40  
    gibberelins, 196–97  
    impact on crop plants, 252  
    imperfect, 363–65  
    inhibitory chemicals from, 478–79

- in lichens, 366–68
- overview, 347
- preserving, 441
- protecting seeds from, 258
- Protista versus, 347–48
- on roots, 74, 75, 411
- sac, 351–55
- slime molds as, 283
- in soils, 78

Funori, 337

*Fusarium*, 531

## G

G<sub>1</sub> period, 45

G<sub>2</sub> period, 45

Gallic acid, 365

Galls, 197, 254

*Gambusia affinis*, 530

Gametangia

- of brown algae, 329–30
- of coenocytic fungi, 349
- importance to early plants, 372
- of liverworts, 376
- of mosses, 380

Gametes

- of brown algae, 330
- chromosome number, 216–17
- of diatoms, 327, 328
- of green algae, 321–22, 323, 324, 325
- of mosses, 374
- mutation of, 234
- of red algae, 332(2)
- 2*n*, 235
- of typical flowering plants, 430

Gametophores, 376, 377

Gametophytes

- alternation of generations and, 221, 222
- of ferns, 399–400
- of ground pines, 390, 391
- of gymnosperms, 410–11, 414, 415
- of hornworts, 378, 379
- of horsetails and scouring rushes, 396
- of liverworts, 376, 377
- of mosses, 374, 380, 381–83
- of quillworts, 393
- of spike mosses, 390–92
- of typical flowering plants, 430–31, 433, 434, 435
- of whisk ferns, 387, 388

Gane, R., 198

Gap 1, 45

Gap 2, 45

Garden clocks, 206

Garden geraniums, 132

Gardening tips, 572–73

Garden pea plants, 115, 116

Garden vegetables, 573–78

GardenWeb, 11

Garlic, 554–55

Garner, Wightman W., 208

Gas chromatography, 194

Gas gangrene, 300

Gasohol, 6

Gelatinous sheaths, 304, 305

*Gelidium*, 331, 337

Gemmae, 376, 377

Gene banks, 252

Genera, 281, 283

Generalized flower -structures, 451

General Sherman tree, 416

Generations, alternation of,

221–22, 374

Generative cells, 414

Generative nuclei, 431, 431–32

Genes. *See also* Chromosomes; Deoxyribonucleic acid (DNA); Genetics  
alleles defined, 237  
contents, 26–27  
defined, 227  
extranuclear, 242

Genes—*Cont.*  
of homologous -chromosomes, 217  
interactions among, 239–41  
linked and unlinked, 239, 242–44  
as percentage of DNA -molecule, 231  
role in enzyme -development, 192  
studies of, 8  
transposition, 225–26

Gene splicing, 253–58

Genetic code, 232

Genetic diversity, 251–52

Genetic drift, 271–72

Genetic engineering, 9, 253–58

Genetic information. *See also* Mutations  
expression, 230–32  
mutation of, 232–34  
storage and replication, 227–28

Genetic recombination, 294, 295–96, 304

Genetics. *See also* Breeding methods  
cytogenetics, 234–35  
development as science, 9  
DNA in cells, 14  
endosymbiont -hypothesis, 242  
environmental influences, 230, 242, 271  
gene linkage and mapping, 239, 242–44  
Hardy-Weinberg law, 244  
Mendelian, 235–42  
molecular, 226–34

Genomes, 228

Genotypes  
control of phenotypes, 241–42  
defined, 237  
displayed in Punnett squares, 239, 240

Geographic distribution, 270

Geographic isolation, 272–73

Geologic time scale, 389

Geology, Hutton's theory, 268–69

Geomagnetotropism, 204

*Geranium*, 260

Geranium Family, 142, 208

Germination  
dormancy and quiescence, 211–12  
fire's effects, 212, 488, 505  
hormones affecting, 196, 200  
imbibition's role, 153  
optimal soil conditions for, 258–59  
phytochrome role, 209–10  
process overview, 143–45  
rock splitting by, 153, 154, 485  
tips for vegetable seeds, 572

Germ-line mutations, 234

Germplasm, 251–52

Giant kelp, 328, 329, 337, 339

Giant tortoises, 140, 212

Giant trees, 3, 34, 35. *See also* Redwood trees

Giant water lily, 108, 109

Gibberelins, 107, 196–97, 200, 212

Gibbons, Euell, 420

*Gigartina*, 331

Gills, of mushrooms, 357, 358

*Ginkgo biloba*, 554

Ginkgophyta, 411, 416–17

Ginkgos  
basic features, 411, 416–17

- leaf type, 110
- manufactured goods from, 425
- Giraffes, 268
- Girdling, 260, 479, 582
- Glands, 61, 62, 109–10
- Glass, 107
- Gliding movements, 208
- Global warming, 3–4, 168–69, 187, 488–90, 508
- Gloeocapsa*, 305
- Glucose, 22, 180–81. *See also* Photosynthesis; Sugars
- Glutamic acid, 303
- Glutamine, 180
- Gluten, 26
- Glyceraldehyde 3-phosphate (GA3P), 181, 182
- Glycerol, 23
- Glycine, 24
- Glycolysis, 181, 182, 183, 184
- Glycoproteins, 35–36, 313
- Glyoxisomes, 42–43
- Glyphosate, 257
- Gnetophyta, 411
- Gnetophytes, 411, 418–19, 420
- Gnetum*, 418, 419, 425
- Golden-brown algae, 327
- Golden chain tree, 94
- Goldenseal, 452–53
- Golgi apparatus, 40
- Gomphosphaeria*, 305
- Gondwana, 424
- Gonorrhea, 300
- Gonyaulax*, 334
- Google, 10
- Gooseberry bushes, 360
- Gopher plant latex, 460
- Gotu kola, 554
- Gourds, 466
- Grafting, 70, 85, 261, 579–85
- Grains, 137, 138, 144, 352–53. *See also* Crop plants
- Gram, Christian, 297
- Gram-negative bacteria, 297
- Gram-positive bacteria, 297
- Grana, 40
- Grapes, 135
- Grapevines, pruning, 578, 579
- Grasses
  - basic features, 467–68
  - benefits of fire for, 488
  - flowers of, 452
  - grains of, 137
  - hormone discoveries in, 193–94
  - leaf structure, 110
  - meristematic tissues of, 55
  - photoperiods, 209
  - serrated edges, 124
  - stem structures, 96
  - uses by humans, 467–68
  - water conservation -movements, 207
- Grass Family. *See* Grasses
- Grasslands, 501–2, 503
- Gravitational water, 81
- Gravitropism, 202–4
- Gravity, 66, 202–4
- Grazing animals, 479
- Green algae, 319–25, 326, 366, 372
- Greenhouse gases, 187, 480–81, 488–90, 508
- Green Revolution, 250
- Green Streets, 257
- Green sulfur bacteria, 297
- Grew, Nehemiah, 8, 31, 155
- Grimmia*, 374
- Ground meristem
  - in roots, 54, 55, 67
  - in stems, 86, 88

Ground pines, 388–90, 394  
Growth  
  as attribute of living -organisms, 14  
  defined, 192  
  determinate versus -indeterminate, 70  
  dormancy and quiescence, 211–12  
  influence on plant -movement, 200–204  
  minerals needed, 160–63  
  temperature's effects, 211  
  in woody dicot stems, 90  
Growth inhibitors, 144, 197, 212  
Growth regulators, 193, 195  
Growth retardants, 196  
Growth rings, 87, 91–93, 412  
Guanine, 226, 227, 228  
Guard cells, 61, 108, 111, 157–58  
Guggul, 555  
Guillain-Barré syndrome, 312  
Gulleets, 283, 333, 335  
Gum trees, 3  
Guttation, 108, 158, 159  
Gymnosperms  
  angiosperms versus, 410, 429  
  appearance, 409  
  conifers, 411–16, 420–25  
  cycads, 417–18, 425  
  ginkgos, 411, 416–17, 425  
  gnetophytes, 418–19, 420  
  overview, 410–11  
Gynophores, 458, 459  
Gypsy moth caterpillars, 314

## H

Haberlandt, Gottlieb, 197  
Habitat variety for flowering plants, 128  
Haeckel, Ernst, 283  
Hairs, 61, 62  
Hales, Stephen, 156  
Half-inferior ovaries, 436, 438  
Half-life, 269  
Hallucinogenic mushrooms, 362, 556  
Hallucinogenic plants, 555, 556  
Halons, 490  
Haploid cells, 221, 222  
Haptonemas, 335  
Haptophytes, 335  
Hapu'u, 385  
Hard maple, 100  
Hardpan soils, 482–83  
Hardwoods, 94, 412  
Hardy, G. H., 244  
Hardy-Weinberg law, 244, 249  
Harlan, Jack R., 450  
Harvest times, predicting, 211  
Haustoria, 74, 75, 363, 430  
Hawaiian tree ferns, 266  
Hawthorn plant extracts, 555  
Hazardous waste, 493  
Health, fats and, 23  
Health concerns about -transgenic crops, 257–58  
Heartwood, 94  
Heaths, 131, 140  
Heating. *See also* Temperature  
  bacterial resistance to,  
    303–4, 308  
  in propagation of cuttings, 259, 260  
Heavy metals, 80, 256  
*Hedeoma* flowers, 123  
*Hedychium gardnerianum*, 266  
Heirloom varieties, 251  
Heliconia, 53

Heliotropisms, 206–7  
Hemberg, Torsten, 197  
Hemerobiidae, 529  
Hemicellulose, 35–36, 37  
Hemlock, 101, 423  
Hemp fibers, 123  
*Hepatica*, 453  
Hepaticophyta, 375–78  
Hepatitis, 312  
*Heracleum lanatum*, 537  
Herbaceous dicot stems, 89–90  
Herbal healers, 7, 11  
Herbaria, 283, 441–45  
Herbicide resistance, 255, 257  
Herbicides, 195–96, 529  
Herbivorous animals, 479  
Herb plant sources, 535  
Heredity. *See* Genes; Genetics  
Heritable variation, 271  
Heroin, 455  
Herring spawn, 329  
Hesperidia, 134  
Heterocysts, 304, 305  
Heterosis, 251  
Heterospory, 390, 430  
Heterotrophic organisms, 297  
Heterozygous plants, 237, 238, 239, 250  
*Hibiscus*, 126  
Hickory, 101  
High-yield farming, 250–51  
Hill, Robin, 171  
Hill reaction, 171  
Hilum, 143  
Hips of roses, 457  
Historic sites, 368, 492  
HIV virus, 313  
Hogg, John, 283  
Holidfasts  
    of brown algae, 328, 329  
    of green algae, 321, 322, 325, 326  
Holly, 198  
Holly ferns, 399  
Home pages, 10  
Homologies, 269  
Homologous chromosomes, 217  
Homozygous plants, 237, 238, 239, 250  
Honey bees, 437  
Honeydew, 159, 160  
Hooke, Robert, 30–31, 35  
Hooker Oak, 93  
Hop hornbeans, 140  
Horehound, 462  
Horizons of soils, 78  
Hormones  
    basic functions, 193  
    causing abscission, 122  
    flowering, 211  
    initiation of fruit -development, 133  
    interactions among, 199–200  
    major types, 193–99  
Hornworms, 577  
Hornworts, 378  
Horseradish, 71  
Horsetails, 394–98  
*Hosta*, 264  
Hot springs, 303, 308  
House plants  
    care guidelines, 78, 562–63  
    common ailments, 572  
    environments for common types, 564–71  
    ferns as, 402–3  
    propagation of cuttings, 260  
Human immunodeficiency virus (HIV), 313

Humans. *See also* Crop plants; Flowering plant uses; Foods (human)

- algae relevance, 336–38
- archaeobacteria relevance, 308–9
- bryophyte relevance, 383
- club fungi relevance, 361–63
- club moss relevance, 393–94
- coenocytic fungi -relevance, 350
- cyanobacteria relevance, 306–7
- ferns' relevance, 402–5
- general environmental impact, 4–7, 488–95
- global warming activities, 3–4, 168, 187, 488–90
- gymnosperms' relevance, 419–25
- horsetails' and scouring rushes' relevance, 397–98
- impact of transgenic crops on, 257–58
- imperfect fungi relevance, 364–65
- lichens' relevance, 367–68
- sac fungi relevance, 352–55
- seed dispersal by, 142–43
- slime molds' relevance, 342
- true bacteria relevance, 297–303
- viruses' relevance, 311, 312–14

Humidity, 157, 563

Hummingbirds, 439, 440

Humus, 79

Hunter-gatherers, 248

*Huperzia serrata*, 554

Huperzine A, 554

Hurricane Katrina, 490–91

Husks of drupes, 133, 134

Hutton, John, 268–69

Hybrid fusions, 253

Hybridization, 274–76

Hybrid seed, 251, 258

Hybrids of self-pollinating plants, 250

Hydathodes, 108, 158

Hydrochloric acid, 20

*Hydrodictyon*, 324, 325

Hydrogen

- acidity and, 20
- atomic mass and number, 17
- molecular form, 17–18, 19
- in polymer formation, 21–22
- symbol for, 16

Hydrogen bacteria, 297

Hydrogen bonds, 19–20, 26, 227

Hydrogen sulfide, 297

Hydroids, 374, 382

Hydrolysis, 22, 187–88

Hydrophytes, 477

Hydrotropisms, 204

Hydroxyl ions, 20, 21–22

Hygroscopic water, 81

Hymenium, 351

Hyoscyamine, 464

Hyperaccumulating plants, 80

Hypertext, 10

Hyphae

- of ascomycetes, 351, 353
- of club fungi, 356, 359–60
- defined, 347
- of lichens, 366–67
- varieties, 348
- of water molds, 342, 343

Hypocotyls, 143

Hypodermis, 114, 411

Hypoglycemia, 361

Hypogynous parts, 436, 438

Hypotheses, 7–8

Ice plants, 208  
Ichneumonidae, 530  
Ichneumon wasps, 530  
Igneous rocks, 78  
*Ignis fatuus*, 308  
Imbibition, 152–53  
Immunity, 309  
Imperfect flowers, 436  
Imperfect fungi, 363–65  
Imprints, 405  
Inarching, 581, 583  
Inbreeding, 250, 258  
Inbreeding depression, 251  
Incas, 81  
Incense cedars, 425  
Incomplete dominance, 239, 241  
Incomplete flowers, 436  
Increment borers, 87, 93  
Indehiscent fruits, 136–38  
Independent assortment, 238–39  
Indeterminate growth, 70, 85, 192  
Indian mustard, 80  
Indoleacetic acid (IAA), 195  
Indolebutyric acid (IBA), 195  
Indusia, 398–99, 400  
Infectious hepatitis, 312  
Inferior ovaries, 132, 436, 438  
Inflorescences, 132, 467  
Ingen-Housz, Jan, 171–72  
Inheritance, 236, 242, 270. *See also* Genes; Genetics  
Initials, 55  
Initiation stage in translation, 233  
Injury, plant responses to, 15, 58  
Inner bark, 95  
Inorganic fertilizers, 250–51. *See also* Fertilizers  
Inorganic molecules, 21  
Insect colonies, leaf structures for, 116  
Insect damage to trees, 93  
Insecticides, 76, 124, 301, 529. *See also* Biological -controls; Toxins  
Insect resistance, 253–55, 256, 257  
Insects  
    association with *Acacia*, 479  
    bacterial contamination from, 300–301  
    as biological controls, 462, 529–30  
    biological controls for, 301–2, 529, 533  
    fungus cultivation by, 364  
    pollination by, 273–74, 431, 437–39, 440, 442  
    role in food transport discoveries, 159, 160  
    seed dispersal by, 140, 141  
    transgenic varieties resistant to, 253–55, 256, 257  
    viral contamination from, 311  
Insect-trapping leaves, 118–22  
Integuments, 411, 413–14, 430  
Intelligent Design, 276–77  
Intensity of light, 169  
Interbreeding, 271  
Intercalary meristems, 55, 96  
Intercellular spaces, 34, 56  
Interferon, 312  
Intermediate-day plants, 209  
International Code of Botanical Nomenclature, 282–83  
International Plant Genetic Resources Institute, 252  
Internet botany resources, 10–11  
Internodes, 85, 86, 109  
Interphase, 44–45  
Interplanting, 531  
Interstocks, 584–85  
Intestinal worms, 403  
Introgression, 275  
Invasive species, 493–95  
Inversions on chromosomes, 234–35, 271  
Invertase, 354



*In vitro* plant growth, 262, 263, 264  
Iodine, 337  
Ionic bonds, 19  
Ions, 19, 20, 79  
*Ipomoea*, 71  
Irish moss, 337  
Irish potato famine, 252, 337, 340, 343, 464  
*Iris missouriensis*, 1  
Iron, 17, 161, 162  
Iron bacteria, 297  
Ironwood, 99  
Irregular flowers, 436  
Isidia, 367  
*Isoetes*, 392, 393  
Isogamy, 322, 324  
Isolation, new species arising from, 272–74  
Isomers, 22  
Isomorphism, 325  
*Isopyrum*, 453  
Isotopes, 17  
Ivy plants, 98, 108

## J

Jacaranda trees, 140  
Japanese beetle, 302  
*Jasminocereus howellii*, 270  
Jeffrey pine trees, 200  
Jenner, Edward, 309  
Jequirity beans, 26  
Jerusalem artichokes, 466  
Jerusalem sage, 140  
Jesty, Benjamin, 309  
Jimson weed, 131, 464  
Joint firs, 418, 419, 425  
Jojoba, 460  
Judd, Walter, 290  
Junipers, 260, 416, 425  
*Juniperus*, 260  
Jurassic period, 389, 436  
Juvenile leaves, 107

## K

Kaffir lily, 60  
Kahili ginger, 266  
*Kalanchoë*, 118, 260  
Kauri pines, 421  
Keels, 457, 458  
Kelps  
    Chromophyta, 326  
    harvesting, 337, 339  
    Phaeophyceae, 328–30  
Keys for classifying organisms, 287–89, 451–52  
Kilns, 99  
Kinetic energy, 21  
Kinetin, 197  
Kinetochores, 46  
Kingdoms of organisms, 283, 284, 285–86  
King Tut, 49–50  
Knees of bald cypress, 423  
Knots, 99  
Koch, Robert, 301  
Koch's Postulates, 301  
Krakatau, 486  
Kranz anatomy, 178–79  
Krebs, Hans, 181  
Krebs cycle, 181, 184  
Kudzu, 493–95  
Kurosawa, Eiichi, 196

## L

- Lacewings, 529
- Lactic acid, 303
- Lactobacillus acidophilus*, 303
- Lactuca serriola*, 116
- Ladybugs, 529
- Lake, James, 283, 308
- Lake Bonneville, 308
- Lakes, succession in, 486–87
- Lamarck, Jean Baptiste de, 31, 268
- Lamiaceae, 452, 462–63
- Lamina, 107
- Laminar flow hoods, 263
- Laminarin, 327, 329
- Lamproderma*, 341
- Larches, 422
- Late blight of potato, 343
- Lateral buds, 199
- Lateral meristems, 54–55
- Lateral roots, 69, 70
- Latex
  - manufactured goods from, 95
  - medicinal, 2
  - secretory tissues, 62, 95
  - of spurges, 459–60
- Laticifers, 95
- Latin names, 281, 282
- Lauraceae, 452, 453–54
- Laurel Family, 452, 453–54
- Law of dominance, 237
- Law of independent assortment, 238–39
- Law of unit characters, 237
- Layering, 260
- Leaching of soils, 78
- Lead absorption by plants, 80
- Leaf gaps, 86, 88, 107
- Leaflets, 107
- Leaf primordia, 86, 88, 107
- Leaf scars, 86
- “Leafy” liverworts, 377–78
- Leaves. *See also* Abscission
  - abscission, 122–23
  - arrangements on stems, 85–86, 88, 109
  - color changes, 122
  - of conifers, 411–12
  - deficiency symptoms in, 162
  - forms and functions, 107–8
  - of ginkgos, 110, 416–17
  - human and ecological relevance, 123–24
  - internal structure, 109–13
  - Kranz anatomy, 178–79
  - photoperiod sensitivity, 210
  - specialized, 113–22
  - of specialized stems, 96
  - types, 108–9
  - variegation, 242
  - water conservation -movements, 207
  - of *Weltwitschia*, 419
- Lecithin, 554
- Leclerc, Georges-Louis (Count de Buffon), 267
- Leersia oryzoides*, 124
- Leewenhoek, Anton van, 8, 31
- Legionnaire disease, 299
- Legumes
  - circadian rhythms, 205–6
  - dehiscent fruits, 135, 136
  - dormancy, 144
  - flower features, 457, 458
  - identification key, 451
  - nodding movements, 200–201

- proteins in, 26
  - root nodules, 75, 77
  - uses by humans, 457–58
- Lemmings, 500
- Lenses, 31
- Lenticels, 61, 62, 89
- Lentinacin, 362
- Leonardo da Vinci, 267
- Lepidium virginicum*, 212
- Lepidodendron*, 394
- Leptoids, 374
- Lettuces, 145, 575–76
- Leucoplasts, 42
- Lewin, Ralph A., 307
- Lichens
  - basic features, 365–67
  - classification, 287
  - cyanobacteria in, 304
  - human and ecological relevance, 367–68
  - role in primary -succession, 484
  - Spanish moss versus, 130
- Licorice ferns, 404
- Life
  - acidity and alkalinity, 20
  - basic attributes, 14–15
  - cell chemistry, 21
  - energy forms, 20–21
  - importance of -photosynthesis and -respiration, 166, 167
  - importance of plants for, 4, 5–7
  - macromolecules of, 21–27
  - overview of atoms and -molecules, 15–20
  - in soils, 78–79
- Life histories, 480
- Light. *See also* Photosynthesis
  - basic role in photosynthesis, 169–70
  - ecosystem energy from, 478
  - for house plants, 562–63
  - influence on -germination, 145
  - luminescent bacteria, 293
  - movements toward, 193–94, 202, 206–7
  - photoperiodism, 208–12
  - properties of, 172
- Light-dependent reactions, 171, 172–76
- Light-independent reactions, 171, 172, 176–80
- Light microscopes, 31–32
- Lignin
  - percentage in wood, 99
  - in sclerenchyma cells, 56
  - in secondary cell walls, 36, 37
  - suggested role in plant -evolution, 318
  - synthesis, 186
- Lignum vitae, 99
- Ligules, 390, 392
- Liliaceae, 452, 468–71
- Liliopsida*, 129
- Lily bulbs, 72, 73, 201
- Lily Family
  - basic features, 452
  - gametophyte development, 434, 435
  - seed longevity, 145
  - uses by humans, 468–71
- Lima beans, 574
- Liming, 81
- Limonoids, 530–31
- Linden trees, 57, 90, 91
- Lindstrom, D. L., 489
- Linear leaves, 110
- Linked genes, 239, 242–44
- Linnaeus, Carolus, 8–9, 206, 281–82, 287
- Linum*, 555
- Lipid membranes of viruses, 313
- Lipids, 22–23, 170
- Lip petals, 471

Liquefied pest sprays, 531  
*Lithospermum*, 449  
Litmus paper, 368  
Liverworts, 375–78  
Living organisms. *See* Life  
Loams, 79  
Lobed leaves, 110  
Lobeline sulfate, 124  
*Lobophora variegata*, 328  
Loci of genes, 237, 244  
Loco weeds, 163, 457–58  
Locust trees, 98  
Lodgepole pines, 421  
Logging, 421, 501  
Long bows, 424  
Long-day plants, 208, 210  
Lotus seeds, 146  
Lower cortex (lichen thallus), 366, 367  
LSD, 353  
*Ludwigia repens*, 71  
Lumber, 99, 100–101, 102–3, 420–21, 422–24  
Lumina in fibers, 56  
Luminescent bacteria, 293  
Luminous mosses, 373–74  
*Lunaria*, 137  
Lunularic acid, 376  
Lupines, 145, 146, 212, 281, 485  
*Lycogala*, 341  
Lycophyta, 386, 388–94  
Lycopodium, 388–90  
*Lycopodium cernuum*, 390  
*Lycopodium obscurum*, 390  
*Lycopodium serratum*, 554  
Lyell, Charles, 268, 269  
Lyme disease, 301  
*Lyngbya*, 305, 306  
Lysosomes, 43

## M

MacAyeal, D. R., 489  
*Macrocystis pyrifera*, 328  
Macroevolution, 272–74  
Macromolecules, 21  
Macronutrients, 161–63  
Magnesium  
    adding to soils, 81  
    atomic mass and number, 17  
    ions, 19  
    uses and deficiency -symptoms, 161, 162  
Magnetic forces, tropic responses, 204  
Magnolia, 8, 136, 437  
Magnoliophyta, 285, 290, 430–36  
*Magnoliopsida*, 129  
Maidenhair ferns, 399  
Maidenhair trees, 416, 554  
Malaysian tree frogs, 120  
Male ferns, 404  
Male gametophytes  
    of gymnosperms, 414  
    of typical flowering plants, 430, 431, 432, 433, 435  
Malpighi, Marcello, 8, 31, 155  
Malthus, Thomas, 269  
Maltose, 26, 188  
Manganese, 161  
Mangroves, 145, 147, 154, 490  
*Manihot esculenta*, 77  
Manila hemp, 123  
Mannitol, 154  
Manroot, 71, 142, 466  
Mantidae, 530  
Manufactured goods. *See also* Flowering plant uses

- algae products in, 336–38
- bacterial byproducts in, 303
- from coenocytic fungi, 350
- from conifers, 420–25
- cork tissues in, 61
- from ferns, 403
- from leaves, 123–24
- from lichens, 368
- from plant fibers, 5, 6, 56
- from plant stems, 85
- from roots, 75–76
- from sac fungi, 353–54
- use of imperfect fungi in, 364–65
- Maples
  - leaf structure, 110, 114
  - seeds, 138, 140
- Mapping genes, 243, 244
- Map units, genetic, 244
- Marah*, 71
- Maranta*, 206
- Marchantia*, 375, 376–77, 378
- Marigolds, 466
- Marijuana, 124
- Marsilea*, 399
- Mass, 15, 16
- Mass-flow hypothesis, 159–60
- Mass selection, 251
- Mastitis, 462
- Maté, 124
- Maternal inheritance, 242
- Matrix of mitochondria, 41–42, 43
- Matter, units of, 15–20
- Maturation region in roots, 68–70
- Maxwell, James, 172
- McClintock, Barbara, 225–26, 234
- MCPA, 195
- Meadow saffron, 468
- Measurement unit conversions, 586–87
- Mechanical isolation, 273–74
- Media for micropropagation, 262, 263
- Medicago*, 90
- Medicago polymorpha*, 77
- Medicines. *See also* Flowering plant uses; Folk medicines
  - algae products in, 338
  - ergot, 353
  - from gymnosperms, 424–25
  - from imperfect fungi, 364–65
  - from lichens, 368
  - natural plant sources listed, 543–53
  - from poppies, 455
  - from rain forest sources, 508
  - transgenic plants carrying, 255–56
  - varied plant origins, 2, 5, 6
- Mediterranean climate, 502
- Medulla (lichen thallus), 366, 367
- Megagametophytes, 430, 432, 433
- Megaphylls, 386, 398
- Megasporangia, 413, 415
- Megaspores
  - of ferns, 399
  - of pines, 413, 415
  - of quillworts, 393
  - of spike mosses, 390, 392
  - of typical flowering plants, 430, 433, 435
- Megasporocytes
  - of pines, 413, 414
  - of quillworts, 393
  - of spike mosses, 390, 392
  - of typical flowering plants, 430–31, 432, 434, 435
- Megasporophylls, 390, 392
- Meiocytes, 221. *See also* Sporocytes
- Meiosis. *See also* Sexual reproduction
  - in ascomycetes, 351, 353

- in brown algae, 330
- in club fungi, 357
- in coenocytic fungi, 350
- in diatoms, 327, 328
- in green algae, 321, 322, 323, 324
- in liverworts, 376
- overview, 216–17
- phases of, 217–21
- in red algae, 332
- in slime molds, 341
- in typical flowering plants, 430
- in water molds, 343
- Meiospores, 221
- Melonettes, 466
- Memory enhancement, 554
- Mendel, Gregor, 9, 235–36, 244
- Mendelian genetics, 235–42
- Meniscus, 155
- Mentha piperita*, 282
- Mentha spicata*, 282
- Menthol, 186, 421, 463
- Mericarps, 138
- Merismopedia*, 305
- Meristems
  - complex tissue development from, 56–62
  - in cuttings, 259
  - defined, 45
  - of hornworts, 378, 379
  - simple tissue development from, 55–56
  - tissue types, 54–55, 66–67, 86
- Merkus pines, 411
- MERLOT, 11
- Mermaid's wineglass, 33, 324–25
- Mertz, Patricia, 303
- Mescaline, 462
- Mesocarp, 132
- Mesophyll, 42, 111–12, 115
- Mesozoic era, 389
- Messenger RNA, 231–32, 233
- Metabolism, 15, 166–67, 186
- Metabolites, 36
- Metals, extraction by plants, 80
- Metamorphic rocks, 78
- Metaphase (mitosis), 46, 48
- Metaphase I (meiosis), 218, 219
- Metaphase II (meiosis), 220, 221
- Methane bacteria, 307–8, 308–9
- Methane digesters, 308–9
- Methane gas
  - bacterial production, 307–9
  - molecular structure, 19
  - sources, 6, 490
- Methionine, 198, 231, 233, 258
- Methuselah tree, 88
- 2-methyl-4-chlorophenoxyacetic acid, 195
- Methyl bromide, 74
- Methylene chloride, 470–71
- Metric conversions, 586
- Mevalonic acid pathway, 186
- Mexican jumping beans, 460
- Micelles, 79
- Michel, Hartmot, 175
- Micrasterias*, 320
- Microbodies, 42–43
- Microcystis*, 304, 306
- Microevolution, 270–72
- Microfilaments, 44
- Microgametophytes, 432
- Micromonas*, 319
- Micronutrients, 161, 162, 163
- Microorganisms. *See also* Bacteria; Viruses
  - inhibitory chemicals from, 478–79
  - organelles' suggested origins as, 242

- in soils, 78, 79
- use of PCR technique to detect, 229
- Microphylls, 386, 393, 394
- Micropropagation, 261–64
- Micropyles, 143, 413–14, 430
- Microscopes, 8, 30, 31–33
- Microshoots, 263
- Microsporangia, 412, 415
- Microspores
  - of ferns, 399
  - of pines, 412
  - of quillworts, 393
  - of spike mosses, 390, 392
  - of typical flowering plants, 430–31, 433, 434
- Microsporocytes, 390, 392, 412, 430
- Microsporophylls, 390, 392
- Microtubules
  - location in plant cells, 34
  - during mitosis, 46, 47, 48
  - preprophase band, 45
  - structure and functions, 44
- Middle lamellae, 34, 36, 50
- Midribs, 109, 379
- Midveins, 109
- Migration, 271
- Milk, 302–3
- Milkweed, 136
- Mimosa pudica*, 15, 204, 205, 458
- Mimulus angustatus*, 224
- Mimulus bicolor*, 279
- Mimusops huberi*, 2
- Mindanao gum trees, 84
- Minerals
  - ecosystem influence, 476
  - needed for growth, 160–63
  - in soils, 79
- Mint Family, 281, 452, 462–63, 462–63
- Mint oils, 462–63
- Miso, 365
- Missing-link fossils, 272
- Missouri Botanical Garden, 10
- Mistletoes, 141, 430
- Mitchell, Peter, 176, 185
- Mitchell theory, 176
- Mites, 530
- Mitigations, environmental, 492
- Mitochondria
  - aerobic respiration in, 181–82
  - of desiccated mosses, 382
  - endosymbiont -hypothesis, 242
  - in generalized cell -drawing, 34
  - structure and functions, 41–42, 43
- Mitosis
  - in brown algae, 330
  - in diatoms, 327, 328
  - in green algae, 320, 321
  - major phases, 44, 45–50
  - meiosis versus, 217, 218
- Mnium*, 380
- Molds (fossil), 405
- Molecular genetics, 226–34, 241–42
- Molecules
  - basic features, 17–18
  - bonds and ions, 19–20
  - defined, 15
  - movement mechanisms, 151–54
- Monarch caterpillars, 257
- Monascus purpureus*, 555
- Monera, 283
- Monkey flowers, 205, 224, 279
- Monkshood, 280
- Monocots

*Agrobacterium* transformation techniques for, 254–55  
defined, 89  
dicots versus, 129–31  
leaf venation, 109, 111, 113  
root cross sections, 67  
root systems, 66  
stem structures, 95–96  
as traditional -classification, 290  
Monocotyledonous plants. *See* Monocots  
Monoecious species, 436  
Monohybrid crosses, 238  
Monokaryotic mycelia, 357  
Monomers, 21  
Monosaccharides, 22, 23  
Monosodium glutamate, 303  
Monterey pines, 421  
Moonshadow carnation, 256  
*Moraea*, 137  
Morels, 352, 354  
Morgan, T. H., 242  
Mormon tea, 425  
Morphine, 455  
Morphology, 9  
Mosquito control, 302, 455–56  
Mosquito ferns, 405  
Mosquito fish, 530  
Mosquitos, pollination by, 440  
Mosses, 372–74, 379–83  
Moths, pollination by, 439, 440, 442  
Motility, 294, 319  
Motion of molecules, 151  
Mountain and coastal forest biome, 504–6  
Mountain hemlock, 287  
Mountain iris, 1  
Mounting specimens, 441, 444, 445  
Mount St. Helens, 485–86  
Mouse-ear cress, 49  
Movement  
  as attribute of living organisms, 15  
  growth-influenced, 200–204  
  miscellaneous types, 208  
  molecular, 151–54  
  taxes, 207–8  
  turgor pressure causing, 204–7  
  of water through plants, 155–57  
Movement mechanisms, 151–54  
Moyle, Susan, 374  
Muir, John, 494  
Muir Woods, 494  
Mukul myrrh, 555  
Mule ears, 467  
Mullis, Kary, 229  
Multiple fruits, 138, 139  
Muramic acid, 297  
Mushrooms, 355–56, 357, 361–62  
Musical instruments, 422, 423  
Mustard Family, 135, 269, 451, 455–56  
Mutagens, 232  
Mutations  
  causes, 232–34  
  defined, 227  
  enzymes to detect, 228  
  role in evolution, 271, 273  
  of viruses, 310  
Mutator genes, 271  
Mutualism, 74, 479  
Mycelia  
  of chytrids, 348  
  of club fungi, 356–57, 363  
  defined, 347  
  of sac fungi, 353  
  of water molds, 342, 343  
Mycologists, 347



Mycophagists, 347  
Mycoplasmas, 301  
Mycorrhizae, 74, 75, 76  
Mycorrhizal fungi  
    benefits, 364, 479  
    bryophyte association with, 373  
    in conifer roots, 411  
    impact of acid soils on, 492  
Myxamoebae, 341  
Myxomycota, 339–41

## N

NAD, 181, 182, 184  
NADH, 181, 182, 184–85  
NADP, 171, 175, 176  
NADPH. *See* Reduced -nicotinamide adenine dinucleotide phosphate (NADPH)  
Naming systems, 280–83. *See also* Classification -systems  
Narrow phloem rays, 91  
Narrow xylem rays, 91  
Nastic movements, 201  
National parks, 494  
National Plant Germplasm System, 252  
National Renewable Energy Laboratory, 336  
Native American plant use. *See also* Folk medicines; Natural plant medicines  
    buttercup, 452, 453  
    cacti, 461–62  
    chia, 463  
    club mosses, 394  
    conifers, 420, 422, 423, 425  
    ferns, 404–5  
    horsetails and scouring rushes, 397–98  
    jimson weed, 464  
    mustard seeds, 456  
    poppies, 455  
    rose hips, 457  
    stoneseed, 449  
    Sunflower Family, 467  
Natural cycles, 480–83  
Natural dyes. *See* Dyes  
Natural elements, 15–16  
Natural grafting, 70  
Natural insecticides, 531  
Natural plant medicines. *See also* Folk medicines; Native American plant use  
    growing interest in, 11  
    preserving knowledge of, 7, 449  
    regulation of, 537–43  
    sources listed, 543–53  
    variety of, 2  
Natural selection, 269, 270, 276  
Naval stores, 421  
Near-Eastern region, 450  
Necks of moss archegonia, 380  
Nectar, 118, 437, 439  
Needles, 87. *See also* Leaves  
Neem trees, 124  
Negative phototropism, 202  
Neljubow, Dimitry, 198  
*Nelumbo nucifera*, 146  
Nematodes  
    beneficial, 530  
    as prey for fungi, 363–64  
    root knots from, 75  
    tomato susceptibility to, 577  
*Neoaplectana carpocapsae*, 530  
Netted venation, 109  
Neurotoxins, 334. *See also* Poisons; Toxins  
Neutrons, 16  
New Orleans hurricane, 490–91  
New South Wales National Parks and Wildlife Service, 424  
Newton, Isaac, 172  
New York Botanical Garden, 11

Nicandros, 362  
Nicotinamide adenine dinucleotide (NAD), 181, 182, 184  
Nicotinamide adenine dinucleotide phosphate (NADP), 171, 172, 175, 176  
Nicotine, 186, 464  
Night diving, 293  
Nightshade Family, 452, 463–64  
Nighttime Gardeners, 257  
Nitrates, 180, 492  
Nitric acid, 492  
Nitrites, 180  
Nitrogen  
    atomic mass and number, 16, 17  
    bacterial fixing, 75, 258, 303, 306–7  
    in compost, 298  
    overdosing tomato plants with, 577  
    radioactive, 269  
    uses and deficiency -symptoms, 161, 162  
Nitrogen cycle, 481–83  
Nitrogen-fixing bacteria, 481  
Nitrosamines, 123  
*Nix v. Hedden*, 132  
Nobel Prize winners  
    Binnig and Rohrer, 32  
    Borlaug, 250  
    Calvin, 171, 459–60  
    Deisenhofer and Michel, 175  
    Einstein, 172  
    Krebs, 181  
    McClintock, 226  
    Mitchell, 185  
    Stanley, 309–10  
Noble, David, 424  
Nodding movements, 200–201  
Nodes  
    defined, 85, 109  
    of Equisetophyta stems, 394  
    intercalary meristems near, 55  
    of tubers, 98  
Nomenclature. *See* Classification systems  
Nonclimacteric fruits, 199  
Noncoding DNA, 231  
Noncyclic electron flow, 176  
Noncyclic photophosphorylation, 174, 176  
Nonpolar covalent bonds, 19  
Nonprotein-coding DNA, 231  
Nontarget organisms, 257  
North American biomes, 499–508  
North American region of -origin, 451  
Northern white cedar, 423  
Noscapine, 455  
*Nostoc*, 304, 305, 306  
Nucelli, 410–11, 413  
Nuclear envelope, 38, 48, 294  
Nuclei (atomic), 16  
Nuclei (cell)  
    basic features, 14, 37–38  
    cells lacking, 58  
    discovery, 31  
    DNA in, 227  
    in generalized cell -drawing, 34  
Nucleic acids. *See also* Deoxyribonucleic acid (DNA); Ribonucleic acid (RNA)  
    basic features and functions, 26–27  
    in virus cores, 310, 311, 314  
Nuclei of green algae, 319, 324–25  
Nucleoids, 294, 295  
Nucleoli, 31, 38, 39, 46  
Nucleomorphs, 335  
Nucleoplasm, 38  
Nucleotides  
    in DNA, 26, 27, 226–27, 228  
    in RNA, 231–32  
Nutations, 200, 201  
Nutrients, 192. *See also* Foods (human); Foods (plant)

Nutritional value of common vegetables, 573–77  
Nuts, 136–37  
Nyponn Sopa, 457



Oaks, 110, 138, 501  
Oak wilt, 354  
Occam's razor, 290  
Oceans  
    carbon dioxide reservoir, 168  
    cyanobacteria in, 303  
    impact of greenhouse effect on, 187, 489–90  
    origins of life in, 318  
    photosynthesis in, 167  
Odors, 128, 150–51, 439  
*Oedogonium*, 323–24  
Oil (petroleum), 5, 167, 347  
Oils, 23, 123, 336  
Oligosaccharins, 199  
Olives, 134  
Onion root-tip cells, 46, 47  
Onions, 287, 537, 576  
Oogamy, 324, 335  
Oogonia  
    of brown algae, 330  
    of green algae, 323, 324  
    of water molds, 342, 343  
    of yellow-green algae, 326, 327  
Oomycota, 343  
Open-pollinated varieties, 251  
Opercula, 380  
*Ophiostoma ulmi*, 354  
*Ophrys*, 440  
Opium poppies, 2, 95, 455  
Oppositely arranged leaves, 85, 109  
*Opuntia*, 98  
Orbitals, 16, 17, 19  
Orchards, auxin use, 195  
Orchidaceae, 452, 471  
Orchids  
    as advanced flowers, 437  
    basic features, 471  
    benefits of fern bark for, 403  
    capsules of, 137  
    identification key, 452  
    micropropagation, 264  
    pollination, 273–74, 440, 442  
    seed dispersal, 140  
    turgor movements, 205  
    underground-flowering, 127  
    velamen roots, 71, 72  
Orders, 283–84  
“An Ordinal Classification of Flowering Plants,” 290  
Ordovician period, 389  
Organelles, 31, 33, 242  
Organic composition of soils, 79  
Organic evolution. *See* Evolution  
Organic molecules, 21  
Organizational complexity, 15  
Organ-pipe cactus, 440, 461  
Oriental Sacred Lotus seed, 146  
*On the Origin of Species*, 267, 269  
Ornamental plants, 235, 256–57. *See also* House plants  
Osage oranges, 139  
*Oscillatoria*, 304, 305  
Osmosis, 151–52  
Osmotic potential, 152  
Ostrich fern, 399  
Outcrossing, 251  
Outer bark, 95  
Ovarian cancer drug, 424–25

- Ovaries
  - of typical flowering plants, 131, 132, 133, 429, 432
  - variations in flowering plants, 436, 437, 438
- Overproduction principle, 270
- Overwatering of house plants, 562
- Ovules
  - of gymnosperms, 410–11, 413–14, 415
  - of typical flowering plants, 131, 132, 133, 429, 432
- Oxalis*, 201
- Oxalis oregana*, 204–5
- Oxaloacetic acid, 178, 184
- Oxidation, 167
- Oxidation-reduction -reactions, 167
- Oxidative phosphorylation, 184–85
- Oxygen
  - algae's contribution, 340
  - atom, 16, 17
  - covalent bonding, 19
  - depletion by bacteria, 306
  - generated in -photosynthesis, 173
  - influence on respiration, 183
  - molecular form, 17–18
  - in oceans, 167
  - portable generators, 7, 324
  - production by cyanobacteria, 303, 305
  - respiration and, 180–81, 183
  - role of plants in replacing, 4
  - symbol for, 16
  - in water versus air, 71
- Oxygen-evolving complexes, 175
- Ozone, 305, 490

## P

- P<sub>680</sub>, 174, 175
- P<sub>700</sub>, 174
- Pacific bleeding hearts, 141, 429
- Pacific islands region of -origin, 451
- Pacific yew trees, 425
- Paleobotany, 8
- Paleozoic era, 389
- Palisade mesophyll cells, 111, 111–12, 114
- Palmately compound leaves, 107, 110
- Palmately veined leaves, 109, 110
- Palm trees, 96, 129–31
- Panicles, 132
- Pantothenic acid, 184
- Papaveraceae, 451
- Papaverine, 455
- Papavoviruses, 310
- Paper, 99, 338, 422
- Papillae, 322
- Parallel-veined leaves, 110, 111, 112
- Paramylon, 333
- Paraphyses, 380
- Pará rubber trees, 459, 584
- Parasitic bacteria, 297
- Parasitic flowering plants, 430
- Parasitic fungi, 363–64
- Parasitic roots, 73–74, 75
- Parasitic wasps, 530
- Parenchyma tissues
  - basic features, 55–56
  - in leaves, 112
  - in monocot stems, 96
  - of root caps, 66
  - in woody dicot stems, 94, 95
- Parental generation, 236
- Parental types, 244
- Parent material, 78
- Paris Academy of Sciences, 31
- Parsimony, 290

Parsley Family, 138  
Parthenocarpy, 133, 138, 434–36  
Particle guns, 254  
Passage cells, 69  
Pasteur, Louis, 31, 309  
Pauling, Linus, 227  
PCBs, 167  
Peaches, 134  
Peach leaf curl, 355  
Peanuts, 135  
Pea plants  
    gardening tips, 576  
    mapping genes, 243  
    Mendel's studies, 236–42  
    tendrils of, 115, 116  
Pears, 34, 56, 57  
Peat mosses, 373, 379, 383, 486  
Pectin, 35–36  
*Pediastrum*, 320  
Pedicels, 131, 132  
*Pedicularis*, 132  
Peduncles, 131  
*Pelagonium*, 132  
Pellicles, 333  
Penicillin, 6  
*Penicillium*, 6, 364  
Pennyroyal plant, 123  
PEP carboxylase, 178–79  
Pepos, 134  
Peppermint, 282, 462  
Peppers, 211, 576  
Peptide bonds, 24  
Per-capita energy CO<sub>2</sub> -emissions, 187  
Perception phase of tropic movement, 202  
Perennials, 129, 480  
Perfect flowers, 436  
Perfumes, 456–57  
Perianths, 131  
Pericarps, 132, 332  
Pericycles, 69  
Periderm, 58, 61, 62  
Perigynous parts, 436, 438  
Peristomes, 380–81  
*Perithecium*, 352  
Periwinkle plants, 554  
Permafrost, 499  
Permanent wilting point, 81  
Permian period, 389  
Peroxisomes, 42–43  
Pesticides, 9, 492  
Petals, 131  
Petioles, 85, 86, 107, 379  
Petitgrain oil, 123  
Petrifactions, 405–6  
Petrified wood, 406  
Petroleum, 5, 167, 347  
Peyote cacti, 461, 462  
P<sub>ii</sub>, 209–10, 211  
pH, 20, 81  
*Phacus*, 333  
*Phaeolus*, 356  
Phaeophyceae, 328–30  
Phages, 310, 312, 314  
Phase-contrast microscopy, 31  
Phelloderm cells, 89, 91  
Phellogen, 88–89  
Phenolics, 186  
Phenotypes  
    control by genotypes, 241–42  
    defined, 237  
    environmental -influences, 271  
    quantitative traits, 242  
Phenylacetic acid (PAA), 195

Pheophytin, 174–75  
Pheromones, 351, 531  
Phloem

- absent from bryophytes, 374
- in dicot roots, 69
- in dicot stems, 89, 90, 94–95
- in monocot stems, 95, 96
- movement of nutrients through, 159–60
- origins, 67, 86
- in pine needles, 115
- secondary, 88, 89, 94–95
- structure and functions, 56, 58, 60
- in whisk ferns, 387

Phloem-loading, 160  
Phloem rays, 91, 93–94  
*Phoebis sennae*, 126  
Phosphate groups, 26–27, 226  
Phosphatidylserine, 554  
Phosphoenolpyruvate (PEP), 178  
3-phosphoglyceric acid, 171, 172, 177  
Phosphoglyceric acid, 178  
Phosphoglycolic acid, 178  
Phospholipids, 23, 36, 38  
Phosphorescence, 172  
Phosphorus

- atomic mass and number, 17
- in compost, 298
- mycorrhizal aid in -absorbing, 74
- uses and deficiency -symptoms, 161, 162

Phosphorylation, 184  
Photoelectric effect, 172  
Photolysis, 175–76  
Photons, 172  
Photooxidation, 170  
Photoperiodism, 208–12  
Photophosphorylation, 174, 176  
Photoreceptors, 327  
Photorespiration, 170, 177–78  
Photosynthesis

- algae's importance, 340
- in bacteria, 294, 297
- CAM, 157, 179, 180, 504
- in cyanobacteria, 303
- defined, 15
- in desert plants, 157
- in euglenoids, 283
- global warming and, 508
- in lichens, 366
- light-dependent reactions, 171, 172–76
- light-independent reactions, 171, 176–80
- in mosses, 374
- overview, 107–8, 166, 167, 167–71
- respiration versus, 186
- role of thylakoids, 40

Photosynthetic carbon reduction pathway, 177  
Photosynthetic units, 171, 173–74  
Photosystems, 173–76  
Phototactic responses, 208  
Phototorsion, 207  
Phototropism, 202  
Phragmoplasts, 44, 48, 372  
Phrase names, 281, 282  
Phycobilins, 171, 303, 304, 332–33  
Phycocyanin, 303  
Phycoerythrin, 303, 304  
Phycologists, 327, 333  
Phyla, 284  
Phyllotaxy, 109  
*Phyisarum*, 340  
Phytoalexins, 478, 531  
Phytochelatins, 80  
Phytochromes, 209–10, 211  
Phytoremediation, 80

Phytoseiidae, 530  
Pigments. *See also* Dyes  
  absorption spectra, 172, 173  
  controlling photoperiodism, 209–10  
  in cyanobacteria, 304  
  of dinoflagellates, 334  
  of prochlorobacteria, 307  
  in red algae, 332–33  
Pignolias, 420  
Pileus, 357  
Pili, 294, 295, 296–97  
*Pilobolus*, 350, 352  
Pineapples, 138, 211  
Pines  
  fire's role in renewing, 488  
  fungal infections, 360  
  leaf structure, 114  
  manufactured goods from, 420–21  
  of mountain and coastal -forests, 505  
  reproduction, 412–14  
  resin canals, 95  
  soft wood, 94  
  structure and form, 411–12  
  of temperate deciduous -forest, 501  
Pinnae, 398, 400, 401  
Pinnately compound leaves, 107, 110  
Pinnately veined leaves, 109, 110  
Pinophyta, 411–16  
*Pinus aristata*, 87  
*Pinus longaeva*, 87  
Pinyon seeds, 420  
Pistachio nuts, 137  
Pistils, 131, 138, 429, 436  
Pitcher plants, 118–20  
Pitch pine, 421  
Pith tissues, 67–68, 86, 91  
Pit membranes, 59  
Pits, 58, 59, 133  
Plague bacteria, 300–301  
Plain-sawed boards, 99, 102  
Plankton, 303, 319, 335  
Plantae, 285, 288–89  
*Plantago major*, 280, 281  
Plantain, 280, 281  
Plant anatomy, development as science, 8  
Plant breeding, 9, 249. *See also* Breeding methods  
Plant cells. *See* Cells  
Plant communities, 476  
Plant ecology, 9  
Plant fibers  
  manufactured goods from, 5, 6, 96  
  tissue structure, 56, 57  
Plant geography, 9  
Plant hormones. *See* Hormones  
Plant morphology, 9  
Plant names. *See* Classification systems  
Plant physiology, 8  
Plant population ecology, 484  
Plant preservation methods, 441–45  
Plant presses, 441, 443  
Plants, defining, 372  
Plants' importance to life, 4, 5–7  
Plant systematics, 8–9  
Plant taxonomy, 8–9  
Plant viruses, 311–12. *See also* Viruses  
Plasma membranes  
  in animal cells, 50  
  in generalized cell drawing, 34  
  structure and functions, 33, 36–37, 38  
Plasmids, 253, 254, 294  
Plasmodesmata, 36, 50, 311  
Plasmodia, 340–41  
Plasmolysis, 152, 153

- Plastids, 40–41, 51
- Plastocyanin, 175
- Plastoquinone (PQ), 175
- Plumules, 143
- Pneumatophores, 64, 71, 72
- Pneumonia, 293, 301
- Poaceae, 452, 467–68
- Podocarps, 415–16, 424
- Poinsettias, 117–18, 119, 208, 460
- Poison hemlock, 464
- Poison ivy, 537
- Poisonous Plant Database, 11
- Poisonous plants, 2, 11
- Poisonous spraying, 529
- Poisons. *See also* Toxins
  - among legumes, 457–58
  - in Carrot Family, 464
  - in castor beans, 460
  - in club fungi, 361–62
  - from cyanobacteria, 306
  - dangerous plants listed, 541–42
  - from dinoflagellates, 334
  - in false morels, 352
  - in monkshood, 453
  - in nightshades, 463–64
- Polar covalent bonds, 19
- Polar molecules, 18, 153, 156
- Polar movement, 195
- Pole beans, 573–74
- Poles of cells, 218, 220
- Pollen cones, 412–13
- Pollen drops, 414
- Pollen grains
  - fuschia, 440
  - of gymnosperms, 410, 412–13, 415
  - initiation of fruit development, 133
  - orchids, 440
  - of typical flowering plants, 131, 431, 433, 435
- Pollen tubes, 414, 431, 433, 435
- Pollination
  - flower structures -encouraging, 131
  - by insects, 273–74, 431, 437–39, 440, 442
  - of typical flowering plants, 431
  - variations in flowering plants, 436–40
- Pollinia, 273–74, 440, 442, 471
- Pollution
  - bioremediation techniques, 302
  - effects on oceans, 167
  - eutrophication and, 486–87
  - ferns' removal from air, 402–3
  - hazardous waste, 493
  - impact on leaf wax -production, 109
  - impact on lichens, 367–68
  - impact on pine trees, 421
  - overview of impact, 4
  - ozone layer destruction from, 490
  - phytoremediation for, 80
  - Silent Spring* focus on, 9
  - from soil erosion, 491
  - using plants to reduce, 7, 256
- Polychlorinated biphenyls (PCBs), 167
- Polymerase chain reaction (PCR), 229–30
- Polymers, 21–27, 256
- Polypeptides, 24–26
- Polyploid plants, 235, 275
- Polypodiophyta, 386, 398–405
- Polysaccharides, 22, 171
- Polysiphonia*, 332
- Polytrichum commune*, 382
- Polyunsaturated fats, 23
- Pomes, 134, 135



Ponderosa pine, 505  
Ponds, succession in, 486–87  
Poor man's pepper, 212  
Poplar cuttings, 2–3  
Poppies, 2, 140, 145  
Poppy Family, 451, 454–55  
Poppy seeds, 140, 145  
Populations (human), 4, 167, 269, 491  
Populations (plant), 272–74, 476  
Pores. *See also* Air spaces; Stomata  
  of leaves, 108, 110–11  
  in liverwort thalli, 376  
  in mushrooms, 358, 359  
  in nuclear envelope, 38, 39  
  in soils, 77, 80, 81  
Portabella mushroom, 363  
Portable oxygen generators, 7, 324  
Positive phototropism, 202  
*Postelsia*, 317  
Potash, 298  
Potassium  
  atomic mass and number, 17  
  ion movement in guard cells, 157, 158  
  uses and deficiency -symptoms, 161, 162  
Potato plants  
  blight, 252, 337, 340, 343  
  diversity, 250  
  as example of tubers, 98  
  gardening tips, 576–77  
  importance, 464  
  transgenic varieties, 256  
Potential energy, 21  
Potting house plants, 562, 563  
P., 209–10, 211  
Prairies, 501–2  
Prayer plants, 206  
Praying mantises, 530  
Precambrian period, 389  
Precipitation, acid deposition from, 492  
Precursors, 193  
Preprophase band, 45  
Prescription drugs, 537, 543. *See also* Drugs; Medicines  
Preservatives, antifungal, 349  
Pressing flowers, 441, 445  
Pressure-flow hypothesis, 159–60  
Pressure potential, 152  
Prickles, 98, 115–16, 117  
Prickly pear cacti, 98, 460–61, 462  
Priestly, Joseph, 171  
Primary consumers, 477  
Primary growth tissues, 54  
Primary meristems, 86  
Primary phloem  
  in roots, 67, 69  
  in woody dicot stems, 86, 91  
Primary roots, 66, 143  
Primary structure of proteins, 24, 25  
Primary succession, 484–87  
Primary thickening, 131  
Primary tissues, 54, 55, 86  
Primary xylem  
  in roots, 67, 69  
  in woody dicot stems, 86, 91  
Primers, 229  
Primitive flowers, 436, 437  
Primordia, 86, 88, 107  
Principles, 8  
Prions, 314  
*Proboscidia*, 137  
Procambia  
  in dicot stems, 90  
  in roots, 54, 55, 67  
  in stems, 86, 88

Prochlorobacteria, 303, 305, 307  
*Prochloron*, 307  
*Prochlorothrix*, 307  
Producers, 477  
Progametangia, 349  
Prokaryotic cells, 33, 294  
Proline, 154  
Promoter regions, 231  
Propagation of crop plants, 258–64  
Propagative roots, 71  
Propagules, 252  
Prophase (mitosis), 45–47  
Prophase I (meiosis), 217–18, 219  
Prophase II (meiosis), 220, 221  
Proplastids, 42  
Prop roots, 71–72, 144  
Protectants, 258  
Protective layer of abscission zones, 122  
Protein coats of viruses, 310, 313  
Proteins  
    in bacteria, 15  
    basic features and types, 23–27  
    construction during -translation, 231–32  
    digestion, 188  
    in plasma membrane model, 38  
    role of ribosomes in, 39  
Protein sequencers, 253  
Prothalli, 399–400, 402  
Protista  
    basic features, 318–19  
    Charophyta, 335  
    Chlorophyta, 319–25, 326  
    Chromophyta, 326–30  
    classification, 285, 288  
    Cryptophyta, 334–35  
    Dictyosteliomycota, 341–42  
    Dinophyta, 333–34  
    Euglenophyta, 333  
    Fungi versus, 347–48  
    Myxomycota, 339–41  
    Oomycota, 342, 343  
    Prymnesiophyta, 335  
    Rhodophyta, 330–33  
Protoctista, 283  
Protoderm  
    in roots, 54, 55, 67  
    in stems, 86  
Protonemata  
    of liverworts, 375–76, 378  
    of mosses, 381  
Proton pumps, 154  
Protons, 16, 176, 185  
Protoplasm, 33  
Protoplast fusion, 252–53  
Protosteles, 89  
Protozoans, 339, 363  
Pruning tips, 578–79  
*Pseudomonas*, 354–55  
*Pseudomonas cepacia*, 302  
*Pseudomonas fluorescens*, 302  
Pseudoplasmodia, 342  
*Pseudotsuga menziesii*, 29  
Psilophytes, 387  
*Psilophyton*, 403  
Psilotophyta, 386–87  
*Psilotum*, 387, 388  
Psittacosis, 298–99  
Pteridologists, 9  
Pteridosperms, 430  
Puccoons, 449  
Puffballs, 359  
Pulpwood, 99–102, 422  
Pulque, 124

Pulvini, 204  
Pumpkin Family  
  fruits, 134  
  identification key, 451  
  imperfect flowers, 436, 438  
  seed dispersal, 142  
  seed longevity, 145  
  tendrils of, 115  
  uses by humans, 465–66  
  water-storage roots, 70–71  
Punctuated equilibrium, 272  
Puncture vines, 140  
Punnett, R. C., 242, 244  
Punnett squares, 239  
Pure-line selection, 250  
Purines, 226, 227  
Purple laver, 337, 339  
Purple nonsulfur bacteria, 297  
Purple sulfur bacteria, 297  
Pygmy mosses, 373  
Pyrenoids, 320, 321, 378  
Pyrethrum, 466  
Pyrimidines, 226, 227  
*Pyrodictium*, 308  
Pyruvic acid, 181, 182, 184, 185

## Q

Quantitative trait loci, 242  
Quantitative traits, 242  
Quantum leap theory, 16  
Quartersawed boards, 99, 102  
Quaternary period, 389  
Quaternary structure of proteins, 25, 26  
Quiescence, 211–12  
Quillworts, 392, 393  
Quinine, 186

## R

Rabbits, 272, 273  
Racemes, 132  
Rachis, 107  
Radial symmetry, 436  
Radicles, 65, 143  
Radioactive contamination, 368  
Radioactive elements, 269  
Radioactive isotopes, 17  
Radish seedlings, 68  
*Rafflesia* flowers, 128  
Rain forests, 3, 9, 506–8  
Ranunculus, 69  
*Raphanus*, 68  
Raphes, 327  
Raspberry  
  as member of Rose Family, 457  
  prickles of, 117  
  propagating, 260  
  pruning, 579  
Rat fleas, 300–301  
Ray cells, 58, 91, 93–94  
Reaction-center molecules, 174–75  
Receptacles, 131, 329  
Recessive alleles, 237  
Recombinant DNA -technology, 253  
Recombinant types, 244  
Recycling, 4  
Red algae, 330–33, 337  
Redbuds, 272–73

- Red cedar, 425
- Red mangrove trees, 145, 147
- Red Sea, 304
- Red spruce, 101
- Red tides, 333–34
- Reduced flavin adenine -dinucleotide, 181, 184
- Reduced nicotinamide adenine dinucleotide (NADH), 181, 182, 184–85
- Reduced nicotinamide adenine dinucleotide phosphate (NADPH)
  - in light-dependent -reactions, 171, 172, 173, 175, 176
  - role in Calvin cycle, 177
- Reduction, 167
- Reduction division, 217–20
- Redwood sorrel, 204–5
- Redwood trees
  - biome containing, 504–6
  - holes through, 94, 95
  - manufactured goods from, 423
  - size, 3, 34, 416
  - strength of, 35
- Red yeast rice, 555
- Region of cell division, 66–68
- Region of elongation, 68
- Region of maturation, 68–70
- Regions of fruits, 133
- Regions of origin, 450–51
- Reindeer moss lichens, 368
- Religious faith, 276–77
- Repeated reproduction, 480
- Replication
  - bacterial plasmids, 294
  - of DNA, 27, 228, 229–30
- Repotting house plants, 562
- Reproduction. *See also* Deoxyribonucleic acid (DNA)
  - of ascomycetes, 351–52
  - as attribute of living organisms, 14
  - of bacteria, 294–96
  - of brown algae, 329–30
  - cell cycle, 44–50
  - of chytrids, 348–49
  - of club fungi, 356–60, 361
  - coenocytic fungi, 349, 351
  - in diatoms, 327, 328
  - of euglenoids, 333
  - of ferns, 398–401
  - of green algae, 320–25
  - of ground pines, 389–90, 391
  - of hornworts, 378
  - of horsetails and scouring rushes, 394–96
  - of lichens, 367
  - of liverworts, 376–77
  - of mosses, 380–83
  - in pines, 412–14, 415
  - of quillworts, 392, 393
  - of red algae, 331–32
  - of slime molds, 341
  - species strategies, 480
  - of spike mosses, 390–92
  - of stoneworts, 335
  - of typical flowering plants, 430–36
  - of viruses, 310–12
  - of water molds, 342, 343
  - of whisk ferns, 387, 388
  - of yellow-green algae, 326–27
- Reproductive leaves, 117, 118
- Resin canals, 94, 115, 411–12
- Resins, 62, 411–12, 421, 422
- Resistant varieties, 531
- Resolution of lenses, 31
- Respiration
  - defined, 15, 180
  - factors affecting, 183
  - during germination, 145
  - major steps, 181–83, 183–85

- overview, 166, 167, 180–81
- photosynthesis versus, 186
- waste products, 108
- Response to stimuli, 15
- Restriction enzymes, 253
- Resurrection plants, 394
- Reticulate venation, 109
- Retroviruses, 313
- Retting, 96
- R groups, 24
- Rhizines, 366, 367
- Rhizobium* bacteria, 75
- Rhizoids
  - of chytrids, 348
  - of liverworts, 376
  - of mosses, 379
  - of whisk ferns, 387
- Rhizomes
  - of ground pines, 389
  - of horsetails and scouring rushes, 394, 396
  - propagating, 261, 262
  - as specialized stems, 97
  - of whisk ferns, 387, 388
- Rhizophora mangle*, 147
- Rhizopus*, 349, 350
- Rhoades, Marcus, 234
- Rhodophyta, 330–33
- Rhodopsin, 302, 308
- Rhynia*, 387
- Ribonucleic acid (RNA)
  - in chloroplasts, 41
  - molecular structure, 27
  - transcription and translation role, 230–32
  - in viruses, 311, 314
- Ribose, 231
- Ribosomal RNA, 231
- Ribosomes
  - creation during -transcription, 231
  - in generalized cell -drawing, 34
  - location in plant cells, 38–39
  - role in translation, 232, 233
  - structure and functions,
    - 38–39, 40
- Ribulose 1,5-biphosphate (RuBP), 171, 177
- Rice, 188, 196, 306–7
- Rice cakes, 5
- Rice cutgrass, 124
- Rice-paper plants, 71
- Ricinus* seeds, 145
- Rickettsias, 301
- Rings, growth, 87, 91–93, 412
- RNA polymerase, 231
- Robertson, Merle, 492
- Robinia pseudo-acacia*, 60
- Rock cress fungus, 360
- Rock mosses, 381
- Rocks
  - breakdown into soil, 484–85
  - splitting by germinating seeds, 153, 154, 485
  - types, 78
- Rohrer, Heinrich, 32
- Roosevelt, Theodore, 494
- Root bound plants, 562
- Root caps, 55, 66
- Root grafting, 584
- Root hairs, 55, 61, 65, 68
- Root-hair zone, 68–70
- Rooting media, 263
- Rooting powders, 259
- Root knots, 75
- Root nodules, 75, 77
- Root pressure, 108, 156
- Roots

- basic structures, 66–70
- of bean seedling, 143
- development, 65–66
- epidermal cells, 55, 61
- importance to humans, 75–76
- metal absorption by, 80
- mycorrhizae of, 74, 75, 76, 364, 479
- nodules, 75, 77
- orientation of growth, 2–3
- overview of basic -functions, 65
- primary growth tissues, 54, 55
- specialized, 70–74, 201
- stimulating development, 259–60, 263

Rootstock, 261

Rope fibers, 123. *See also* Fibers

*Rorippa armoracia*, 71

*Rosa*, 260

Rosaceae, 451, 456–57

Rose Family, 451, 456–57

Rose hips, 457

Roses, 260, 579

Rosin, 421

Rotenone, 76, 124

Rough endoplasmic reticulum, 34, 38–39

Roundup-resistant crops, 257

Royal Botanic Gardens, 424

Royal ferns, 403

Rubber, 95, 186, 459

Rubisco, 177, 178, 179

*Rubus*, 260

*Rudbeckia*, 132, 438

Runners, 97–98

*Russula*, 356

Rusts, 360, 361

Ryegrass roots, 65

## S

*Saccharomyces cerevisiae*, 352

Sac fungi, 351–55

Sacred Lotus seed, 146

*Sadleria cyatheoides*, 191

*Saintpaulia*, 260

Salicin, 186

*Salix*, 70

*Salmonella*, 229, 299

Salt bacteria, 308

Salts, 19, 20, 154

*Salvia viridis*, 118

*Salvinia*, 399

Samaras, 137, 138, 140

*Sambucus*, 62

Sand, 79, 80–81

Sand drying, 442–45

*Sanguinaria canadensis*, 455

*Sansevieria*, 123, 260, 468–69

Santonin, 466

Saprobies, 297, 348

*Saprolegnia*, 342

Saprophytes, 430

Sapwood, 94

*Sarcina*, 304

Sargasso Sea, 329

*Sargassum*, 329

*Sarracenia*, 119

Sarsaparilla, 468

Sassafras, 454

Satellites, 46

Saturated fats, 23

Saunders, E. B., 242

Saussure, Nicholas Theodore de, 172

Sawing of woods, 99, 102–3

Saxifrages, 98  
*Scala Naturae*, 267  
 Scanning electron microscopes, 32, 33, 49–50  
 Scanning tunneling microscope, 32–33  
 Scarification, 144, 146, 212  
 Scars on woody twigs, 85–86  
*Scenedesmus*, 320  
 Schizocarps, 138  
 Schizomycetes, 295  
 Schleiden, Matthias, 31  
 Schwann, Theodor, 31  
 Science, 7–8  
 Scientific creationists, 276  
 Scientific method, 7–8  
 Scientific names, 281–83,  
     510–28. *See also* Classification systems  
 Scientific procedure, 7  
 Scions, 261, 579  
 Sclereids, 56, 57  
 Sclerenchyma cells, 56, 96, 115  
*Scofield Reference Bible*, 276  
 Scopolamine, 123, 464  
 Scouring rushes, 394–98  
 Scrophulariaceae, 479  
*Scytonema hofmannii*, 306  
 Sea lettuce, 325, 326, 337  
 Sea-level rise, 187, 489–90  
 Sea palms, 317  
 Search engines, 10  
 Seasonal growth, 90–93  
 Seasoning of wood, 99  
 Sea squirts, 307  
 Seaweeds, 325, 326, 328, 330, 337. *See also* Algae  
 Secondary consumers, 477  
 Secondary electrons, 49  
 Secondary metabolism, 186  
 Secondary phloem  
     in herbaceous dicot stems, 90  
     production of, 88, 89  
     in woody dicot stems, 91, 94–95  
 Secondary roots, 66, 143  
 Secondary structure of proteins, 25, 26  
 Secondary succession, 487–88  
 Secondary tissues, 54  
 Secondary walls, 36, 37  
 Secondary xylem  
     in herbaceous dicot stems, 90  
     production of, 88, 89  
     in woody dicot stems, 90–93  
 Second filial (F<sub>2</sub>)-generation, 236  
 Second law of -thermodynamics, 20  
 Secretory cells, 61–62, 66  
 Secretory tissues, 61–62  
 Sedges, 141, 142, 486  
 Sedimentary rocks, 78  
 Seed coat, 411, 414, 430, 433  
 Seed cones, 413, 414  
 Seedless fruits, 235, 434–36  
 Seedlings, starting, 572, 573  
 Seeds. *See also* Germination  
     accidental wetting in -  
         storage, 183  
     basic structure, 143  
     commercial sources, 535  
     development, 132, 433  
     dispersal mechanisms,  
         139–43, 208, 249  
     domestication's impact on, 249  
     dormancy and quiescence, 211–12  
     edible, 420  
     fertilization and -development, 431–33  
     fire's effects, 212, 488, 505  
     germination, 143–45, 572

- of ginkgos, 417
- hardiness and longevity,
  - 145–46, 147, 410
- hormones of, 133
- hybrid, 251, 258
- poppy, 455
- as product of sexual -reproduction, 216
- propagation for agriculture, 258–59
- proteins in, 26
- rock splitting by, 153, 154, 485
- spores versus, 410
- Seed Savers Exchange, 251
- Selaginella, 388, 390–92
- Selenium, 163
- Self-fertile plants, 236
- Self-pollinating plants, 250, 251, 431
- Semiconservative -replication, 228
- Semipermeable membranes, 151–52
- Senebier, Jean, 172
- Senescence, 199–200
- Sensitive plants, 15, 204, 205, 458
- Sepals, 131
- Separation layer, 122–23
- Sequoia sempervirens*, 3
- Serine, 232
- Serpentine soils, 273, 476
- Servers (network), 10
- Sessile leaves, 107
- Setae
  - of liverwort sporophytes, 376, 377, 378
  - of moss sporophytes, 380
- Sets of onions, 576
- Sexually compatible -germplasm, 250–52
- Sexually incompatible -germplasm, 252–58
- Sexually transmitted -diseases, 300
- Sexual reproduction
  - of ascomycetes, 351–52
  - asexual reproduction -versus, 216
  - of brown algae, 329–30
  - of chytrids, 349
  - of club fungi, 356–60, 361
  - coenocytic fungi, 349–50
  - in diatoms, 327, 328
  - of green algae, 320–25
  - of ground pines, 389–90, 391
  - of hornworts, 378
  - of horsetails and scouring rushes, 394–96
  - of lichens, 367
  - of liverworts, 376–77
  - in mosses, 380–81
  - in pines, 412–14, 415
  - of slime molds, 341
  - of spike mosses, 390–92
  - of stoneworts, 335
  - of water molds, 342, 343
  - of yellow-green algae, 326–27
- Shade leaves, 113, 114
- Shelf fungi, 356, 358, 359
- Shellfish, 299, 334
- Shepherd's purse, 455, 456
- Shiitake mushrooms, 362
- Shikimic acid pathway, 186
- Shoots, 55, 85
- Short-day plants, 208, 210
- Shull, G. H., 251
- Sicklepod, 555
- Side grafting, 581, 582
- Side tongue grafting, 581
- Sierra Club, 494
- Sieve plates, 58, 60
- Sieve tube members, 58, 60
- Sieve tubes, 58, 60, 96, 159–60
- Signal transduction, 193



Signatures, Doctrine of, 375  
*Silent Spring*, 9  
Silibinin, 361  
Silica  
    in diatoms, 327  
    in fossils, 405  
    in grasses, 124  
    in horsetails and scouring rushes, 394  
Silica gel drying agents, 442–45  
Silicles, 135, 137  
Siliques, 135, 137  
Silt, 79  
Silurian period, 389  
Silymarin, 361  
Simple diffusion, 151  
Simple fleshy fruits, 133  
Simple leaves, 107, 110  
Simple pits, 59  
Simple tissues, 55–56  
Simple umbels, 132  
Single covalent bonds, 19  
Sinks, 160  
Sipe, M., 531  
Siphonosteles, 89  
Sister chromatids, 47, 48  
Sitka rose, 456  
Sitka spruce, 422, 580  
Six-kingdom classification system  
    elements of, 285, 286  
    origins, 283  
    other systems compared, 284  
    sample keys, 287–89  
Sizes of cells, 33–34  
Skototropism, 204  
Slab cutting, 99  
Slash pine, 421  
“Sleep” movements, 205–6  
Slime molds, 208, 283, 339–42, 348  
Smallpox, 309  
*Smilacina racemosa*, 132  
*Smilax*, 468  
Smog, 421. *See also* Air -pollution  
Smooth endoplasmic reticulum, 34, 39  
Smuts, 359–60, 361  
Snake plant, 260  
Snap beans, 573  
Snapdragons, 239, 241–42  
Sneezing, 298, 299  
Snowplants, 430  
Sodium, 16, 19  
Sodium chloride, 17, 19, 20  
Sodium hydroxide, 20  
Soft drinks, caffeine in, 470  
Softwoods, 94, 412  
Soils  
    basic features, 77–81  
    buildup from rocks and organic matter, 484–85  
    ecosystem influence, 476  
    erosion, 491  
    hardpan, 482–83  
    nitrogen content, 481, 482  
    optimal conditions for -germination, 258–59  
    serpentine, 273  
    for vegetable gardening, 572, 573–77  
Solanaceae, 452, 463–64  
Solanine, 464  
Solar energy devices, 107  
Solar tracking, 206–7  
Solvents, 151, 303  
Somatic hybrids, 253  
Somatic mutations, 234  
Sorbosc, 303  
Soredia, 367

Sorghum, 468  
Sori, 398  
Sorrel, 201  
Soundboards, 422, 423  
South American ironwood, 99  
South American region of -origin, 451  
South Asia region of origin, 451  
Soybeans  
    as basis for tempeh, 350  
    gardening tips, 574  
    photoperiods for, 209  
    transgenic varieties, 258  
Soy sauce, 365  
Space exploration, 7  
Spanish moss, 130  
Spawn, 363  
Spearmint, 281, 282  
Specialization  
    flowering plants, 436, 451  
    leaves, 113–22  
    roots, 70–74  
    stems, 96–98  
Speciation, 234–35  
Species. *See also* Classification systems  
    defined, 269  
    evolution of, 234–35, 272–74  
    evolution within, 270–72  
    extinctions, 491–92, 507, 508  
    gene crossing between, 252–53  
    invasive, 493–95  
    life histories, 480  
    Linnaeus's classification -system, 282  
    rain forest diversity, 506, 508  
*Species Plantarum*, 9, 282  
Specific epithets, 287  
Specific gravities, 99  
Spectrum of visible light, 169, 172  
S period, 45  
Spermatangia, 332  
Spermatia, 332  
Spermatogenous cells, 414  
Sperms  
    of brown algae, 330  
    of cycads, 417  
    of ferns, 400  
    as gametes, 216  
    of ginkgos, 417  
    of green algae, 323  
    of ground pines, 390  
    of liverworts, 376  
    of mosses, 380, 381  
    of pines, 414  
    of typical flowering plants, 432, 433  
Sperm whale oil, 460  
*Sphagnum* mosses, 372–73, 379  
Spices. *See also* Foods (human)  
    common types listed, 557–59  
    defined, 556  
    from flowering plants, 454  
    importance, 5  
    from leaves, 123  
    from roots, 75  
Spike mosses, 390–92, 394  
Spikes, 132  
Spinach, 577  
Spindle, 48  
Spindle fibers  
    appearance during meiosis, 217, 218, 220  
    appearance during mitosis, 46, 47  
    structure, 44  
Spines, 98, 115, 117  
*Spiraea*, 260  
Spiraling movements, 200, 201

Spirilla, 296  
*Spirillum*, 304  
*Spirogyra*, 40, 172, 322–23  
*Spirulina*, 305, 306  
Splice grafting, 579  
Sponges, 339  
Spongy mesophyll cells, 111, 112, 114  
Spontaneous generation, 31  
Sporangia  
  of coenocytic fungi, 349, 350  
  of ferns, 398–99, 400, 402  
  of ground pines, 389, 391  
  of horsetails and scouring rushes, 396, 397  
  importance to early plants, 372  
  of slime molds, 340–41  
  of spike mosses, 390–92  
  of whisk ferns, 387, 388  
Sporangiophores, 349, 350, 396, 397  
Spore prints, 357–58  
Spores  
  alternation of generations and, 221, 222  
  bacterial, 298, 300, 302  
  of club fungi, 357–58, 359, 360  
  of coenocytic fungi, 349  
  of ferns, 399, 399–400  
  of ground pines, 389–90  
  of hornworts, 378, 379  
  of horsetails and scouring rushes, 396, 397  
  of imperfect fungi, 363, 364  
  of liverworts, 376, 377  
  of mosses, 374, 380–81  
  of pines, 412–13  
  of sac fungi, 353  
  seeds versus, 410  
  of slime mold, 339–40  
  of whisk ferns, 387, 388  
Sporocytes  
  alternation of generations and, 221, 222  
  of ferns, 399  
  of ground pines, 389–90, 391  
  of hornworts, 378, 379  
  in liverworts, 376, 377  
  of mosses, 380  
Sporophylls, 389, 391  
Sporophytes  
  alternation of generations and, 221, 222  
  of ferns, 398, 400–401  
  of ground pines, 389, 391  
  of gymnosperms, 410–11, 415  
  of hornworts, 378, 379  
  in liverworts, 376, 377, 378  
  of mosses, 374, 380  
  of quillworts, 393  
  of spike mosses, 390, 392  
  of typical flowering plants, 432  
Sports, 234  
Spring wood, 91  
Spruce trees, 422  
Spurge Family  
  convergent evolution, 269, 270  
  *Croton* pigments, 106  
  major features, 452  
  uses by humans, 458–60  
Squash, 577  
Squash flowers, 438  
Squirrel corn, 273, 274  
Squirting cucumber, 208  
St. Anthony's Fire, 353  
Stamens, 131, 282  
Stanley, Wendell, 309–10, 311  
Stapelias, 439  
*Staphylococcus*, 299, 304  
Starches, 22, 70

Starlink corn, 258  
States of matter, 15  
Statoliths, 203, 204  
Statospores, 326  
Steles, 89  
*Stemonitis*, 340  
Stems  
    basic features, 85–86  
    effects of GA on, 196  
    of horsetails and -scouring rushes, 394, 395, 397–98  
    origins and development, 86–89  
    photosynthesis in, 115, 504  
    specialized, 96–98, 261, 262  
    tissue patterns, 89–96  
    varieties, 85  
*Stenogramme*, 331  
Stereomicroscopes, 31, 32  
Sterigmata, 357  
Steward, F. C., 192  
Sticky ends of DNA -fragments, 253  
Stigmata, 49, 131  
Stimuli, response to, 15  
Stinkhorns, 355, 356  
Stipes, 328, 329, 357  
*Stipitoccus*, 326  
Stipules, 85–86, 107  
Stipule scars, 86  
Stock, of graft, 579  
Stodola, Frank, 196  
Stolons, 98  
Stomata  
    cell structure, 61  
    functions in stems, 89  
    hormones affecting, 197  
    on leaves, 108, 110–11  
    photorespiration role, 178  
    of pine needles, 411  
    role in CAM photosynthesis, 179, 180  
    SEM images, 49  
    transpiration regulation role, 157–58  
Stomatal apparatus, 108  
Stone cells, 56, 57  
Stonecrops, 208  
Stone fruits, 133  
Stone pines, 420  
Stoneseed, 449  
Stoneworts, 335  
Storage leaves, 116  
Storage of genetic information, 227–28  
Storage proteins, 26  
Storm damage, root resistance to, 65  
Stratification, 212  
Strawberries, 97–98, 138, 216  
*Streptobacillus*, 304  
*Streptococcus*, 304  
*Streptococcus pneumoniae*, 293  
String beans, 573  
String-of-pearls, 110  
Strobel, Gary, 354–55  
Strobili  
    of ground pines, 389, 391  
    of gymnosperms, 410, 417, 418  
    of horsetails and scouring rushes, 394–96  
Stroma, 41  
Struggle for existence, 270  
Styles, 131  
Subatomic particles, 16  
Subcategories, 287  
Subculturing, 263  
Suberin  
    in abscission zone, 122  
    in cork cells, 61, 70, 88–89  
    molecular structure, 23

- in root maturation zone, 68–69
- Subsidiary cells, 158
- Subsoil, 78
- Substrates, 26, 27
- Succession, 383, 483–88
- Succulent leaves, 110, 116
- Suckers, 71
- Sucrose, 22
- Sudden infant death, 300
- Sufu, 350
- Sugar cane, 467–68
- Sugar cleavage, 184
- Sugars
  - assimilation and digestion, 187–88
  - basic forms, 22, 23
  - as DNA building blocks, 26–27, 226
  - produced by light-independent reactions, 171
  - transport, 95, 160
  - varieties produced, 167
- Sulfates, 180
- Sulfide, 180
- Sulfolobus bacteria, 308
- Sulfur
  - adding to soils, 81
  - atomic mass and number, 17
  - uses and deficiency symptoms, 161, 162
- Sulfur bacteria, 297
- Sulfur butterflies, 126
- Sulfur dioxide, 367, 492
- Sulfuric acid, 20
- Summer squashes, 577
- Summer wood, 91
- Sundews, 120
- Sunflower Family, 452, 466–67, 501
- Sunflowers
  - domestication, 248
  - heliotropic movement, 207
  - inflorescence structure, 467
  - seeds of, 136, 138, 140
- Sunlight. *See* Light; Photosynthesis
- Supercategories, 287
- Superior ovaries, 132, 436, 438
- Surface area of cells, 33–34
- Suriname, 11
- Survival and reproduction of the fittest, 270
- Sustainable agriculture, 257
- Swamp plants, 71
- Swarm cells, 341
- Sweet bay, 454
- Sweet potatoes, 70, 75–76
- Swimmer's itch, 306
- Syconia, 138
- Symbiosis, 366
- Symbols for elements, 16
- Sympatric species, 273
- Synechococcus*, 304
- Synergids, 430
- Synergistic effects, 543
- Syngamy, 221. *See also* Fertilization
- Synthesis during interphase, 45
- Syphilis, 300
- Systematists, 287

## T

- 2,4,5-T, 195, 302, 492
- Table salt, 17, 19, 20
- Tachinidae, 530
- Tachinid flies, 530
- Taiga, 500, 501
- Tallgrass Prairie Reserve, 503
- Tamarisks, 495

*Tanacetum vulgare*, 132  
Tannin, 99, 423  
Tansies, 132  
Tapetal cells, 430  
Tapioca, 459  
Taproots, 65  
Taro plants, 158  
Tarragon, 466  
Tarweeds, 467  
Taxes, 207–8  
*Taxodium distichum*, 71  
Taxol, 425  
Taxonomists, 287  
Taxonomy, development of, 8–9  
*Taxus*, 414–15, 416  
TCDD, 196  
Teas, 124  
Telophase (mitosis), 47, 48–50  
Telophase I (meiosis), 219, 220  
Telophase II (meiosis), 220, 221  
*Tempeh*, 350  
Temperate deciduous forest, 500–501, 502  
Temperature  
    bacterial resistance to,  
        303–4, 308  
    conversion scale, 587  
    effects on transpiration, 157–58  
    global warming, 3–4, 168–69, 187, 488–90, 508  
    growth effects, 211  
    for house plants, 562, 563  
    influence on -germination, 145  
    influence on respiration, 183  
    lichens' tolerance, 366  
    molecular motion and, 18  
    in propagation of cuttings, 259, 260  
Tendrils  
    basic features, 97, 98  
    as leaf form, 115  
    twining movement causes, 201, 204  
Teonanacatl mushrooms, 362  
Teosinte, 249  
Tequila, 124  
Terminal buds, 85, 199, 200, 578  
Termination stage in -translation, 233  
Terminator sequences, 231  
Terpenoids, 186  
Tertiary period, 389  
Tertiary structure of proteins, 25, 26  
Testcrosses, 239  
Tetanus, 300  
tetrachlorodibenzoparadioxin, 196  
Tetrahydrocannabinol (THC), 124, 186  
*Tetrapanax papyrifera*, 71  
Tetraploid cells, 221  
Tetrasporangia, 332  
Tetraspores, 332  
Tetrasporophytes, 331, 332  
Textiles, 5, 6, 338  
Texture of soils, 79  
Thalli  
    of brown algae, 328, 329–30  
    of hornworts, 378  
    of lichens, 366, 367  
    of liverworts, 375–77  
    of red algae, 331–32  
Thalloid liverworts, 375–77  
Thecae, 334  
*Theobroma cacao*, 448  
Theophrastus, 281  
Theories, 8  
Thermal cyclers, 229  
Thermodynamics, 20  
Thermoperiodism, 211

Thermophilic bacteria, 308  
*Thermoplasma*, 308  
*Thermoproteus*, 308  
 Thermotropism, 204  
 Thigmomorphogenesis, 198  
 Thigmotropism, 204  
*Thlaspi caerulescens*, 80  
 Thorns, 98, 115, 117  
 Three-dimensional drying, 442–45  
 3n endosperm nuclei, 432–33  
 Thylakoid lumen, 176  
 Thylakoid membranes, 174, 175  
 Thylakoids, 40, 42, 174  
 Thymine, 226, 227, 228  
 Ticks, 301  
 Tidepool communities, 476  
 Tiger lilies, 469  
*Tilia*, 57, 90, 91  
*Tillandsia*, 130  
 Ti plants, 149  
 Tip layering, 260  
 Tissue culture, 197, 253, 262, 264  
 Tissues, defined, 54  
*Tmesipteris*, 387  
 Toads, 530  
 Toadstools, 355–56  
 Tobacco  
     Garner and Allard's -experiments with, 208  
     gravitropism in, 203  
     health effects, 123–24  
     as Nightshade Family -example, 464  
     somatic hybrids, 253  
 Tobacco mosaic virus, 309–10, 311  
 Toilet paper, 422  
 Tolba, Mostafa, 489  
 Tomatoes  
     as berries, 135  
     court ruling, 132  
     gall on, 254  
     gardening tips, 577–78  
     harvesting, 464, 465  
     as Nightshade Family -example, 464  
     quantitative traits, 242  
     resistant varieties, 531  
     seed dormancy, 212  
     stem hairs, 62  
 Tomato hornworms, 302  
 Tongue grafting, 579, 580, 581  
 Tonoplasts, 34, 43  
 Topography, 79  
 Topsoil, 78, 491  
 Tori, 59  
*Torreya*, 414–15  
*Tortula ruralis*, 382  
 Totipotency, 262  
*Toxicodendron diversilobum*, 537  
*Toxicodendron radicans*, 537  
 Toxins. *See also* Biological -controls; Poisons  
     absorption by plants, 80  
     among legumes, 457–58  
     bacterial alternatives,  
         301–2, 530  
     in club fungi, 361–62  
     from cyanobacteria, 306  
     from dinoflagellates, 334  
     in false morels, 352  
     in imperfect fungi, 365  
     in monkshood, 453  
     *Silent Spring* reports, 9  
 Traces, 86  
 Tracheids, 58, 91, 422  
 Tracheophyta, 287  
 Transcription, 230–31

Transcripts, 231  
Transduction, 202, 296  
Transfer cells, 56  
Transfer DNA, 254  
Transfer RNA, 231, 232, 233  
Transformation, 253, 296  
Transgenic plants, 253–58  
Translation of RNA, 231–32, 233  
Translocation, 159, 234–35, 271  
Transmission electron -microscopes, 32, 33  
Transpiration  
  leaves' role, 108  
  protecting cuttings from, 259  
  regulation of, 157–58  
  water movement and, 152, 155–57, 480  
Transplantation, 68, 572  
Transport proteins, 154  
Transposable elements, 225–26, 241  
Transposition, 225–26  
Traumatropism, 204  
Travertine, 303  
Tree ferns, 403, 404  
Tree-of-heaven plants, 71  
Trees. *See also* Forests; Stems  
  in arid conditions, 87, 114  
  autumn leaf colors, 122  
  climate study from rings of, 8  
  conifers, 411–16  
  deforestation rates, 3  
  erosion prevention role, 490  
  forest biomes, 500–501, 502, 504–8  
  fungal infections, 354–55, 360  
  giant species, 3, 34, 35, 416  
  grafting, 261, 579–85  
  impact of acid deposition on, 492  
  mycorrhizae importance, 74  
  pneumatophores and aerial roots, 71–72, 73  
  prop roots, 73, 74  
  root resistance to storm -damage, 65  
  stem structure, 90–95  
  transpiration statistics, 155  
Triassic period, 389  
Tricarboxylic acid cycle, 181  
Trichocysts, 334  
*Trichodesmium*, 304  
Trichogrammatidae, 530  
Trichogramma wasps, 530  
Trichogynes, 332  
Trigger hairs, 121  
Triple covalent bonds, 19  
Triploid cells, 221  
Triploid plants, 235  
*Trochodendron aralioides*, 57  
Tropical fig trees, 74  
Tropical mangroves, 72  
Tropical Rain Forest in Suriname website, 11  
Tropical rain forests, 506–8. *See also* Rain forests  
Tropical tree fern, 191  
Tropical trees, secondary xylem development, 90  
Tropisms, 202–4  
True anaerobic respiration, 183  
True bacteria  
  archaeobacteria versus, 307  
  basic features, 297  
  cyanobacteria versus, 303, 304  
  disease and, 298–301  
  useful, 297–98, 301–3  
True berries, 133  
True fungi. *See* Fungi  
Truffles, 351, 352  
Tryptophan, 194  
Tschermak, Eric von, 236  
*Tsuga mertensiana*, 287



Tsunami, 490  
Tubers, 97, 98, 250  
Tubulins, 44  
Tularemia, 300, 301  
Tulip tree, 110  
Tumbleweeds, 140  
Tundra, 499–500  
Tung oil, 460  
Turgor pressure  
  in guard cells, 157  
  movements caused by, 204–7  
  nutrient transport role, 159, 160  
  from osmosis, 152  
Turpentine, 421  
Twigs, 85–86  
Twinflowers, 140  
Twining movements, 201, 204  
2*n* gametes, 235  
Tyloses, 94  
Type specimens, 283  
*Typha*, 80

## U

Ubiquinol, 184  
*Ulothrix*, 40, 320, 321–22  
Ultraviolet radiation, 437, 438, 490  
*Ulva*, 325, 326  
Umbels, 132  
Unaltered fossils, 406  
Underground-flowering orchid, 127  
Undersea life, 293  
Undulant fever, 300  
Unicorn plants, 137, 140, 141  
Unit conversions, 586–87  
United States Department of Agriculture (USDA), 11  
Unlinked genes, 239  
Unpigmented bacteria, 304  
Unsaturated fats, 23  
Upper cortex (lichen thallus), 366–67  
Uracil, 231  
Uranium, 269  
Urediniospores, 360  
URLs, 10  
Ussher, James, 276  
*Utricularia*, 15, 121

## V

Vaccination, 309  
Vaccine production, 255–56, 313–14  
Vacuolar membranes, 34, 43  
Vacuoles, 34, 43–44, 50  
Valence, 18–19  
Vallecular canals, 394  
Valley fever, 365  
van Helmont, J. B., 8  
Vanilla orchid, 72, 471  
van Overbeek, Johannes, 197  
Variables, experimental, 7  
Variation, heritable, 271  
Variegated leaves, 242  
Vascular bundles  
  in dicot stems, 89  
  of leaves, 107, 111  
  in monocot stems, 95–96  
Vascular cambia  
  formation, 69, 88, 89  
  grafting, 261  
  structure and functions, 45, 54–55  
  in woody dicot stems, 90–93  
Vascular cylinders, 69

Vascular plants, 372  
Vascular rays, 93–94  
*Vaucheria*, 326  
Vavilov, Nikolai Ivanovich, 249, 449  
Vectors, 311  
Vegetables  
    common types, 573–78  
    fruits versus, 132–33  
    growing tips, 572–73  
    importance, 5  
Vegetable sponges, 465–66  
Vegetarian diets, 478  
Vegetative nuclei, 431, 431–32  
Vegetative spores, 216  
Veins of leaves, 107, 109, 112, 113  
Velamen roots, 59, 71, 72  
Veneers, 99  
Venters, 380  
Venus's flytraps, 121, 204  
Vernal pools, 502, 503  
*Verticillium*, 531  
Vesicles, 40, 48  
Vessel elements, 58  
Vessels, 58  
VFN tomatoes, 531  
Viability of seeds, 143–44, 145, 258  
*Victoria amazonica*, 109  
Vinegar weed, 462  
Vinpocetine, 554  
Viral diseases, 299  
Virchow, Rudolf, 31  
Viroids, 314  
Viruses  
    basic features, 309–10  
    classification, 287  
    cyanophages, 306  
    human relevance, 311, 312–14  
    reproduction, 310–12  
Visible light, 169, 172. *See also* Light  
Vitamin A, 193  
Vitamin C, 457  
Vitamin functions, 192–93  
Vivipary, 145, 147  
Volcanoes, 484, 485–86  
Volumes of cells, 33–34  
Volva, 357, 358  
*Volvox*, 320, 325

## W

Wake-robins, 212  
Wallace, Alfred, 268, 269  
Wandering Jew, 158  
Wasps, 440, 530  
Water  
    contamination, 7, 492  
    dependence of mosses on, 382  
    evaporation control, 61  
    influence on -germination, 145  
    influence on respiration, 183  
    leaves' role in -transporting, 108  
    molecular form, 18  
    movement toward, 204  
    osmosis of, 151–52  
    oxygen content, 71  
    role in photosynthesis, 169  
    seed dispersal by, 141–42  
    soil drainage, 79  
    soil leaching by, 78  
    in soils, 80, 81  
    storage in leaves, 116  
    transport mechanisms, 152, 155–57, 159–60

- transport structures, 56, 58, 69
- wood content, 99
- Water conservation -movements, 207
- Watercress, 456
- Water cycle, 480, 481
- Water hemlock, 132, 464, 465, 537
- Water hyacinths, 365
- Watering house plants, 78, 562, 563
- Watering vegetable gardens, 573
- Water lilies, 486
- Water molds, 342, 343, 348
- Water nets, 324, 325
- Water pollution, 491, 492
- Water potential, 152, 156
- Watersilk, 322
- Water-splitting, 175–76
- Water-storage roots, 70–71
- Water table, 480, 491
- Watson, James, 227, 228
- Wattle, 457
- Wavelengths of light, 169, 172
- Waxes
  - basic features, 23
  - functions in cuticle, 61
  - on leaves, 109, 112, 120, 124
  - on stems, 112
- Weed killers, 195–96. *See also* Herbicides
- Weeds, 257, 532
- Weinberg, W., 244
- Welwitschia*, 57, 418–19, 420
- Went, Frits, 193–94, 211
- Western redbud, 272–73
- Western red cedar, 425
- Western tarweed, 62, 215
- Wetlands, 4, 492–93
- Wheat
  - black stem rust, 360, 361
  - dwarf varieties, 250
  - gluten, 26
- Wheel trees, 57
- Whey, 303
- Whip grafting, 579, 580, 581
- Whisk ferns, 386–87
- White ash, 100
- White oak, 100
- White pine, 100, 420–21, 501
- White pine blister rust, 360
- White potatoes, 464
- White spruce, 422
- Whittaker, R. H., 283
- Whorled arrangement of leaves, 85, 109, 110
- Whorls of flowers, 131
- Wiggers, Fredericus Henricus, 282
- Wilderness protection, 494
- Wild mustards, 455
- Wild species, importance to domesticated species, 491–92
- Wilkins, Maurice, 227
- Willow Family, 140
- Willow root, 70
- Windfalls, 420
- Window leaves, 116, 118
- Winds, seed dispersal by, 140
- Winged beans, 458, 459
- Wing petals, 457, 458
- Witch hazel, 142
- Woese, Carl, 283, 307
- Wolffia columbiana*, 128
- Wolfsbane, 453
- Wollemi pine, 424
- Wood
  - manufactured goods from, 99–103
  - petrified, 406
  - properties, 99–102, 412

structure of, 90–95  
Woody dicot stems, 90–95  
Woody twigs, 85–86  
World Wide Web, botany resources on, 10–11  
Wormwood, 124  
Wounds, plant responses to, 15, 58

## X

Xanthophyceae, 326–27  
Xanthophylls, 122, 334  
*Xenorhabdus nematophilus*, 530  
Xerophytes, 477  
Xylem  
absent from bryophytes, 374  
conduction of water to leaves, 112, 156  
in dicot roots, 69  
in monocot stems, 95, 96  
origins, 67, 86  
in pine needles, 115  
secondary, 88, 89, 90–93  
structure and functions, 56, 58  
in whisk ferns, 387  
Xylem rays, 91, 93–94

## Y

Yahoo, 10  
Yareta plant, 123  
Yarrow, 467  
Yeasts  
commercial uses, 353–54  
discoveries from, 31  
reproduction, 351, 352  
Yellow-green algae, 326–27  
Yellowstone National Park, 484  
Yellow vetchlings, 115  
Yellow water weed, 71  
Yews  
leaf structure, 110  
manufactured goods from, 424–25  
ovules, 414–15, 416  
Yosemite National Park, 494

## Z

*Zebrina* leaf epidermis, 158  
Zinc absorption, 80  
Zonation, 503, 505  
Zoospores  
of chytrids, 348–49  
of green algae, 321, 322, 323, 324  
of water molds, 342, 343  
of yellow-green algae, 326  
*Zosterophyllum*, 387  
Zygomycota, 349–50  
Zygosporangia, 349  
Zygotes  
of ascomycetes, 353  
of *Chlamydomonas*, 321  
defined, 216, 221  
of diatoms, 327, 328  
of green algae, 322, 323–24  
of ground pines, 390, 391  
of gymnosperms, 415  
of mosses, 380  
of red algae, 332  
of spike mosses, 392  
of typical flowering plants, 432  
of water molds, 343  
of whisk ferns, 387, 388

