

Index

- Accelerator-multiplier model, 286n
 - Adjoint, classical, 203
 - Adjugate, 203
 - Affine transformation, 81
 - Aircraft design, 105, 134
 - Algebraic multiplicity of an eigenvalue, 314
 - Algebraic properties of \mathbb{R}^n , 32, 40
 - Algorithms
 - bases for Col A , Row A , Nul A , 262–265
 - compute a B -matrix, 332
 - decouple a system, 347–348, 358
 - diagonalization, 321–322
 - finding A^{-1} , 124–125
 - finding change-of-coordinates matrix, 274
 - Gram–Schmidt process, 402–405
 - inverse power method, 366
 - Jacobi’s method, 317
 - LU factorization, 142–146
 - QR algorithm, 317, 318, 368
 - reduction to first-order system, 284
 - row–column rule for computing AB , 111
 - row reduction, 17–20
 - row–vector rule for computing Ax , 45
 - singular value decomposition, 476
 - solving a linear system, 24
 - steady-state vector, 293
 - writing solution set in parametric vector form, 54
 - Amps, 95
 - Analysis of data, 142
 - See also* Matrix factorization
 - Angles in \mathbb{R}^2 and \mathbb{R}^3 , 381
 - Anticommutativity, 183
 - Approximation, 314
 - Area
 - approximating, 208–209
 - ellipse, 209
 - parallelogram, 205–207
 - triangle, 210
 - Argument of complex number, A6
 - Associative law (multiplication), 113
 - Associative property (addition), 108
 - Attractor, 345, 356
 - Augmented matrix, 5
 - Auxiliary equation, 282
 - Average value, 434
 - Axioms
 - inner product space, 428
 - vector space, 215
 - \mathcal{B} -coordinate vector, 176, 247
 - \mathcal{B} -coordinates, 246
 - \mathcal{B} -matrix, 329
 - Back-substitution, 22–23
 - Backward phase, 20, 23, 144
 - Balancing chemical equations, 59–60, 63
 - Band matrix, 150
 - Basic variable, 20–21
 - Basis, 170–173, 238, 256–257
 - change of, 271–275
 - change of, in \mathbb{R}^n , 274
 - column space, 171–172, 240–242, 264–265
 - coordinate systems, 246–253
 - eigenspace, 304
 - eigenvectors, 321, 324
 - fundamental set of solutions, 354
 - fundamental subspaces, 478–479
 - null space, 240, 264–265
 - orthogonal, 385–386, 402, 430–431
 - orthonormal, 389, 405–406, 451, 473
 - row space, 263, 265n
 - solution space, 283
 - spanning set, 239
 - standard, 170, 238, 247–248, 389
 - subspace, 170
 - two views, 242
- Basis Theorem, 179, 259
 - Beam model, 120–121
 - Bessel’s inequality, 444
 - Best approximation
 - $C[a, b]$, 440
 - Fourier, 441
 - \mathbb{P}^4 , 431
 - to \mathbf{y} by elements of W , 398
 - Best Approximation Theorem, 398
 - Bidiagonal matrix, 151
 - Bill of final demands, 152
 - Block matrix, 134
 - diagonal, 138
 - multiplication, 136
 - upper triangular, 137
 - Boundary condition, 286

I2 Index

- Branch current, 97
- Branches in network, 60, 95
- Budget constraint, 468
- C (language), 46, 115
- $C[a, b]$, 224, 433, 440
- \mathbb{C}^n , 335
- Cambridge Diet, 93, 100
- Casorati matrix, 279
- Cauchy, Augustin-Louis, 185
- Cauchy–Schwarz inequality, 432
- Cayley–Hamilton Theorem, 371
- Center of gravity (mass), 39
- Center of projection, 163
- CFD. *See* Computational fluid dynamics
- Change of basis, 271–273
 - in \mathbb{R}^n , 274
- Change-of-coordinates matrix, 249, 273–275
- Change of variable
 - for complex eigenvalue, 340
 - in differential equation, 358
 - in dynamical system, 347–348
 - in principal component analysis, 486
 - in a quadratic form, 457–458
- Characteristic equation of matrix, 310, 313, 335
- Characteristic polynomial, 314, 317
- Characterization of Linearly Dependent Sets Theorem, 68
- Chemical equations, 59–60, 63
- Cholesky factorization, 462, 492
- Classical adjoint, 203
- Codomain, 74
- Coefficient
 - correlation, 382
 - filter, 280
 - Fourier, 441
 - of linear equation, 2
 - matrix, 5
 - regression, 419
 - trend, 439
- Cofactor expansion, 188, 196
- Column(s)
 - augmented, 125
 - determinants, 196
 - operations, 196
 - orthogonal, 414
 - orthonormal, 390–391
 - pivot, 15, 241, 266, A1
 - span \mathbb{R}^n , 43
 - sum, 154
 - vector, 28
- Column–row expansion, 137
- Column space, 229
 - basis for, 171–172, 240–241, 264–265
 - dimension of, 259, 265
 - least-squares problem, 409–411
 - and null space, 230–232
 - subspace, 169, 229
 - See also* Fundamental subspaces
- Comet, orbit of, 426
- Commutativity, 114, 183
- Companion matrix, 372
- Complement, orthogonal, 380
- Complex number, A3
 - absolute value of, A4
 - argument of, A6
 - conjugate, A4
 - imaginary axis, A5
 - polar coordinates, A6–A7
 - powers of, A7
 - real and imaginary parts, A3
 - and \mathbb{R}^2 , A8
- Complex root, 282, 314, 335
 - See also* Auxiliary equation; Eigenvalue, complex
- Complex vector, 28n
 - real and imaginary parts, 337
- Complex vector space, 217n, 335
- Component of \mathbf{y} orthogonal to \mathbf{u} , 386
- Composition of linear transformations, 110, 148
- Composition of mappings, 109, 160
- Computational fluid dynamics (CFD), 105
- Computer graphics, 158
 - center of projection, 163
 - composite transformations, 160
 - homogeneous coordinates, 159, 162–163
 - perspective projections, 163–165
 - shear transformations, 159
 - 3D, 161–163
- Condition number, 131, 133, 200, 445
 - singular value decomposition, 478
- Conformable partition, 136
- Conjugate pair, 338, A4
- Consistent system, 4, 8–9, 24
 - matrix equation, 42–43
- Constant of adjustment, positive, 286
- Constrained optimization, 463–470
 - eigenvalues, 465, 468
 - feasible set, 468
 - indifference curve, 469–470
 - See also* Quadratic form
- Consumption matrix, 154
- Continuous dynamical systems, 302, 356–360
- Continuous functions, 224, 233, 262, 433–436, 440–442
- Contraction transformation, 77, 86
- Contrast between Nul A and Col A , 230–232
- Control system, 140, 215–216, 300, 342
 - control sequence, 300
 - controllable pair, 300
 - Schur complement, 139
 - space shuttle, 215–216
 - state-space model, 300
 - state vector, 140, 289, 300
 - steady-state response, 342
 - system matrix, 140, 147–148
 - transfer function, 140
- Controllability matrix, 300
- Convergence, 155, 294, 316, 317, 342
 - See also* Iterative methods
- Coordinate mapping, 247, 250–251, 272
- Coordinate system(s), 176–177, 246–248
 - change of basis, 271–273
 - graphical, 247–248
 - isomorphism, 251–253
 - polar, A6
 - \mathbb{R}^n , 248–249
- Coordinate vector, 176, 247
- Correlation coefficient, 382
- Cost vector, 36
- Counterexample, 72
- Covariance, 485
 - matrix, 484, 488
- Cramer’s rule, 201
- Cross-product term, 456, 458
- Crystallography, 248, 255

- Crystals, 185
 Current flow, 95
 Current law, 97
 Curve-fitting, 26, 422–423, 431–432
- De Moivre's Theorem, A7
- Decomposition
 eigenvector, 342, 363
 force, 388
 orthogonal, 386, 395
 polar, 492
 singular value, 474–481
See also Factorization
- Decoupled system, 348, 354, 358
- Degenerate line, 81
- Design matrix, 419
- Determinant, 185–187
 adjugate, 203
 area and volume, 204–205
 Casoratian, 279
 characteristic equation, 313
 cofactor expansion, 188, 196
 column operations, 196
 Cramer's rule, 201
 echelon form, 194
 eigenvalues, 313, 318
 elementary matrix, 197
 geometric interpretation, 204, 312
 and inverse, 118, 194, 203–204
 linearity property, 197, 212
 multiplicative property, 196, 314
 $n \times n$ matrix, 187
 product of pivots, 194, 311
 recursive definition, 187
 row operations, 192–194, 197
 3×3 matrix, 186
 transformations, 207–209
 triangular matrix, 189, 313
 volume, 204, 312
See also Matrix
- Diagonal entries, 107
- Diagonal matrix, 107, 138, 319, 474
- Diagonal Matrix Representation Theorem, 331
- Diagonalizable matrix, 320
 distinct eigenvalues, 323
 nondistinct eigenvalues, 324
 orthogonally, 450
- Diagonalization Theorem, 320
- Difference equation, 97, 277, 280–286
 dimension of solution space, 283
 eigenvectors, 307, 315–316, 343
 first-order, 284–285
 homogeneous, 280, 282
 nonhomogeneous, 280, 283
 population model, 97–99
 recurrence relation, 97, 280, 282
 reduction to first order, 284
 signal processing, 280
 solution sets of, 282, 284 (fig.)
 stage-matrix model, 302
 state-space model, 300
See also Dynamical system; Markov chain
- Differential equation, 233, 353–354
 circuit problem, 355, 360, 362
 decoupled system, 354, 358
 eigenfunctions, 355
 initial value problem, 354
 solutions of, 354
See also Laplace transform
- Differentiation, 233
- Digital signal processing. *See* Signal processing
- Dilation transformation, 77–78, 83
- Dimension (vector space), 256
 classification of subspaces, 258
 column space, 178–179, 260
 null space, 178, 260
 row space, 265–267
 subspace, 177
- Directed line segment, 29
- Direction
 of greatest attraction, 345, 356
 of greatest repulsion, 346, 357
- Discrete linear dynamical system. *See* Dynamical system
- Discrete-time signal. *See* Signals
- Distance
 between vector and subspace, 387, 399
 between vectors, 378
- Distributive laws, 113
- Domain, 73
- Dot product, 375
- Dynamical system, 302, 342
 attractor, 345, 356
 change of variable, 347
 decoupling, 354, 358
 eigenvalues and eigenvectors, 307, 315, 343
 graphical solutions, 344–347
 owl population model, 301, 349
 predator–prey model, 343
 repeller, 345, 357
 saddle point, 346, 347, 357
 spiral point, 360–361
 stage-matrix model, 302, 349
See also Difference equation; Mathematical model
- Eccentricity of orbit, 426
- Echelon form, 14
 basis for row space, 264
 consistent system, 24
 determinant, 194, 311
 flops, 23
 LU factorization, 142–144
 pivot positions, 15
- Effective rank, 180, 268, 474
- Eigenfunctions, 355, 359
- Eigenspace, 304–305
 dimension of, 324, 452
 orthogonal basis for, 451
- Eigenvalue, 303
 characteristic equation, 313, 335
 complex, 314, 335, 338, 348, 359
 constrained optimization, 464–468
 determinants, 311–313, 318
 diagonalization, 319–323, 450–452
 differential equations, 355–359
 distinct, 323, 324
 dynamical systems, 315–316, 342, 348
 invariant plane, 340
 Invertible Matrix Theorem, 312
 iterative estimates, 317, 318, 363, 366–368
 multiplicity of, 314
 and quadratic forms, 461
 and rotation, 335, 338 (fig.), 340, 350 (fig.), 360 (fig.)
 row operations, 304, 315

I4 Index

- Eigenvalue (*continued*)
 similarity, 314–315
 strictly dominant, 363
 triangular matrix, 306
See also Dynamical system
- Eigenvector, 303
 basis, 321, 324
 complex, 335, 340
 decomposition, 343, 363
 diagonalization, 320–323, 450–452
 difference equations, 307
 dynamical system, 315–316, 343, 345, 346, 355–359
 linearly independent, 307, 320
 Markov chain, 316
 principal components, 486
 row operations, 304
- Electrical network model, 2, 95–97
 circuit problem, 355, 360, 362
 matrix factorization, 147
 minimal realization, 148
- Elementary matrix, 122–124
 determinant, 197
 interchange, 197
 reflector, 444
 row replacement, 197
 scale, 197
- Elementary reflector, 444
- Elementary row operation, 7, 122
- Ellipse, 459
 area, 209
 singular values, 471–473
- Equal matrices, 107
- Equation
 auxiliary, 282
 characteristic, 313
 difference, 92, 97, 280
 differential, 233, 353–355
 of a line, 53, 81
 linear, 2–3, 53, 419
 normal, 376, 411
 parametric, 52–54
 price, 157
 production, 153
 three-moment, 286
 vector, 28, 32–34, 41–42, 48, 56
- Equilibrium, unstable, 352
- Equilibrium prices, 57–59, 63
- Equilibrium vector, 292–294
- Equivalence relation, 333
- Equivalent linear systems, 3
- Existence and Uniqueness Theorem, 24
- Existence of solution, 75, 85
- Existence questions, 8, 23, 43, 75, 84, 130
- Explicit description, 52, 170, 228, 232
- Factorization
 analysis of a dynamical system, 319
 of block matrices, 138
 complex eigenvalue, 340
 diagonal, 319, 331
 for a dynamical system, 319
 in electrical engineering, 147
See also Matrix factorization; Singular value decomposition
- Feasible set, 468
- Filter, linear, 280
 low-pass, 281, 419
 moving average, 286
- Final demand vector, 152
- Finite-dimensional vector space, 257
 subspace, 259
- Finite set, 257
- First-order difference equation. *See* Difference equation
- First principal component, 486
- Flexibility matrix, 120
- Flight control system, 215–216
- Floating point arithmetic, 10
- Floating point operation (flop), 10, 23
- Flow in network, 60–62, 64, 95
- Force, decomposition, 388
- Fortran, 46
- Forward phase, 20
- Fourier approximation, 441
- Fourier coefficients, 441
- Fourier series, 440–442
- Free variable, 20, 24, 50, 260
- Full rank, 270
- Function, 73
 continuous, 433, 440
 eigenfunction, 355
 transfer, 140
 trend, 439
 utility, 469
- Fundamental solution set, 283, 354
- Fundamental subspaces, 267 (fig.), 270, 380 (fig.), 478
- Gauss, Carl Friedrich, 14n, 426n
- Gaussian elimination, 14n
- General least-squares problem, 409
- General linear model, 421
- General solution, 21, 51, 283
- Geometric descriptions
 of \mathbb{R}^2 , 29
 of $\text{Span}\{\mathbf{v}\}$, 35
 of $\text{Span}\{\mathbf{u}, \mathbf{v}\}$, 35
- Geometric point, 29
- Givens rotation, 104
- Gram matrix, 492
- Gram–Schmidt process, 402–405, 430
 in inner product spaces, 430
 Legendre polynomials, 436
 in \mathbb{P}^4 , 430, 439
 in \mathbb{R}^n , 404
- Gram–Schmidt Process Theorem, 404
- Heat conduction, 151
- Helmert blocking, 374
- Hermite polynomials, 261
- Hilbert matrix, 134
- Homogeneous coordinates, 159, 162
- Homogenous system, 50–52
 difference equations, 280–281
 in economics, 57–59
 subspace, 170, 227
- Hooke’s law, 120
- Householder matrix, 444
 reflection, 184
- Howard, Alan H., 93
- Hyperbola, 459
- Hyperspectral image processing, 488
- Identity matrix, 45, 113, 122–124
- Ill-conditioned matrix, 131, 416
- Image, vector, 74
- Image processing, multichannel, 447, 482, 486–488
- Imaginary axis, A5
- Imaginary numbers, pure, A5
- Imaginary part
 complex number, A3
 complex vector, 337
- Implicit definition of $\text{Nul } A$, 170, 228, 232
- Implicit description, 52, 299
- Inconsistent system, 4, 9
See also Linear system

- Indexed set, 65, 237
- Indifference curve, 469
- Inequality
- Bessel's, 444
 - Cauchy–Schwarz, 432
 - triangle, 433
- Infinite dimensional space, 257
- Infinite set, 257n
- Initial value problem, 354
- Inner product, 117, 375, 428
- angles, 381
 - axioms, 427
 - on $C[a, b]$, 433–434
 - Cauchy–Schwarz inequality, 432
 - evaluation, 433
 - length/norm, 378, 429
 - on \mathbb{P}^n , 429
 - properties, 376
 - space, 428
 - triangle inequality, 433
- Input–output model, 148, 152
- Input sequence, 300
- See also* Control system
- Interchange matrix, 123, 197
- Intermediate demand, 152
- Interpolating polynomial, 26, 184
- Invariant plane, 340
- Inverse, 119
- algorithm for, 124
 - augmented columns, 125
 - condition number, 131, 133
 - determinant, 119
 - elementary matrix, 122–124
 - flexibility matrix, 120
 - formula, 119, 203
 - identity matrix, 123
 - ill-conditioned matrix, 131
 - linear transformation, 130
 - Moore–Penrose, 480
 - partitioned matrix, 137, 140
 - product, 122
 - stiffness matrix, 120–121
 - transpose, 121
- Inverse power method, 366–368
- Invertible
- linear transformation, 130
 - matrix, 119, 123, 194
- Invertible Matrix Theorem, 129–130, 179, 194, 267, 312, 479
- Isomorphic vector spaces, 177, 262
- Isomorphism, 177, 251, 283, 430n
- Iterative methods
- eigenspace, 364–365
 - eigenvalues, 317, 363, 366–368
 - formula for $(I-C)^{-1}$, 154, 157
 - inverse power method, 366
 - Jacobi's method, 317
 - power method, 363
 - QR algorithm, 317, 318, 368
- Jacobian matrix, 345n
- Jacobi's method, 317
- Jordan, Wilhelm, 14n
- Jordan form, 332
- Junctions, 60
- Kernel, 232
- Kirchhoff's laws, 95, 97
- Ladder network, 147–148, 150
- Laguerre polynomial, 261
- Lamberson, R., 302
- Landsat image, 447–448, 488, 489
- LAPACK, 115, 138
- Laplace transform, 140, 202
- Law of cosines, 381
- Leading entry, 14
- Leading variable, 20n
- Least-squares fit
- cubic trend, 423
 - linear trend, 438–439
 - quadratic trend, 422, 439, 440 (fig.)
 - scatter plot, 422
 - seasonal trend, 425
 - trend surface, 423
- Least-squares problem, 373, 409
- column space, 410–411
 - curve-fitting, 422–423
 - error, 413
 - lines, 419–421
 - mean-deviation form, 421
 - multiple regression, 423–424
 - normal equations, 374, 411, 420
 - orthogonal columns, 414
 - plane, 424
 - QR factorization, 414–415
 - residuals, 419
 - singular value decomposition, 480
 - sum of the squares for error, 427, 437
 - weighted, 436–438
- See also* Inner product space
- Least-squares solution, 375, 409, 480
- alternative calculation, 414
 - minimum length, 480, 492
 - QR factorization, 414–415
- Left distributive law, 113
- Left-multiplication, 113, 124, 200, 407
- Left singular vector, 475
- Legendre polynomial, 436
- Leibniz, Gottfried, 185
- Length of vector, 376–377, 429
- singular values, 473
- Leontief, Wasily, 1, 152, 157n
- exchange model, 57–59
 - input–output model, 152–157
 - production equation, 153
- Line
- degenerate, 81
 - equation of, 3, 53
 - least-squares, 419–421
 - parametric vector equation, 52
 - Span{ \mathbf{v} }, 35
 - translation of, 53
- Line segment, directed, 29
- Linear combination, 32, 41, 221
- in applications, 36
 - weights, 32, 41, 228
- Linear dependence in \mathbb{R}^3 , 68 (fig.)
- Linear dependence relation, 65, 237
- column space, 240
 - row-equivalent matrices, A1
 - row operations, 265
- Linear difference equation. *See* Difference equation
- Linear equation, 2–3
- See also* Linear system
- Linear filter, 280
- Linear independence, 65, 237
- eigenvectors, 307
 - matrix columns, 66, 89
 - in \mathbb{P}^3 , 251
 - in \mathbb{R}^n , 69
 - sets, 65, 237, 259
 - signals, 279
 - zero vector, 69
- Linear model. *See* Mathematical model
- Linear programming, 2
- partitioned matrix, 138
- Linear recurrence relation. *See* Difference equation

I6 Index

- Linear system, 3, 34, 42
 basic strategy for solving, 5
 coefficient matrix, 5
 consistent/inconsistent, 4, 8–9
 equivalent, 3
 existence of solutions, 8, 23–24
 general solution, 21
 homogeneous, 50–52, 57–59
 linear independence, 65–70
 and matrix equation, 40–42
 matrix notation, 4–5
 nonhomogeneous, 52–53, 267
 over-/underdetermined, 26
 parametric solution, 22, 52
 solution sets, 3–8, 20–24, 50–54
 and vector equations, 34
See also Linear transformation; Row operation
- Linear transformation, 80, 83, 99, 232, 282, 327
 \mathcal{B} -matrix, 329, 331
 composite, 109, 160
 contraction/dilation, 77–78, 83
 of data, 79
 determinants, 207–209
 diagonal matrix representation, 331
 differentiation, 233
 domain/codomain, 73–74
 geometric, 84–87
 Givens rotation, 104
 Householder reflection, 184
 invertible, 130–131
 isomorphism, 251
 kernel, 232
 matrix for, 83, 328–329, 332
 null space, 232
 one-to-one/onto, 87–89
 projection, 87
 properties, 76–77
 on \mathbb{R}^n , 330
 range, 74, 232
 reflection, 85, 184, 393
 rotation, 78, 84
 shear, 76, 86, 159
 similarity, 314–315, 331
 standard matrix, 83
 vector space, 232–233, 329–330
See also Isomorphism; Superposition principle
- Linear trend, 440
- Linearly dependent set, 65, 68–70, 237
- Linearly independent eigenvectors, 307, 320
- Linearly independent set, 65, 66, 237
See also Basis
- Long-term behavior
 of a dynamical system, 342
 of a Markov chain, 291, 294
- Loop current, 95
- Lower triangular matrix, 132, 142, 144, 146
- Low-pass filter, 281, 417
- LU factorization, 106, 142–146, 149, 367
- $M_{m \times n}$, 224
- Main diagonal, 107
- Maple, 317
- Mapping, 73
 composition of, 109
 coordinate, 247, 250–253, 272
 eigenvectors, 329–330
 matrix factorizations, 327–332
 one-to-one, 87–89
 onto \mathbb{R}^m , 87, 89
 signal processing, 282
See also Linear transformation
- Marginal propensity to consume, 286
- Mark II computer, 1
- Markov chain, 288–294
 convergence, 294
 eigenvectors, 316
 predictions, 291
 probability vector, 288
 state vector, 289
 steady-state vector, 292, 316
 stochastic matrix, 288
- Mass–spring system, 223, 233, 244
- Mathematica, 317
- Mathematical ecologists, 301
- Mathematical model, 1, 92
 aircraft, 105, 158
 beam, 120
 electrical network, 95
 linear, 92–99, 152, 288, 301, 342, 421
 nutrition, 93
 population, 97, 289, 293
 predator–prey, 343
 spotted owl, 301–302
 stage-matrix, 302, 349
See also Markov chain
- MATLAB, 27, 134, 149, 211, 298, 317, 350, 367, 368, 408
- Matrix, 107–115
 adjoint/adjugate, 203
 anticommuting, 183
 augmented, 5
 band, 151
 bidiagonal, 151
 block, 134–141
 Casorati, 279–280
 change-of-coordinates, 249, 273–275
 characteristic equation, 310–317
 coefficient, 5, 44
 of cofactors, 203
 column space, 229
 column sum, 154
 column vector, 28
 commutativity, 113, 183
 companion, 372
 consumption, 153, 157
 controllability, 300
 covariance, 484–485
 design, 419
 diagonal, 107, 138
 diagonalizable, 320
 echelon, 14–15
 elementary, 122–124, 197–198, 444
 equal, 107
 flexibility, 120
 Gram, 492
 Hilbert, 134
 Householder, 184, 444
 identity, 45, 107, 113, 122–124
 ill-conditioned, 131, 133, 414
 interchange, 197
 inverse, 119
 invertible, 119, 121, 129
 Jacobian, 345n
 leading entry, 14
 of a linear transformation, 83, 328–329
 $m \times n$, 5
 migration, 98, 289, 316
 multiplication, 109–110, 136
 nonzero row/column, 14
 notation, 4–5
 null space, 169–170, 226
 of observations, 483
 orthogonal, 391, 450
 orthonormal, 391n

- Matrix (*continued*)
- orthonormal columns, 390–391
 - partitioned, 134–138
 - Pauli spin, 183
 - positive definite/semidefinite, 461
 - powers of, 114
 - products, 110, 196
 - projection, 453, 455
 - pseudoinverse, 480
 - of quadratic form, 455
 - rank of, 178–265
 - reduced echelon, 14
 - regular stochastic, 294
 - row–column rule, 111
 - row equivalent, 7, 34n, A1
 - row space, 263
 - scalar multiple, 108
 - scale, 197
 - Schur complement, 139
 - singular/nonsingular, 119, 130, 131
 - size of, 5
 - square, 128, 131
 - standard, 83, 110
 - stiffness, 120
 - stochastic, 288, 297
 - submatrix of, 135, 300
 - sum, 107–108
 - symmetric, 449–453
 - system, 140
 - trace of, 334, 485
 - transfer, 147
 - transpose of, 114–115, 121
 - tridiagonal, 151
 - unit cost, 79
 - unit lower triangular, 142
 - Vandermonde, 184, 212, 372
 - zero, 107
 - See also* Determinant; Diagonalizable matrix; Inverse; Matrix factorization; Row operations; Triangular matrix
- Matrix of coefficients, 5, 44
- Matrix equation, 42
- Matrix factorization (decomposition), 142
- Cholesky, 462, 492
 - complex eigenvalue, 340
 - diagonal, 319–320, 331
 - in electrical engineering, 147–148
 - full QR, 408
 - linear transformations, 327–332
 - LU, 142–146
 - permuted LU, 142–146
 - polar, 492
 - QR, 150, 405–407, 414–415
 - rank, 150
 - rank-revealing, 492
 - reduced LU, 150
 - reduced SVD, 480
 - Schur, 445
 - similarity, 314, 331
 - singular value decomposition, 150, 471–480
 - spectral, 150, 453
- Matrix inversion, 118–121
- Matrix multiplication, 109–110
- block, 136
 - column–row expansion, 137
 - and determinants, 196
 - properties, 112, 114
 - row–column rule, 111
 - See also* Composition of linear transformations
- Matrix notation. *See* Back-substitution
- Matrix of observations, 483
- Matrix program, 27
- Matrix transformation, 74–76, 83
- See also* Linear transformation
- Matrix–vector product, 40
- properties, 45
 - rule for computing, 45
- Maximum of quadratic form, 464–468
- Mean, sample, 484
- Mean-deviation form, 421, 484
- Mean square error, 442
- Microchip, 135
- Migration matrix, 98, 289, 316
- Minimal realization, 148
- Minimum length solution, 492
- Minimum of quadratic form, 464–468
- Model, mathematical. *See* Mathematical model
- Modulus, A4
- Molecular modeling, 161
- Moore–Penrose inverse, 480
- Moving average, 286
- Muir, Thomas, 185
- Multichannel image. *See* Image processing, multichannel
- Multiple regression, 423–424
- Multiplicative property of det, 196, 313
- Multiplicity of eigenvalue, 314
- Multivariate data, 482, 487–488
- National Geodetic Survey, 373
- Negative definite quadratic form, 461
- Negative flow, in a network branch, 95
- Negative semidefinite form, 461
- Negative of a vector, 217
- Network, 60
- branch, 95
 - branch current, 97
 - electrical, 95–97, 100, 147–148
 - flow, 60–62, 64, 95
 - loop currents, 95, 100
- Nodes, 60
- Noise, random, 286
- Nonhomogeneous system, 52, 267
- difference equations, 280, 283
- Nonlinear dynamical system, 345n
- Nonsingular matrix, 119, 130
- Nontrivial solution, 50
- Nonzero column, 14
- Nonzero row, 14
- Nonzero singular values, 473
- Norm of vector, 376–377, 429
- Normal equation, 374, 411
- North American Datum (NAD), 373–374
- Null space, 169, 226
- basis, 171, 240, 264
 - and column space, 230–232
 - dimension of, 260, 265–267
 - eigenspace, 304
 - explicit description of, 228–229
 - linear transformation, 233
 - See also* Fundamental subspaces; Kernel
- Nullity, 265
- Nutrition model, 93–94
- Observation vector, 419, 483
- Ohm’s law, 95
- Oil exploration, 2
- One-to-one linear transformation, 88, 245
- See also* Isomorphism
- One-to-one mapping, 87–89
- Onto mapping, 87, 89
- Optimization, constrained. *See* Constrained optimization
- Orbit of a comet, 426

I8 Index

- Ordered n -tuple, 31
- Ordered pair, 28
- Orthogonal
- eigenvectors, 450
 - matrix, 391, 450
 - polynomials, 431, 439
 - regression, 491
 - set, 384, 440
 - vectors, 379, 429
- Orthogonal basis, 385, 430, 451, 473
- for fundamental subspaces, 478–479
 - Gram–Schmidt process, 402, 430
- Orthogonal complement, 380
- Orthogonal Decomposition Theorem, 395
- Orthogonal diagonalization, 450
- principal component analysis, 485
 - quadratic form, 457
 - spectral decomposition, 453
- Orthogonal projection, 386, 394
- geometric interpretation, 388, 397
 - matrix, 399, 453, 455
 - properties of, 397
 - onto a subspace, 386, 395
 - sum of, 388, 397 (fig.)
- Orthogonality, 379, 390
- Orthogonally diagonalizable, 450
- Orthonormal
- basis, 389, 399, 405
 - columns, 390–391
 - matrix, 391n
 - rows, 391
 - set, 389
- Outer product, 117, 136, 184, 270, 453
- Overdetermined system, 26
- Owl population model, 301, 351
- \mathbb{P} , 220
- \mathbb{P}_n , 220
- dimension, 257
 - inner product, 429
 - standard basis, 238
 - trend analysis, 439
- Parabola, 422
- Parallel
- line, 53
 - processing, 2, 115
 - solution sets, 53 (fig.), 54 (fig.), 284 (fig.)
- Parallelepiped, 185, 205–207, 312
- Parallelogram
- area of, 205–207
 - law, for vectors, 383, 436
 - rule for addition, 30
 - region inside, 81, 208
- Parameter vector, 419
- Parametric
- description, 22
 - equation of a line, 52, 81
 - equation of a plane, 52
 - vector equation, 52
 - vector form, 52, 54
- Partial pivoting, 20, 146
- Partitioned matrix, 106, 134–141
- addition and multiplication, 135–137
 - algorithms, 138
 - block diagonal, 138
 - block upper triangular, 137
 - column–row expansion, 137
 - conformable, 136
 - inverse of, 137–138, 140
 - outer product, 136
 - Schur complement, 139
 - submatrices, 135
- Partitions, 134
- Pauli spin matrix, 183
- Permuted LU factorization, 146
- Perspective projection, 163–165
- Phase
- backward, 20, 144
 - forward, 20
- Pivot, 17
- column, 16, 172, 242, 265, A1
 - positions, 15
 - product, 194, 311
- Pixel, 447
- Point masses, 39
- Polar coordinates, A6
- Polar decomposition, 492
- Polynomial
- characteristic, 314, 315
 - degree of, 219
 - Hermite, 261
 - interpolating, 26, 184
 - Laguerre, 261
 - Legendre, 436
 - orthogonal, 431, 439
 - in \mathbb{P}_n , 218, 220, 239, 251–252
 - set, 218–220
- trigonometric, 440
 - zero, 219
- Population model, 97–99, 288, 293, 343, 349, 353
- Positive definite matrix, 461
- Positive definite quadratic form, 461
- Positive semidefinite matrix, 461
- Power method, 363–366
- Powers of a matrix, 114
- Predator–prey model, 343–344
- Predicted y -value, 419
- Preprocessing, 142
- Price equation, 157
- Price vector, 157
- Prices, equilibrium, 57–59, 63
- Principal Axes Theorem, 458
- Principal component analysis, 447, 483, 485
- covariance matrix, 484
 - first principal component, 486
 - matrix of observations, 483
 - multivariate data, 482, 487–488
 - singular value decomposition, 488
- Probability vector, 288
- Process control data, 483
- Product
- of complex numbers, A7
 - dot, 375
 - of elementary matrices, 122, 198
 - inner, 117, 375, 428
 - of matrices, 110, 196
 - of matrix inverses, 122
 - of matrix transposes, 114
 - matrix–vector, 41
 - outer, 117, 136
 - scalar, 117
- See also* Column–row expansion; Inner product
- Production equation, 153
- Production vector, 152
- Projection
- matrix, 453, 455
 - perspective, 163–165
 - transformations, 76, 87, 184
- See also* Orthogonal projection
- Properties
- determinants, 192
 - inner product, 376, 427, 433
 - linear transformation, 77, 88

- Properties (*continued*)
 matrix addition, 108
 matrix inversion, 121
 matrix multiplication, 112
 matrix–vector product, Ax , 45
 orthogonal projections, 397, 399
 of \mathbb{R}^n , 32
 rank, 300
 transpose, 115
See also Invertible Matrix Theorem
- Properties of Determinants Theorem, 313
- Pseudoinverse, 480, 492
- Public work schedules, 468–469
 feasible set, 468
 indifference curve, 469
 utility, 469
- Pure imaginary number, A5
- Pythagorean Theorem, 380, 398
- QR algorithm, 317, 318, 368
- QR factorization, 150, 405–407, 445
 Cholesky factorization, 492
 full QR factorization, 408
 least squares, 414–415
- QR Factorization Theorem, 405
- Quadratic form, 455
 change of variable, 457
 classifying, 460–461
 cross-product term, 456
 indefinite, 461
 maximum and minimum, 463
 orthogonal diagonalization, 457–458
 positive definite, 461
 principal axes, 459
See also Constrained optimization;
 Symmetric matrix
- Quadratic Forms and Eigenvalues
 Theorem, 461
- \mathbb{R}^n , 31
 algebraic properties of, 32, 40
 change of basis, 274
 dimension, 257
 inner product, 375
 length (norm), 376
 quadratic form, 456
 standard basis, 238, 389
 subspace, 167, 395
- \mathbb{R}^2 and \mathbb{R}^3 , 28, 29, 31, 220
- Range of transformation, 74, 299, 232
- Rank, 178, 179, 262, 265
 in control systems, 300
 effective, 180, 474
 estimation, 268, 474n
 factorization, 150, 300
 full, 270
 Invertible Matrix Theorem, 179, 267
 properties of, 300
See also Outer product
- Rank-revealing factorization, 492
- Rank Theorem, 178, 265
- Rayleigh quotient, 367, 445
- Real part
 complex number, A3
 complex vector, 337
- Real vector space, 217
- Rectangular coordinate system, 29
- Recurrence relation. *See* Difference
 equation
- Reduced echelon form, 14, 15
 basis for null space, 228, 264–265
 solution of system, 20, 23, 24
 uniqueness of, A1
- Reduced LU factorization, 150
- Reduced singular value decomposition,
 480, 492
- Reduction to first-order equation, 284
- Reflection, 85, 393
 Householder, 184
- Reflector matrix, 184, 444–445
- Regression
 coefficients, 419
 line, 419
 multiple, 423
 orthogonal, 491
- Relative change, 445
- Relative error, 445
See also Condition number
- Repellor, 345, 357
- Residual, 419, 421
- Resistance, 95
- Riemann sum, 434
- Right-distributive law, 113
- Right-multiplication, 113, 200
- Right singular vector, 475
- RLC circuit, 244
- Rotation due to a complex eigenvalue,
 338 (fig.), 340
- Rotation transformation, 78, 84, 104,
 160, 162, 165
- Roundabout, 64
- Roundoff error, 10, 131, 366, 407, 474,
 478
- Row–column rule, 111
- Row equivalent matrices, 7, 15, 123, 315,
 A1
 notation, 21, 34n
- Row operation, 7, 192
 back-substitution, 22
 basic/free variable, 20
 determinants, 192, 197–198, 313
 echelon form, 15
 eigenvalues, 304, 315
 elementary, 7, 123
 existence/uniqueness, 23–24
 inverse, 121, 123
 linear dependence relations, 172, 265
 pivot positions, 15–17
 rank, 268, 474
See also Linear system
- Row reduction algorithm, 17–20
 backward phase, 20, 23, 144
 forward phase, 20, 23
See also Row operation
- Row replacement matrix, 123, 197
- Row space, 263
 basis, 263, 265n
 dimension of, 265
 Invertible Matrix Theorem, 267
See also Fundamental subspaces
- Row vector, 263
- Row–vector rule, 45
- \mathbb{S} , 218, 278, 279
- Saddle point, 346, 347 (fig.), 349 (fig.),
 357
- Sample covariance matrix, 484
- Sample mean, 484
- Sample variance, 490
- Samuelson, P.A., 286n
- Scalar, 29, 217
- Scalar multiple, 28, 31 (fig.), 107, 217
- Scalar product. *See* Inner product
- Scale a nonzero vector, 377
- Scale matrix, 197
- Scatter plot, 483
- Scene variance, 448

I10 Index

- Schur complement, 139
 Schur factorization, 445
 Series circuit, 147
 Set, vector. *See* Vector set
 Shear-and-scale transformation, 166
 Shear transformation, 76, 86, 159
 Shunt circuit, 147
 Signal processing, 280
 auxiliary equation, 281
 filter coefficients, 280
 fundamental solution set, 283
 linear difference equation, 280
 linear filter, 280
 low-pass filter, 281, 417
 moving average, 286
 reduction to first-order, 284
 See also Dynamical system
 Signals
 control systems, 215, 216
 discrete-time, 218
 function, 215
 noise, 286
 sampled, 218, 278
 vector space, \mathbb{S} , 218, 278
 Similar matrices, 314, 317, 318, 320, 331
 See also Diagonalizable matrix
 Similarity transformation, 314
 Singular matrix, 119, 130, 131
 Singular value decomposition (SVD),
 150, 471, 474
 condition number, 478
 estimating matrix rank, 180, 474
 fundamental subspaces, 478
 least-squares solution, 480
 $m \times n$ matrix, 473
 principal component analysis, 488
 pseudoinverse, 480
 rank of matrix, 474
 reduced, 480
 singular vectors, 475
 Singular Value Decomposition Theorem,
 475
 Sink of dynamical system, 356
 Size of a matrix, 5
 Solution (set), 3, 20, 54, 282, 354
 difference equations, 282–284, 307
 differential equations, 354–355
 explicit description of, 21, 52, 307
 fundamental, 283, 354
 general, 21, 50–52, 283–284, 343, 358
 geometric visualization, 53 (fig.), 54
 (fig.), 284 (fig.)
 homogeneous system, 50, 170, 282
 minimum length, 492
 nonhomogeneous system, 52–53, 283
 null space, 226
 parametric, 22, 52, 54
 row equivalent matrices, 7
 subspace, 170, 227, 282, 283, 304, 354
 superposition, 96, 354
 trivial/nontrivial, 50
 unique, 8, 24, 87
 See also Least-squares solution
 Source of dynamical system, 357
 Space shuttle, 215
 Span, 35, 43
 linear independence, 68
 orthogonal projection, 386
 subspace, 179
 Span{ \mathbf{u}, \mathbf{v} } as a plane, 35 (fig.)
 Span{ \mathbf{v} } as a line, 35 (fig.)
 Span{ $\mathbf{v}_1, \dots, \mathbf{v}_p$ }, 35, 221
 Spanning set, 221, 242
 Spanning Set Theorem, 239
 Sparse matrix, 106, 155, 195
 Spatial dimension, 484
 Spectral components, 483
 Spectral decomposition, 452–453
 Spectral dimension, 484
 Spectral factorization, 150
 Spectral Theorem, 452
 Spiral point, 360–361
 Spotted owl, 301, 342, 349
 Square matrix, 128, 131
 Stage-matrix model, 302, 349
 Standard basis, 170, 238, 274, 389
 Standard matrix, 83, 110, 327
 Standard position, 459
 State-space model, 300, 342
 State vector, 140, 289, 300
 Steady-state
 heat flow, 150
 response, 342
 temperature, 12, 101, 150
 vector, 292, 294, 303, 316
 Stiffness matrix, 120
 Stochastic matrix, 288, 297, 303
 regular, 294
 Strictly dominant eigenvalue, 363
 Submatrix, 135, 300
 Subspace, 167, 220
 basis for, 170, 238
 column space, 169, 229
 dimension of, 177, 258
 eigenspace, 304
 fundamental, 270, 380 (fig.), 478
 homogeneous system, 228
 intersection of, 225
 linear transformation, 233 (fig.)
 null space, 169, 227
 spanned by a set, 169, 221
 sum, 225
 zero, 169, 220
 See also Vector space
 Sum of squares for error, 427, 437
 Surface rendering, 165
 Superposition principle, 77, 96, 354
 SVD. *See* Singular value decomposition
 Symmetric matrix, 341, 369, 449
 positive definite/semidefinite, 461
 See also Quadratic form
 System, linear. *See* Linear system
 System matrix, 140
 Takakazu, Seki, 185
 Tetrahedron, 185, 210
 Theorem
 Basis, 179, 259
 Best Approximation, 398–399
 Cauchy–Schwarz Inequality, 432
 Cayley–Hamilton, 371
 Characterization of Linearly
 Dependent Sets, 68, 237
 Column–Row Expansion of AB , 137
 Cramer’s Rule, 201–202
 De Moivre’s, A7
 Diagonal Matrix Representation, 331
 Diagonalization, 320
 Existence and Uniqueness, 24
 Gram–Schmidt Process, 404
 Inverse Formula, 203
 Invertible Matrix, 129–130, 179, 194,
 267, 312, 479
 Multiplicative Property (of det), 196
 Orthogonal Decomposition, 395–396
 Principal Axes, 458
 Pythagorean, 380

- Theorem (*continued*)
 - QR Factorization, 405–406
 - Quadratic Forms and Eigenvalues, 461
 - Rank, 178, 265–267
 - Row Operations, 192
 - Singular Value Decomposition, 475
 - Spanning Set, 239–240, 242
 - Spectral, 452
 - Triangle Inequality, 433
 - Unique Representation, 246
 - Uniqueness of the Reduced Echelon Form, 15, A1
- Three-moment equation, 286
- Total variance, 485
 - fraction explained, 487
- Trace of a matrix, 334, 485
- Trajectory, 344
- Transfer function, 140
- Transfer matrix, 147
- Transformation
 - affine, 81
 - codomain, 74
 - definition of, 73
 - domain of, 73
 - identity, 329
 - image of a vector x under, 74
 - range of, 74
 - See also* Linear transformation
- Translation, vector, 53
 - in homogeneous coordinates, 160
- Transpose, 114–115
 - conjugate, 445n
 - determinant of, 196
 - of inverse, 121
 - of product, 115
 - properties of, 115
- Trend analysis, 438–440
- Trend surface, 423
- Triangle, area of, 210
- Triangle inequality, 433
- Triangular matrix, 6
 - determinants, 189
 - eigenvalues, 306
 - lower, 132, 142, 144, 146
 - upper, 132, 137
- Tridiagonal matrix, 151
- Trigonometric polynomial, 440
- Trivial solution, 50
- Uncorrelated variable, 485
- Underdetermined system, 26
- Unique Representation Theorem, 246
- Unique vector, 224
- Uniqueness question, 8, 23, 50, 75, 84
- Unit cell, 248
- Unit consumption vector, 152
- Unit cost matrix, 79
- Unit lower triangular matrix, 142
- Unit square, 84
- Unit vector, 377, 429, 464
- Upper triangular matrix, 132, 137
- Utility function, 469
- Value added vector, 157
- Vandermonde matrix, 184, 212, 372
- Variable, 20
 - basic/free, 20
 - leading, 20n
 - uncorrelated, 485
 - See also* Change of variable
- Variance, 412, 437n, 485
 - sample, 490
 - scene, 448
 - total, 485
- Vector(s), 28
 - addition/subtraction, 28, 29, 30
 - angles between, 381–382
 - as arrows, 29 (fig.)
 - column, 28
 - complex, 28n
 - coordinate, 176, 247
 - cost, 36
 - decomposing, 388
 - distance between, 378
 - equal, 28
 - equilibrium, 292
 - final demand, 152
 - image, 74
 - left singular, 475
 - length/norm, 376–377, 429, 473
 - linear combinations, 32–37, 70
 - linearly dependent/independent, 65–70
 - negative, 217
 - normalizing, 377
 - observation, 419, 483
 - orthogonal, 379
 - parameter, 419
 - as a point, 29
 - price, 157
 - probability, 288
 - production, 152
 - in \mathbb{R}^n , 31
 - in \mathbb{R}^3 , 31
 - in \mathbb{R}^2 , 28–31
 - reflection, 395
 - residual, 421
 - singular, 475
 - state, 140, 289, 300
 - steady-state, 292, 294, 303, 316
 - sum, 28
 - translations, 53
 - unique, 224
 - unit, 152, 377, 429
 - value added, 157
 - weights, 32
 - zero, 31, 69, 168, 217, 379
 - See also* Eigenvector
- Vector addition, 29
 - as translation, 53
- Vector equation, 33, 35
 - linear dependence relation, 65
 - parametric, 52, 54
- Vector set, 65–70, 384–391
 - indexed, 65
 - linear independence, 237–242, 256–260
 - orthogonal, 384–386, 449
 - orthonormal, 389–391, 399, 405
 - polynomial, 218, 220
- Vector space, 215, 217
 - of arrows, 217
 - axioms, 217
 - complex, 217n
 - and difference equations, 282–284
 - and differential equations, 233, 354
 - of discrete-time signals, 218
 - finite-dimensional, 257, 259
 - of functions, 219, 433, 440
 - infinite-dimensional, 257
 - of polynomials, 218, 429
 - real, 217n
 - See also* Inner product space; Subspace
- Vector subtraction, 28–32
- Vector sum, 28

I12 Index

- Vertex, 158
- Vibration of a weighted spring, 223, 233, 244
- Viewing plane, 163
- Virtual reality, 161
- Volt, 95
- Volume
 - ellipsoid, 210
 - parallelepiped, 185, 205–207, 312
 - tetrahedron, 210
- Weighted least squares, 428, 436
- Weights, 32, 41
 - as free variables, 229
- Wire-frame models, 105, 158
- Zero matrix, 107
- Zero polynomial, 219
- Zero solution, 50
- Zero subspace, 169, 220
- Zero vector, 31, 69
 - orthogonal, 379
 - subspace, 169
 - unique, 217, 224