

ANSWERS TO ODD-NUMBERED PROBLEMS

Chapter 1

- 1.1 a) 1.61 km b) 3.28×10^3 ft
 1.3 1.02 ns
 1.5 5.36 L
 1.7 31.7 y
 1.9 a) 23.4 km/L b) 1.42 tanks
 1.11 9.0 cm
 1.13 a) $1.1 \times 10^{-3}\%$ b) no
 1.15 a) 0.1% b) 0.008% c) 0.03%
 1.17 a) 28 ± 0.3 cm³ b) 170 ± 20
 1.19 a) no b) no c) no d) no e) no
 1.21 10^6
 1.23 10^9
 1.25 \$70 million
 1.29 $\$9 \times 10^{14}$; about $\$3 \times 10^6$
 1.31 7.8 km, 38° north of east
 1.33 144 m, 41° south of west
 1.35 $A_x = 0$, $A_y = -8.00$ m; $B_x = 7.50$ m,
 $B_y = 13.0$ m; $C_x = -10.9$ m, $C_y = -5.07$ m;
 $D_x = -7.99$ m, $D_y = 6.02$ m
 1.37 1190 N; 13.4° above forward direction
 1.39 a) 9.01 m, 33.7° b) 9.01 m, 33.7°
 c) 22.3 m, 250.3° d) 22.3 m, 70.3°
 1.41 5.06 km, 20.2° north of west
 1.43 a) 2.48 cm, 18.3° b) 4.10 cm, 83.7°
 c) 4.10 cm, 263.7°
 1.45 781 N, 166°
 1.47 $\vec{A} = -(8.00 \text{ m})\hat{j}$; $\vec{B} = (7.50 \text{ m})\hat{i} + (13.0 \text{ m})\hat{j}$;
 $\vec{C} = -(10.9 \text{ m})\hat{i} + (-5.07 \text{ m})\hat{j}$;
 $\vec{D} = (-7.99 \text{ m})\hat{i} + (6.02 \text{ m})\hat{j}$
 1.49 a) $\vec{A} = (1.23 \text{ m})\hat{i} + (3.38 \text{ m})\hat{j}$;
 $\vec{B} = (-2.08 \text{ m})\hat{i} + (-1.20 \text{ m})\hat{j}$;
 $\vec{C} = (12.01 \text{ m})\hat{i} + (14.94 \text{ m})\hat{j}$;
 c) 19.17 m; 51.2°
 1.51 a) no b) no; yes c) ± 0.20
 1.53 a) -104 m^2 b) -148 m^2 c) 40.6 m^2
 1.55 a) 165° b) 28° c) 90°
 1.57 a) 63.9 m; $-\hat{k}$ b) 63.9 m; $+\hat{k}$
 1.59 a) 4.61 cm^2 ; $-z$ b) 4.61 cm^2 ; $+z$
 1.61 a) 1.65×10^4 km b) 2.6 earth radii
 1.63 10^{28}
 1.65 a) 2.94 cm b) 1.82 cm
 1.67 a) 10^{50} b) 10^{57} c) 10^{79}
 1.69 149 N; 32.2° north of east
 1.71 b) $A_x = 3.03$ cm, $A_y = 8.10$ cm c) 8.65 cm;
 69.5° from the $+x$ -axis toward the $+y$ -axis
 1.73 144 m, 41° south of west
 1.75 a) 46 N, 139°
 1.77 a) (87, 258) b) 136 pixels, 25° below
 straight left
 1.79 380 km, 28.8° south of east
 1.81 160 N, 13° below horizontal
 1.83 a) 911 m; 8.9° west of south
 1.87 b) 90°
 1.89 a) $A = 5.39$, $B = 4.36$
 b) $-5.00\hat{i} + 2.00\hat{j} + 7.00\hat{k}$ c) 8.83; yes
 1.93 a) 54.7° b) 35.3°
 1.95 $C_x = 8.0$, $C_y = 6.1$
 1.97 b) 72.2
 1.99 38.5 yd, 24.6° to right of downfield
 1.101 a) 76 ly b) 129°

Chapter 2

- 2.1 a) 197 m/s b) 169 m/s
 2.3 1 h 10 min
 2.5 a) 17.1 s b) faster: 106 m; slower: 94 m
 2.7 250 km
 2.9 a) 12.0 m/s b) 0 m/s, 15.0 m/s, 12.0 m/s
 c) 13.3 s
 2.11 a) 2.3 m/s, 2.3 m/s b) 2.3 m/s, 0.33 m/s
 2.13 a) no b) (i) 12.8 m/s² (ii) 3.5 m/s²
 (iii) 0.72 m/s²; yes
 2.15 a) 2.00 cm/s, 50.0 cm, -0.125 cm/s^2
 b) 16.0 s c) 32.0 s d) 6.20 s, 1.22 cm/s;
 25.8 s, -1.22 cm/s ; 36.4 s, -2.55 cm/s

- 2.17 a) 3 m/s² b) 10 m/s² c) depends on
 positive coordinate direction
 2.21 a) 5.0 m/s b) 1.43 m/s²
 2.23 a) 675 m/s² b) 0.067 s
 2.25 1.70
 2.27 a) (i) 5.59 m/s² (ii) 7.74 m/s²
 b) (i) 179 m (ii) 12,800 m
 2.29 a) $+2.7 \text{ cm/s}$, -1.3 cm/s b) -1.3 cm/s^2
 c) 22.5 cm; 25.5 cm
 2.31 a) 0, 6.3 m/s², -11.2 m/s^2
 b) 100 m, 230 m, 320 m
 2.33 a) $1.80 \times 10^4 \text{ m/s}$ b) 0.957
 c) 6 h 11 min
 2.35 b) 1 s, 3 s d) 2 s e) 3 s f) 1 s
 2.37 a) $A: 20.5 \text{ m/s}^2$; $B: 3.8 \text{ m/s}^2$; $C: 53 \text{ m/s}^2$
 b) 721 km
 2.39 a) 2.94 m/s b) 0.599 s
 2.41 a) $t = \sqrt{2d/g}$ b) 0.190 s
 2.43 a) 646 m b) 16.4 s, 112 m/s
 2.45 a) 25.6 m/s b) 31.6 m c) 15.2 m/s
 2.47 a) 249 m/s² b) 25.4 c) 101 m d) no
 2.49 0.0868 m/s²
 2.51 a) $x(t) = (0.250 \text{ m/s}^3)t^3 - (0.0100 \text{ m/s}^4)t^4$;
 $v_x(t) = (0.750 \text{ m/s}^3)t^2 - (0.0400 \text{ m/s}^4)t^3$;
 b) 39.1 m/s
 2.53 a) 30.0 cm/s
 2.55 b) 0.627 s, 1.60 s c) negative at 0.627 s,
 positive at 1.60 s d) 1.11 s e) 2.45 m
 f) 2.00 s, 0 s
 2.57 a) 82 km/h b) 31 km/h
 2.59 a) 3.5 m/s² b) 0 c) 1.5 m/s²
 2.61 a) 92.0 m b) 92.0 m
 2.63 a) 464 m/s b) $2.99 \times 10^4 \text{ m/s}$ c) 7.48
 2.65 50.0 m
 2.67 4.6 m/s²
 2.69 a) 6.17 s b) 24.8 m
 c) $v_{\text{truck}} = 13.0 \text{ m/s}$, $v_{\text{auto}} = 21.0 \text{ m/s}$
 2.71 a) 7.85 cm/s b) 5.00 cm/s, horizontal from
 the initial to final position
 2.73 a) 15.9 s b) 393 m c) 29.5 m/s
 2.75 a) -4.00 m/s b) 12.0 m/s
 2.77 a) 2.64H b) 2.64T
 2.79 a) no b) yes; 14.4 m/s; not physically
 attainable
 2.81 a) $6.79 \times 10^4 \text{ g}$ b) 1.45 m/s c) $H/4$
 2.83 a) 7.59 m/s b) 5.14 m c) 1.60 s
 2.85 a) 7.7 m/s b) 0.78 s c) 0.59 s d) 1.3 m
 2.87 270 m
 2.89 a) 20.5 m/s b) yes
 2.91 a) 947 m b) 393 m
 2.93 a) A b) 2.27 s, 5.73 s c) 1.00 s, 4.33 s
 d) 2.67 s
 2.95 a) 9.55 s, 4.78 m b) 1.62 m/s d) 8.38 m/s
 e) no f) 3.69 m/s, 21.7 s, 80.0 m
 2.97 a) 8.18 m/s b) (i) 0.411 m (ii) 1.15 km
 c) 9.80 m/s d) 4.90 m/s

Chapter 3

- 3.1 a) $v_{\text{av-x}} = 1.4 \text{ m/s}$, $v_{\text{av-y}} = -1.3 \text{ m/s}$
 b) 1.9 m/s, -43°
 3.3 a) 7.1 cm/s, 45° b) 5.0 cm/s, 90°; 7.1 cm/s;
 45°; 11 cm/s, 27°
 3.5 b) $a_{\text{av-x}} = -8.67 \text{ m/s}^2$, $a_{\text{av-y}} = -2.33 \text{ m/s}^2$
 c) 8.98 m/s², 195°
 3.7 b) $\vec{v} = a\hat{i} + (-2\beta)\hat{j}$; $\vec{a} = -2\beta\hat{j}$
 c) $v = 5.4 \text{ m/s}$, -63° ; $a = 2.4 \text{ m/s}^2$, -90°
 d) speeding up and turning right
 3.9 b) 0.600 m b) 0.385 m c) $v_x = 1.10 \text{ m/s}$,
 $v_y = -3.43 \text{ m/s}$; $v = 3.60 \text{ m/s}$, 72.2° below
 the horizontal
 3.11 3.32 m
 3.13 a) 30.6 m/s b) 36.3 m/s
 3.15 1.29 m/s²
 3.17 a) 40.0 m/s, 69.3 m/s b) 7.07 s c) 245 m
 d) 565 m e) $a_x = 0$, $a_y = -9.80 \text{ m/s}^2$;
 $v_x = 40.0 \text{ m/s}$, $v_y = 0$

- 3.19 a) 0.682 s, 2.99 s b) 24.0 m/s, 11.3 m/s;
 24.0 m/s, -11.3 m/s c) 30.0 m/s, -36.9°
 3.21 a) 1.5 m b) -0.89 m/s
 3.23 a) 13.6 m b) 34.6 m/s c) 103 m
 3.25 a) 296 m b) 176 m c) 198 m
 d) horizontal: 15 m/s; vertical: 58.8 m/s
 e) horizontal: 15 m/s; vertical: 78.8 m/s
 3.27 795 m
 3.29 a) 0.034 m/s², 0.0034g b) 1.4h
 3.31 a) 3.07 s b) 1.68 s
 3.33 a) 3.50 m/s², upward b) 3.50 m/s²,
 downward c) 12.6 s
 3.35 a) 32.9 m/s b) 27.7 m/s² c) 35.5 rpm
 3.37 a) 14 s b) 70 s
 3.39 0.36 m/s, 38° west of south
 3.41 a) 4.7 m/s, 25° south of east b) 190 s
 c) 380 m
 3.43 b) -7.1 m/s , -42 m/s c) 43 m/s, 9.5° west
 of south
 3.45 a) $A = 0$, $B = 2.00 \text{ m/s}^2$, $C = 50.0 \text{ m}$,
 $D = 0.50 \text{ m/s}^2$ b) $\vec{a} = (4.00 \text{ m/s}^2)\hat{i}$, $v = 0$
 c) $v_x = 40.0 \text{ m/s}$, $v_y = 150 \text{ m/s}$, $v = 155 \text{ m/s}$
 c) $\vec{r} = (200 \text{ m})\hat{i} + (550 \text{ m})\hat{j}$
 3.47 a) 124 m b) 280 m
 3.49 22 m/s
 3.51 40 m/s
 3.53 274 m
 3.55 a) 42.8 m/s b) 42.0 m
 3.57 a) $\sqrt{2gh}$ b) 30.0° c) 6.93h
 3.59 c) less than 45°
 3.61 b) 15°, 75°
 3.63 a) 17.8 m/s b) in river, 28.4 m from the near
 bank
 3.65 a) 81.6 m b) in cart c) 245 m d) 53.1°
 3.67 a) 49 m/s b) 50 m
 3.69 a) 2000 m b) 2180 m
 3.71 a) 38.5 m/s b) (i) 25.0 m/s, 0
 (ii) 25.0 m/s, 38.5 m/s c) (i) 0°
 (ii) 57.0° d) 499 m
 3.73 $\pm 25.4^\circ$
 3.77 b) $v_x = R\omega(1 - \cos\omega t)$, $v_y = R\omega \sin\omega t$,
 $a_x = R\omega^2 \sin\omega t$, $a_y = R\omega^2 \cos\omega t$ c) $t = 0$,
 $2\pi/\omega$, $4\pi/\omega$, ...; $x = 0$, $2\pi R$, $4\pi R$, ...;
 $y = 0$; $a = R\omega^2$ in the $+y$ direction d) no
 3.79 a) 2.50g b) 0.614n
 3.81 a) 44.7 km/h, 26.6° west of south
 b) 10.5° north of west
 3.83 a) 0.659 s b) (i) 9.10 m/s (ii) 6.46 m/s
 c) 3.00 m, 2.13 m
 3.85 7.39 m/s, 12.4° north of east
 3.87 a) 80 m b) 1.6×10^{-3} c) overall effect is
 to reduce radius
 3.89 a) $\left(\frac{2v_0^2}{g}\right)[\tan(\theta + \phi) - \tan\theta] \frac{\cos^2(\theta + \phi)}{\cos\theta}$
 b) $\frac{\pi}{4} - \frac{\theta}{2}$
 3.91 $\Delta t = 0.5$ s; 9.589 m/s², 118.6°; $\Delta t = 0.1$ s;
 9.983 m/s², 95.73°; $\Delta t = 0.05$ s; 9.996 m/s²,
 92.86°
 3.93 a) 1.5 km/h b) 3.5 km/h

Chapter 4

- 4.1 a) 0° b) 90° c) 180°
 4.3 7.1 N to the right, 7.1 N downward
 4.5 494 N, 31.7°
 4.7 2.2 m/s²
 4.9 16.0 kg
 4.11 a) 3.13 m, 3.13 m/s b) 21.9 m, 6.25 m/s
 4.13 a) 45.0 N; $t = 2$ s to 4 s b) 2 s to 4 s
 c) 0, 6 s
 4.15 a) $A = 100$ N, $B = 12.5 \text{ N/s}^2$ b) (i) 21.6 N,
 2.70 m/s² (ii) 134 N, 16.8 m/s²
 c) 26.6 m/s²
 4.17 2.94×10^3 N
 4.19 a) 4.49 kg b) 4.49 kg, 8.13 N
 4.21 825 N, blocks

- 4.23 a) gravity exerted by earth on bottle; force of air on bottle b) gravity exerted by bottle on earth; force of bottle on air
 4.25 $7.4 \times 10^{-23} \text{ m/s}^2$
 4.27 b) yes
 4.29 yes, in part (a)
 4.31 b) 142 N
 4.33 c) force exerted by the ground on the truck
 4.35 1840 N, 135°
 4.37 a) 17 N, 90° clockwise from $+x$ -direction
 b) 840 N
 4.39 a) 4.8 m/s b) 16 m/s² c) 2360 N
 4.41 b) 5.83 m/s²
 4.43 a) 2.50 m/s² b) 10.0 N c) to the right; F
 d) 25.0 N
 4.45 a) 2.93 m/s² b) 11.1 m/s²
 4.47 b) 79.6 N
 4.49 a) mg b) mg c) $m(g + |\vec{a}|)$
 d) $m(g - |\vec{a}|)$
 4.51 a) 7.80 m/s b) 50.6 m/s²
 c) 4532 N, 6.16 mg
 4.53 a) w b) 0 c) $w/2$
 4.55 b) 1390 N
 4.57 b) (i) 3.5 m/s^2 (ii) 8.0 N
 4.59 $-6mBt$

Chapter 5

- 5.1 a) 25.0 N b) 50.0 N
 5.3 a) 990 N, 735 N b) 926 N
 5.5 48°
 5.7 $4.10 \times 10^3 \text{ N}$
 5.9 a) $A: 0.732w; B: 0.897w; C: w$ b) $A: 2.73w; B: 3.35w; C: w$
 5.11 a) 337 N b) 343 N
 5.13 a) 470 N b) 163 N
 5.15 b) 1.22 mg c) 0.70 mg
 5.17 a) 4610 m/s², 470g b) $9.70 \times 10^5 \text{ N}, 471w$
 c) 18.7 ms
 5.19 b) 2.96 m/s² c) 191 N; more than the bricks, less than the counterweight
 5.21 b) 2.50 m/s² c) 1.37 kg d) $T = 0.745w$
 5.23 a) 0.832 m/s² b) 17.3 s
 5.25 1.38°
 5.29 a) 22 N b) 3.1 m
 5.31 a) 0.710, 0.472 b) 258 N c) (i) 51.8 N (ii) 4.97 m/s²
 5.33 a) 57.1 N b) 146 N, up the ramp
 5.35 11 times farther
 5.37 a) $\mu_k(m_A + m_B)g$ b) $\mu_k m_A g$
 5.39 3.82 m/s²
 5.41 a) 0.218 m/s b) 11.7 N
 5.43 a) $\mu_k mg(\cos\theta - \mu_k \sin\theta)$ b) $1/\tan\theta = \mu_k$
 5.45 b) 8.75 N c) 30.8 N d) 1.54 m/s²
 5.47 a) 0.44 kg/m b) 42 m/s
 5.49 a) 3.61 m/s b) bottom c) 3.33 m/s
 5.51 a) 21.0° ; no b) car: $1.18 \times 10^4 \text{ N}$; truck: $2.36 \times 10^4 \text{ N}$
 5.53 upper cable: 1410 N; horizontal cable: 8360 N
 5.55 a) 1.49 rev/min b) 0.918 rev/min
 5.57 a) 138 km/h b) 3580 N
 5.59 2.43 m/s
 5.61 a) rope making 60° angle b) 6400 N
 5.63 a) $Mg/(2\sin\theta)$ b) $Mg/(2\tan\theta)$ c) $T \rightarrow \infty$
 5.65 a) $m_1(\sin\alpha + \mu_k \cos\alpha)$
 b) $m_1(\sin\alpha - \mu_k \cos\alpha)$
 c) $m_1(\sin\alpha - \mu_k \cos\alpha) < m_2 < m_1(\sin\alpha + \mu_k \cos\alpha)$
 5.67 a) 1.44 N b) 1.80 N
 5.69 a) $1.3 \times 10^{-4} \text{ N}$; 62.5 w b) $2.9 \times 10^{-4} \text{ N}$ at 1.2 ms c) 1.2 m/s
 5.71 1040 N
 5.73 a) 11 m/s b) 7.5 m/s
 5.75 0.40
 5.77 a) $g\left(\frac{m_B + m_{\text{rope}}d/L}{m_A + m_B + m_{\text{rope}}}\right)$; increases b) 0.63 m
 c) will not work for any value of d
 5.79 a) 66 N, northward b) 59 N, southward
 5.81 a) 294 N, 152 N, 152 N b) 40.0 N
 5.83 2.52 N
 5.85 a) 12.9 kg b) 47.2 N in left-hand cord, 101 N in right-hand cord

- 5.87 $a_1 = 2m_2g/(4m_1 + m_2)$;
 $a_2 = 2m_2g/(4m_1 + m_2)$
 5.89 1.46 m above the floor
 5.91 g/μ_s
 5.93 b) 0.450
 5.95 0.34
 5.97 a) 170 m b) 18 m/s, 41 mi/h
 c) 25 m/s, 56 mi/h
 5.99 a) move up b) remains constant
 c) remains constant d) stop
 5.101 a) 6.00 m/s² b) 0.380 m/s² c) 7.36 m/s
 d) 8.18 m/s e) 7.78 m, 6.29 m/s, 1.38 m/s²
 f) 3.14 s
 5.103 $1/3$
 5.105 a) $v_x(t) = v_i + (v_0 - v_i)e^{-kt/m}$
 b) $v_y(t) = v_i(\sin\beta - 0.015\cos\beta)^{1/2}$
 5.107 a) 0.015; 0.036 N · s²/m² b) 29 m/s
 c) ratio is $(\sin\beta - 0.015\cos\beta)^{1/2}$
 5.109 a) 120 N b) 3.79 m/s
 5.111 b) 0.28 c) no
 5.113 a) right b) 120 m
 5.115 a) 81.1° b) no c) bead rides at bottom of hoop ($\beta = 0$)
 5.119 $T_{\text{max}} = 2\pi\sqrt{\frac{h\tan\beta}{g}\left(\frac{\sin\beta + \mu_s\cos\beta}{\cos\beta - \mu_s\sin\beta}\right)}$;
 $T_{\text{min}} = 2\pi\sqrt{\frac{h\tan\beta}{g}\left(\frac{\sin\beta - \mu_s\cos\beta}{\cos\beta + \mu_s\sin\beta}\right)}$
 5.121 $(M + m)g \tan \alpha$
 $\mu_k w$
 5.123 a) $F = \frac{\cos\theta + \mu_k \sin\theta}{\cos\theta + \mu_k \sin\theta}$
 b) $\theta = \tan^{-1}(\mu_k) = 14.0^\circ$
 5.125 a) $a_3 = g\left(\frac{-4m_1m_2 + m_2m_3 + m_3m_1}{4m_1m_2 + m_2m_3 + m_3m_1}\right)$
 b) $a_B = -a_3$
 c) $a_1 = g\left(\frac{4m_1m_2 - 3m_2m_3 + m_3m_1}{4m_1m_2 + m_2m_3 + m_3m_1}\right)$
 $\left(\frac{4m_1m_2 + m_2m_3 + m_3m_1}{4m_1m_2 + m_2m_3 + m_3m_1}\right)$
 d) $a_2 = g\left(\frac{4m_1m_2 + m_2m_3 - 3m_3m_1}{4m_1m_2 + m_2m_3 + m_3m_1}\right)$
 e) $T_A = \frac{1}{2}T_C$
 f) $T_C = \frac{8gm_1m_2m_3}{4m_1m_2 + m_2m_3 + m_3m_1}$
 g) $a_1 = a_2 = a_3 = a_B = 0, T_C = 2m_2g, T_A = m_2g$; yes
 5.127 $\cos^2\beta$

Chapter 6

- 6.1 a) 3.60 J b) -0.900 J c) 2.70 J
 6.3 a) 74 N b) 330 J c) -330 J d) zero; zero
 e) zero
 6.5 a) -1750 J b) no
 6.7 a) (i) 9.00 J (ii) -9.00 J b) (i) 0 (ii) 9.00 J (iii) -9.00 J (iv) 0
 c) zero for each block
 6.9 a) (i) zero (ii) zero b) (i) zero (ii) -25.1 J
 6.11 a) $1.0 \times 10^{16} \text{ J}$ b) about 2 times greater
 6.13 a) 42.85 V b) 1836 K
 6.15 a) 43.2 m/s b) 101 m/s c) 5.80 m
 d) 3.53 m/s e) 7.35 m
 6.17 $(2gh[1 + \mu_k/\tan\alpha])^{1/2}$
 6.19 a) $9D$ b) $D/3$
 6.21 32.0 N
 6.23 a) 4.48 m/s b) 3.61 m/s
 6.25 a) 4.96 m/s b) $a = 1.43 \text{ m/s}^2; v = 4.96 \text{ m/s}$; same
 6.27 a) $v_0^2/2\mu_k g$ b) 1/2 c) 4 d) 2
 6.29 a) 48.0 N, 64.0 N b) 0.360 J, 0.640 J
 6.31 a) 2.8 m/s b) 3.5 m/s
 6.33 8.5 cm
 6.35 a) 1.76 b) 0.67 m/s
 6.37 a) 4.0 J b) zero c) -1.0 J d) 3.0 J
 e) -1.0 J
 6.39 a) 2.83 m/s b) 2.40 m/s
 6.41 a) 5.65 cm b) no; 0.57 J
 6.43 $3.6 \times 10^3 \text{ J}$; 100 m/s
 6.45 $4.0 \times 10^{13} \text{ P}$
 6.47 743 W, 0.995 hp
 6.49 a) 1.4 b) 0.38
 6.51 a) $5.4 \times 10^9 \text{ J}$ b) 0.72 MW

- 6.53 $2.96 \times 10^4 \text{ W}$
 6.55 877 J
 6.57 a) 532 J b) -315 J c) zero d) -203 J
 e) 14.7 J f) 1.21 m/s
 6.59 a) $1/\sin\alpha$ b) $W_{\text{in}} = W_{\text{out}}$
 6.61 a) $2.59 \times 10^{12} \text{ J}$ b) 4800 J
 6.63 b) $k_{\text{eff}} = k_1 + k_2 + \dots + k_N$
 6.65 a) $k\left(\frac{1}{x_2} - \frac{1}{x_1}\right)$; negative b) $k\left(\frac{1}{x_1} - \frac{1}{x_2}\right)$; positive c) same magnitude and opposite sign, since net work is zero
 6.67 a) 5.11 m b) 0.304 c) 10.3 m
 6.69 a) 0.15 N b) 9.4 N c) 0.44 J
 6.71 a) 2.56 m/s b) 5.28 N c) 19.7 J
 6.73 a) -910 J b) $3.17 \times 10^3 \text{ J}$
 6.75 $1.0 \times 10^5 \text{ N/m}$
 6.77 1.1 m from where spring is released
 6.79 a) $1.02 \times 10^4 \text{ N/m}$, 8.16 m
 6.81 a) 0.600 m b) 1.50 m/s
 6.83 0.786
 6.85 1.5 m
 6.87 a) $1.10 \times 10^5 \text{ J}$ b) $1.30 \times 10^5 \text{ J}$
 c) 3.99 kW
 6.89 3.6 h
 6.91 $1.30 \times 10^3 \text{ m}^3/\text{s}$
 6.93 a) 1.26 $\times 10^3 \text{ J}$ b) 1.46 W
 6.95 a) 2.4 MW b) 61 MW c) 6.0 MW
 6.97 a) 513 W b) 355 W c) 52.1 W
 6.99 a) 358 N b) 47.2 hp c) 4.06 hp d) 2.03%
 6.101 a) $\frac{1}{2}MV^2$ b) 6.1 m/s c) 3.9 m/s
 d) $K_{\text{ball}} = 0.40 \text{ J}, K_{\text{spring}} = 0.60 \text{ J}$
 6.103 a) $2.0 \times 10^5 \text{ J}$ b) $2.8 \times 10^5 \text{ J}$
 c) $2.8 \times 10^5 \text{ J}$ d) 5 km/h

Chapter 7

- 7.1 a) $6.6 \times 10^5 \text{ J}$ b) $-7.7 \times 10^5 \text{ J}$
 7.3 a) 820 N b) (i) zero (ii) 740 J
 7.5 a) 24.0 m/s b) 24.0 m/s c) part (b)
 7.7 2.5 m/s
 7.9 a) (i) zero (ii) 0.98 J b) 2.8 m/s
 c) constant: gravity; not constant: normal, friction d) 5.0 N
 7.11 -5400 J
 7.13 a) 880 J b) -157 J c) 471 J d) 253 J
 e) $a = 3.16 \text{ m/s}^2; v = 7.11 \text{ m/s}; \Delta K = 253 \text{ J}$; same
 7.15 a) 80.0 J b) 5.00 J
 7.17 a) (i) $4U_0$ (ii) $U_0/4$ b) (i) $x_0\sqrt{2}$ (ii) $x_0/\sqrt{2}$
 7.19 a) 6.32 cm b) 12 cm
 7.21 $\pm 0.092 \text{ m}$
 7.23 a) 3.03 m/s; as mass leaves spring
 b) 95.9 m/s²; just after mass is released
 7.25 a) $4.46 \times 10^3 \text{ N/m}$ b) 0.128 m
 7.27 a) -308 J b) -616 J c) nonconservative
 7.29 a) -3.6 J b) -3.6 J c) -7.2 J
 d) nonconservative
 7.31 a) $\frac{1}{2}k(x_1^2 - x_2^2)$ b) $-\frac{1}{2}k(x_1^2 - x_2^2)$; zero
 c) $-\frac{1}{2}k(x_3^2 - x_1^2)$; $-\frac{1}{2}k(x_2^2 - x_3^2)$;
 $-\frac{1}{2}k(x_2^2 - x_1^2)$; same
 7.33 2.46 N, $+x$ -direction
 7.35 c) attracts
 7.37 a) $F(r) = (12a/r^{13}) - (6b/r^7)$
 b) $(2a/b)^{1/6}$; stable c) $b^2/4a$
 d) $a = 6.68 \times 10^{-138} \text{ J} \cdot \text{m}^{12}$,
 $b = 6.41 \times 10^{-78} \text{ J} \cdot \text{m}^6$
 7.39 a) zero, 637 N b) 2.99 m/s
 7.41 a) no b) yes, \$150
 7.43 0.41
 7.45 a) 15.9 J b) 4.0 J c) 3.0 J
 7.47 a) 20.0 m from left-hand edge of horizontal section b) -78.4 J
 7.49 a) 22.2 m/s b) 16.4 m c) no
 7.51 0.602 m
 7.53 15.5 m/s
 7.55 4.4 m/s
 7.57 a) $x_0\sqrt{k/m}$ b) kx_0/m c) $x = 0, x = -x_0$
 d) x_0 e) system oscillates and never stops
 7.59 a) 7.00 m/s b) 2.94 N
 7.61 a) $mg(1 - h/d)$ b) 440 N

- c) $\sqrt{2gh(1 - y/d)}$
 7.63 48.2°
 7.65 a) 0.392 b) -0.832 J
 7.67 a) $U(x) = (30.0 \text{ N/m})x^2 + (6.00 \text{ N/m}^2)x^3$
 b) 7.85 m/s
 7.69 7.01 m/s
 7.71 a) $m(g + a)^2/2gh$ b) $2gh/(g + a)$
 7.73 119 J
 7.75 a) 3.87 m/s b) 0.10 m
 7.77 a) $F_x = -m\omega_0^2x, F_y = -m\omega_0^2y$,
 b) $\frac{1}{2}m\omega_0^2(x^2 + y^2)$ c) (i) $\frac{1}{2}m\omega_0^2(x_0^2 + y_0^2)$
 (ii) $\frac{1}{2}m\omega_0^2(x_0^2 + y_0^2)$
 7.79 a) $4.4 \times 10^{12} \text{ J}$ b) $2.7 \times 10^3 \text{ m}^3$; 0.90 mm
 7.81 c) attracts
 7.83 a) -50.6 J b) -67.5 J c) nonconservative
 7.85 a) no b) $x_0 = F/k$ d) no e) $3F/k, -F/k$
 f) $v_{\text{max}} = 2F/\sqrt{mk}$ at $x = x_0 = F/k$
 7.87 b) $v(x) = \left[\frac{2\alpha}{mx_0^2}x - \left[\frac{x_0}{x}\right]^2\right]^{1/2}$
 c) $x = 2x_0, v = \sqrt{\alpha/2mx_0^2}$ d) zero
 e) $v(x) = \left[\frac{2\alpha}{mx_0^2}x - \left[\frac{x_0}{x}\right]^2 - \frac{2}{9}\right]^{1/2}$
 f) first case: x_0, ∞ ; second case: $3x_0/2, 3x_0$

Chapter 8

- 8.1 a) $1.20 \times 10^5 \text{ kg} \cdot \text{m/s}$ b) i) 60.0 m/s
 ii) 26.8 m/s
 8.3 b) baseball, 0.525 c) woman, 0.643
 8.5 a) 22.5 kg · m/s, to the left b) 838 J
 8.7 562 N, no
 8.9 a) 10.8 m/s, to the right b) 0.75 m/s, to the left
 8.11 a) 500 N/s² b) 5810 kg · m/s c) 2.70 m/s
 8.13 a) 2.50 N · s b) i) $+6.25 \text{ m/s}$, to the right
 b) ii) 3.75 m/s, to the right
 8.15 a) 6.79 m/s b) 55.2 J
 8.17 a) 0.790 m/s b) -0.0023 J
 8.19 0.866 kg · m/s
 8.21 a) 0.0559 m/s b) 0.0313 m/s
 8.23 $3.65 \times 10^2 \text{ m/s}$
 8.25 a) 7.20 m/s b) -680 J
 8.27 3.56 m/s
 8.29 a) 0.846 m/s b) 2.10 J
 8.31 a) $1.4 \times 10^{-6} \text{ km/h}$, which is not noticeable.
 b) $6.7 \times 10^{-8} \text{ km/h}$, which is not noticeable.
 8.33 5.9 m/s at 32° east of north
 8.35 a) Both cars have the same change in momentum, but the smaller car has a greater velocity change. b) 2.5 Δv c) Those in the smaller car
 8.37 19.5 m/s (car), 21.9 m/s (truck)
 8.39 a) 2.93 cm b) 866 J c) 1.73 J
 8.41 a) 0.333 m/s, 3.33 J b) $-1.33 \text{ m/s (A), +0.67 \text{ m/s (B)}$
 8.43 a) $-0.100 \text{ m/s (A), 0.500 \text{ m/s (B)}$
 b) 0.009 kg · m/s for both
 c) $-4.5 \times 10^{-4} \text{ J (A), } 4.5 \times 10^{-4} \text{ J (B)}$, same magnitudes because the collision is elastic
 8.45 a) 1/3 b) 1/9 c) 10
 8.47 $x_{\text{cm}} = 0.044 \text{ m}, y_{\text{cm}} = 0.056 \text{ m}$
 8.49 2520 km from the center of Pluto
 8.51 0.700 m upward and 0.700 m to the right
 8.53 0.47 m/s
 8.55 $F_x = (-1.50 \text{ N/s})t, F_y = 0.25 \text{ N}, F_z = 0$
 8.57 a) 53 g b) 5.22 N
 8.59 2.4 km/s
 8.61 45.1
 8.63 a) 0.47 N · s b) 237 N
 8.65 a) $J_x = -1.14 \text{ N} \cdot \text{s}, J_y = 0.33 \text{ N} \cdot \text{s}$
 b) $v_{2x} = 0.0500 \text{ m/s}, v_{2y} = 1.78 \text{ m/s}$
 8.67 2.67 m/s (convertible), 3.46 m/s (SUV)
 8.69 a) $v_{cx} = 1.75 \text{ m/s}, v_{cy} = 0.26 \text{ m/s}$
 b) -0.092 J
 8.71 15.0 m/s
 8.73 36.4 N
 8.75 a) 2.60 m/s b) 325 m/s
 8.77 a) 5.28 m/s b) 5.7 m
 8.79 68.8°
 8.81 102 N
 8.83 a) 0.222 b) -291 J c) 0.784 J

- 8.85 b) $M = m$ c) zero
 8.87 a) 9.35 m/s b) 3.29 m/s
 8.89 b) $\frac{1}{2}Mv_{\text{cm}}^2$
 8.91 a) 3.56 m/s b) 5.22 m/s c) 4.67 m/s
 8.93 0.00544%
 8.95 $1.61 \times 10^{-22} \text{ kg} \cdot \text{m/s}$, to the left
 8.97 A: 13.6 m/s; B: 6.34 m/s, 65.0°
 8.99 a) $(L/2) \cos(\alpha/2)$, along axis from apex
 b) $(L/3)$, along bisector from bottom
 c) $L/\sqrt{8}$ along bisector
 d) $L/\sqrt{12}$ from each side
 8.101 0.400 m/s
 8.103 a) 1.40 kg; 14.3 m/s; 0.28 kg; 71.6 m/s
 b) 347 m
 8.105 222 m/s, $1.01 \times 10^3 \text{ m/s}$; $v_{Kx} = 1.5v_{Ba}$
 8.107 a) zero b) 1 d) 0.87 m f) 0.089 m
 8.109 a) yes b) no; kinetic energy decreases by $4.8 \times 10^3 \text{ J}$
 8.111 a) 1.37 v_{ex} b) 1.18 v_{ex} c) 2.38 v_{ex}
 d) 2.94 km/s
 8.113 b) $2L/3$
 8.115 a) $l^2\lambda g/32$ b) $l^2\lambda g/32$

Chapter 9

- 9.1 a) 34.4° b) 6.27 cm c) 1.05 m
 9.3 a) A: rad/s; B: rad/s³ b) (i) 0 (ii) 15.0 rad/s² c) 9.50 rad
 9.5 a) $\omega_c(t) = (0.400 \text{ rad/s}) + (0.0360 \text{ rad/s}^3)t^2$
 b) 0.400 rad/s c) $\omega_c = 1.30 \text{ rad/s}$;
 $\omega_{av-c} = 0.700 \text{ rad/s}$
 9.7 a) $a = \pi/4 \text{ rad}, b = 2.00 \text{ rad/s}$,
 $c = -0.139 \text{ rad/s}^3$ b) zero
 c) 19.5 rad; 9.35 rad/s
 9.9 a) 2.25 rad/s b) 4.69 rad
 9.11 a) 24.0 s b) 68.8 rev
 9.13 10.5 rad/s
 9.15 a) 300 rpm b) 75.0 s; 312 rev
 9.17 9.00 rev
 9.19 a) 540 rad b) 12.3 s c) -8.17 rad/s^2
 9.21 a) $1.99 \times 10^{-7} \text{ rad/s}$ b) $7.27 \times 10^{-5} \text{ rad/s}$
 c) $2.99 \times 10^4 \text{ m/s}^2$ d) 464 m/s
 e) 0.0337 m/s²; zero
 9.23 a) 15.1 m/s² b) 15.1 m/s²
 9.25 a) 0.180 m/s²; 0; 0.180 m/s² b) 0.180 m/s²;
 0.377 m/s^2 ; 0.418 m/s² c) 0.180 m/s²;
 0.754 m/s^2 ; 0.775 m/s²
 9.27 10.7 cm; no
 9.29 a) 0.831 m/s b) 109 m/s²
 9.31 a) 2.29 b) 1.51 c) 15.7 m/s, 108g
 9.33 2.99 cm
 9.35 a) (i) 0.469 kg · m² (ii) 0.117 kg · m²
 (iii) zero b) (i) 0.0433 kg · m²
 (ii) 0.0722 kg · m² c) (i) 0.0288 kg · m²
 (ii) 0.0144 kg · m²
 9.37 a) 0.0640 kg · m² b) 0.0320 kg · m²
 c) 0.0320 kg · m²
 9.39 0.193 kg · m²
 9.41 8.52 kg · m²
 9.43 a) $3.15 \times 10^{23} \text{ J}$ b) 158 y; no
 9.45 0.600 kg · m²
 9.47 $7.35 \times 10^4 \text{ J}$
 9.49 a) 67.3 cm b) 45.5%
 9.51 a) f^5 b) $6.37 \times 10^8 \text{ J}$
 9.53 -88.2 J
 9.55 on an axis parallel to a diameter and
 $(2/\sqrt{15})R$ from the center of the sphere
 9.57 $\frac{1}{3}M(a^2 + b^2)$
 9.59 a) $ML^2/12$ b) $ML^2/12$
 9.61 $MR^2/2$
 9.63 a) $\gamma L^2/2$ b) $ML^2/2$; larger c) $ML^2/6$; one-third result of (b)
 9.65 in 128 d
 9.67 a) 0.600 m/s³ b) $\alpha = (2.40 \text{ rad/s}^3)t$
 c) 3.54 s d) 17.7 rad
 9.69 a) 0.050 rad/s² b) 0.300 rad/s c) 5.40 m/s²
 e) 6.18 m/s²; 7.66 $\times 10^3 \text{ N}$ f) 60.9°
 9.71 a) 1.70 m/s b) 84.8 rad/s
 9.73 b) 2.00 m/s² d) 0.208 kg · m²
 9.77 a) 7.36 m/s b) 327 m/s²
 9.79 a) $2.14 \times 10^{29} \text{ J}$ b) $2.66 \times 10^{33} \text{ J}$

- 9.81 a) $Mb^2/6$ b) 182 J
 9.83 a) -0.784 J b) 5.42 rad/s c) 5.42 rad/s
 d) particle speed = 4.43 m/s
 9.85 $\sqrt{(2gd)(m_B - \mu_k m_A)/(m_A + m_B + l/R^2)}$
 9.87 $\sqrt{(g/R)(1 - \cos\beta)}$
 9.89 a) $2.25 \times 10^{-3} \text{ kg} \cdot \text{m}^2$ b)

- 10.81 b) R = radius of wheel, T = period of wheel's rotation
 c) $v_x = \frac{2\pi R}{T} \left[1 - \cos\left(\frac{2\pi t}{T}\right) \right]$,
 $v_y = \frac{2\pi R}{T} \sin\left(\frac{2\pi t}{T}\right)$; $a_x = \left(\frac{2\pi R}{T}\right)^2 R \sin\left(\frac{2\pi t}{T}\right)$,
 $a_y = \left(\frac{2\pi R}{T}\right)^2 R \cos\left(\frac{2\pi t}{T}\right)$
 d) $t = 0, T, 2T, \dots$; $a_x = 0, a_y = \frac{4\pi^2 R}{T^2}$
 e) $\frac{4\pi^2 R}{T^2}$, independent of time

- 10.83 $g/3$
 10.85 1.87 m
 10.87 a) $6v/19L$ b) $3/19$
 10.89 a) 5.46 rad/s b) 3.17 cm
 c) 1.01×10^3 m/s
 10.91 a) 2.00 rad/s b) 6.57 rad/s
 10.93 0.30 rad/s, clockwise
 10.97 -4.2×10^{-16} rad/s per year; decreasing
 10.101 a) $a = +\mu_k g, \alpha = -2\mu_k g/R$
 b) $\omega_0^2 R^2/18\mu_k g$ c) $-M\omega_0^2 R^2/6$
 10.103 a) $m\nu_1^2 r_1^2/\mu^3$ b) $(m\nu_1^2/2)[(r_1/r_2)^2 - 1]$
 c) same

Chapter 11

- 11.1 29.8 cm
 11.3 20.0 kg
 11.5 5450 N
 11.7 a) 1000 N, 1.20 m from end where 400-N force is applied b) 800 N, 1.25 m from end where 400-N force is applied
 11.9 a) 550 N b) 0.614 m from A
 11.11 a) 1920 N b) 1140 N
 11.13 a) $T = 2.60w; F_{\text{pivot}} = 3.28w$ at 37.6°
 b) $T = 4.10w; F_{\text{pivot}} = 5.38w$ at 48.8°
 11.15 140 N by each hinge
 11.17 246 N; 0.34 m behind front feet
 11.19 $T_{\text{left}} = 270$ N, $T_{\text{right}} = 304$ N, $\theta = 40^\circ$
 11.21 a) 0.800 m b) clockwise c) 0.800 m, clockwise
 11.23 1.4 mm
 11.25 2.00×10^{11} Pa
 11.27 a) upper: 3.1×10^{-3} ; lower: 2.0×10^{-3}
 b) upper: 1.6 mm; lower: 0.98 mm
 11.29 9.1×10^6 N
 11.31 a) 3.33×10^6 Pa b) 1.33×10^5 Pa
 11.33 a) 4.8×10^9 Pa; 2.1×10^{-10} Pa $^{-1}$
 11.35 b) 6.60×10^5 N c) 1.8 mm
 11.37 3.41×10^7 Pa
 11.39 10.2 m/s 2
 11.41 a) 525 N b) 222 N, 328 N c) 1.48
 11.43 wing force: 7300 N upward; tail force: 600 N downward
 11.45 a) 140 N b) 6 cm to the right
 11.47 a) 424 N b) 170 N
 11.49 120 N to the right, 160 N upward
 11.53 b) $(Mg/2) \sin\theta$
 11.55 a) $V = mg + w, H = T = (w + mg/4) \cot\theta$
 b) 950 N c) 4.00°
 11.57 7600 N
 11.59 a) 2700 N b) 19
 11.61 a) 4.90 m b) 60 N
 11.63 a) $\theta = \arctan(h/d)$; $T = (Wd/2)\sqrt{h^2 + d^2}$
 b) $\frac{Whd}{2(h^2 + d^2)}$; $W\frac{2h^2 + d^2}{2(h^2 + d^2)}$
 11.65 a) 1150 N b) 1940 N c) 918 N d) 0.473
 11.67 person above: 590 N; person below: 1370 N; above
 11.69 a) $w_{\text{max}} = T_{\text{max}} hD / (L\sqrt{h^2 + D^2})$
 11.71 a) 7140 N; tall walls b) 7900 N
 11.73 a) 268 N b) 232 N c) 366 N
 11.75 a) A: 0.424 N; B: 1.47 N; C: 0.424 N
 b) 0.848 N
 11.77 a) tips at 27° , slips at 31° ; the bale tips before it slips b) tips at 27° slips at 22° the bale slips before it tips
 11.79 a) $F_A = 80$ N, $F_B = 870$ N b) 1.92 m
 11.81 a) 3.7 kN, 2.0 kN vertically upward
 11.83 a) 0.012w b) less c) 25.0° ; tips

- 11.85 a) 5.4 mm b) 4.2 mm
 11.87 a) 0.70 m from wire A b) 0.45 m from wire B
 11.89 a) 1.63 m b) brass: 2.00×10^8 Pa; nickel: 4.00×10^8 Pa c) brass: 2.2×10^{-3} ; nickel: 1.9×10^{-3}
 11.91 a) 0.36 mm b) 0.045 mm c) 0.33 mm
 11.93 a) $(F\cos^2\theta)/A$ b) $(F\sin 2\theta)/2A$ c) 0
 d) 45°
 11.95 a) 600 N b) 13.5 kN
 c) slide: $\mu_s w / (\sin\theta - \mu_s \cos\theta)$; tip: $w / [(1/2)\cos\theta + 2\sin\theta]$; 66°
 11.97 the lesser of $h^2/L + L/2$ and L
 11.99 $[(A^2 x/F) - k_0 V_0] / V_S$
 11.101 a) 0.662 mm b) 2.20×10^{-2} J
 c) 8.33×10^{-3} J d) -3.04×10^{-2} J
 e) 3.04×10^{-2} J

Chapter 12

- 12.1 2.18
 12.3 0.026 mm
 12.5 a) 2.59×10^8 m b) no
 12.7 a) 2.40×10^{-3} N b) 3.6×10^{-6}
 12.9 a) 6.30×10^{20} N, toward sun
 b) 4.77×10^{20} N, 24.6° toward earth from sun
 c) 2.37×10^{20} N, toward sun
 12.11 a) 0.366 m from mass m b) (i) unstable (ii) stable
 12.13 2.1×10^{-9} m/s 2 , down
 12.15 1.38×10^7 m
 12.17 a) 0.37 m/s 2 b) 1700 kg/m 3
 12.19 610 N; 83% of weight at surface
 12.21 5.98×10^{24} kg
 12.23 0.83 m/s; yes
 12.25 a) 5.02×10^3 m/s b) 6.06×10^4 m/s
 12.27 a) 7.46×10^3 m/s b) 1.68 h
 12.29 2.01×10^{30} kg
 12.31 a) 4.7 m/s; yes b) 2.2 h
 12.33 a) 8.3×10^4 m/s b) 1.3×10^6 s
 12.35 a) 4.45×10^{12} m, 4.55×10^{12} m b) 248 y
 12.39 a) (i) 5.31×10^{-9} N (ii) 2.67×10^{-9} N
 12.41 a) $-GMm/\sqrt{a^2 + x^2}$
 c) $GMmx/(a^2 + x^2)^{3/2}$ toward center of ring
 e) $-GMm/a$, zero
 12.43 a) 53 N b) 52 N
 12.45 1.39×10^{-9}
 12.47 a) 4.3×10^{37} kg, $2.1 \times 10^7 M_{\text{sun}}$ b) no
 c) 6.3×10^{10} m; yes
 12.49 a) 9.67×10^{-12} N, midway between x and y axes b) 3.02×10^{-5} m/s
 12.51 b) 5.39×10^{-13} N \cdot m, clockwise
 12.53 b) (i) 1.63×10^{-3} m/s, 4.08×10^{-6} m/s (ii) 2.04×10^{-5} m/s c) 31.9 m
 12.55 a) 3.58×10^7 m
 12.57 1.8×10^7 m/s 2
 12.59 a) 1.39×10^7 m b) 3.59×10^7 m
 12.61 $0.01R_E = 64$ km
 12.63 0.28%
 12.65 6.06×10^3 km/h
 12.67 $\sqrt{2Gm_E h / (R_E^2 + hR_E)}$
 12.69 a) 13.7 km/s b) 13.3 km/s c) 13.2 km/s
 12.71 a) (i) 2.8 y (ii) 6.1 y b) 4.90×10^8 km
 c) 4.22×10^8 km
 12.73 a) $GM^2/4R^2$ b) $\sqrt{GM/4R}, 4\pi\sqrt{R^3/GM}$
 c) $GM^2/4R$
 12.75 6.8×10^4 m/s
 12.77 a) 7.91×10^3 s b) 1.53
 c) 8.43×10^3 m/s, 5.51×10^3 m/s
 d) 2.41×10^3 m/s, 3.26×10^3 ; perigee
 12.79 3.22×10^9 J
 12.81 9.36 m/s 2
 12.83 $\frac{GmM}{x(x+L)}$
 12.85 a) $U(r) = \frac{Gm_E m}{2R_E^2 r^2}$ b) 7.90×10^3 m/s
 12.87 a) against the direction of motion in all cases
 b) 2.24×10^7 s c) 44.1°
 12.89 $F = \frac{2GMm}{a^2} \left[1 - \frac{x}{\sqrt{a^2 + x^2}} \right]$, toward the center of the disk

Chapter 13

- 13.1 a) 4.54×10^{-3} s, 1.38×10^3 rad/s
 b) 2.27×10^{-3} s, 2.76×10^3 rad/s
 13.3 5.53×10^3 rad/s, 1.14×10^{-3} s
 13.5 0.0500 s
 13.7 a) 0.167 s b) 37.7 rad/s c) 8.44×10^{-2} kg
 13.9 a) 0.375 s b) 2.66 Hz c) 16.7 rad/s
 13.11 a) 0.98 m b) $\pi/2$ rad
 c) $x(t) = (-0.98 \text{ m}) \sin([12.2 \text{ rad/s}]t)$
 13.13 a) -2.71 m/s 2
 b) $x(t) = (1.46 \text{ cm}) \cos([15.7 \text{ rad/s}]t + 0.715 \text{ rad})$,
 $v_x(t) = (-22.9 \text{ cm/s}) \sin([15.7 \text{ rad/s}]t + 0.715 \text{ rad})$,
 $a_x(t) = (-359 \text{ cm/s}^2) \cos([15.7 \text{ rad/s}]t + 0.715 \text{ rad})$
 13.15 120 kg
 13.17 a) 0.253 kg b) 1.22 cm c) 3.05 N
 13.19 a) 1.51 s b) 26.0 N/m c) 0.308 m/s
 d) 1.92 N e) -0.0125 m; 0.303 m/s;
 0.216 m/s 2
 13.21 a) 1.48 m/s b) 2.96×10^{-5} J
 13.23 a) 1.20 m/s b) 1.11 m/s c) 36 m/s 2
 d) 13.5 m/s 2 e) 0.36 J
 13.25 $m = 3M; \frac{3}{4}$
 13.27 0.240 m
 13.29 a) 0.0778 m b) 1.28 Hz c) 0.624 m/s
 13.31 a) 4.06 cm b) 1.21 m/s c) 29.8 rad/s
 13.33 b) 23.9 cm; 1.45 Hz
 13.35 a) 2.7×10^{-8} kg \cdot m 2
 b) 4.3×10^{-6} N \cdot m/rad
 13.37 5.12×10^{-2} kg \cdot m 2
 13.41 a) 0.25 s b) 0.25 s
 13.43 0.407 swings/s
 13.45 2.00 m
 13.47 10.7 m/s 2
 13.49 0.129 kg \cdot m 2
 13.53 A: $2\pi\sqrt{L/g}$; B: $(4\pi\sqrt{2/3})\sqrt{L/g} = 0.943T_A$; pendulum A
 13.55 A: $2\pi\sqrt{L/g}$; B: $2\pi\sqrt{\frac{11L}{10g}} = 1.05T_A$; pendulum B
 13.57 a) 0.393 Hz b) 1.73 kg/s
 13.59 a) A b) magnitude = $bA/2m$, in $-x$ -direction; slope is negative
 c) $a_x(0) = A\left(\frac{b^2}{2m^2} - \frac{k}{m}\right)$; if $b < \sqrt{2mk}$,
 $a(0) < 0$; if $b = \sqrt{2mk}$, $a(0) = 0$; if $b > \sqrt{2mk}$, $a(0) > 0$
 13.61 a) kg/s b) (i) $5.0F_{\text{max}}/k$ (ii) $2.5F_{\text{max}}/k$
 13.63 a) 6.72×10^3 m/s 2 b) 3.02 kN
 c) 18.3 m/s, 75.6 J d) 17.6 kW e) 12.1 kN, 36.7 m/s, 302 J, 141 kW
 13.65 a) all unchanged b) $1/4$ as large c) halved
 d) $1/\sqrt{5}$ as great e) U : unchanged; K : $1/5$ as large
 13.67 a) 24.4 cm b) 0.220 s c) 1.19 m/s
 13.69 a) 0.318 Hz, 0.500 m, 3.14 s b) 1.57 s
 13.71 $\frac{1}{2\pi}\sqrt{\frac{3\sqrt{2}}{5}\frac{g}{L}} = 0.921\left(\frac{1}{2\pi}\sqrt{\frac{g}{L}}\right)$
 13.73 a) 1.49 s b) -2.12×10^{-4} s per s; shorter
 c) 0.795 s
 13.75 a) 0.150 m/s b) 0.112 m/s 2 , downward
 c) 0.700 s d) 4.38 m
 13.77 a) 2.6 m/s b) 0.21 m c) 0.49 s
 13.79 9.08×10^{28} kg
 13.81 1.17 s
 13.83 a) yes c) 2.40×10^3 s d) no
 13.87 c) -7.57×10^{-19} J e) 8.39×10^{12} Hz
 13.89 0.705 Hz; 14.5°
 13.91 $2\pi\sqrt{M/3k}$
 13.93 $\frac{1}{4\pi}\sqrt{\frac{3g}{\sqrt{2L}}}$
 13.95 c) 0.430 m
 13.97 a) $k_{\text{eff}} = k_1 + k_2$ b) $k_{\text{eff}} = k_1 + k_2$
 c) $k_{\text{eff}} = \frac{k_1 k_2}{k_1 + k_2}$ d) $\sqrt{2}$

- 13.99 a) $Mv^2/6$ c) $\omega = \sqrt{3k/M}$; $M' = M/3$
 13.101 579 N/m

Chapter 14

- 14.1 $w = 41.8$ N; no
 14.3 7.02×10^3 kg/m 3 ; yes
 14.5 1.6
 14.7 61.7 N
 14.9 a) 1.86×10^6 Pa b) 184 m
 14.11 0.581
 14.13 a) absolute: 46.7 lb/in. $^2 = 3.22 \times 10^5$ Pa = 3.18 atm; gauge: 32.0 lb/in. $^2 = 2.21 \times 10^5$ Pa = 2.18 atm b) no c) 432 cm 2
 14.15 6.27×10^6 Pa = 61.9 atm
 14.17 6.0×10^4 Pa
 14.19 1.41×10^5 Pa; 4.03×10^4 Pa
 14.21 2.3×10^5 N
 14.23 a) 637 Pa b) (i) 1170 Pa (ii) 1170 Pa
 14.25 1.66×10^5 Pa = 1.64 atm
 14.27 6.43×10^{-4} m 3 , 2.78×10^3 kg/m 3
 14.29 a) $\rho < \rho_{\text{fluid}}$ c) submerged: ρ/ρ_{fluid} ; above: $(\rho_{\text{fluid}} - \rho)/\rho_{\text{fluid}}$ d) 32%
 14.31 a) 116 Pa b) 921 Pa c) 0.822 kg, 822 kg/m 3
 14.33 1.91×10^3 kg/m 3
 14.35 9.6 m/s
 14.37 a) 17.0 m/s b) 0.317 m
 14.39 28.4 m/s
 14.41 1.47×10^5 Pa
 14.43 12,600 N
 14.45 2.03×10^4 Pa
 14.47 a) $(\rho_0 - \rho)\pi D^2/4$ b) 776 N
 14.49 a) 5.9×10^5 N b) 1.76×10^5 N
 14.51 c) independent of surface area
 14.53 $(\rho - \rho_0)VR^2/Gmd$
 14.55 a) 12,700 kg/m 3 , 3140 kg/m 3
 14.57 a) 1470 Pa b) 13.9 cm
 14.59 9.8×10^6 kg; yes
 14.61 a) 30% b) 70%
 14.63 4.66×10^{-4} m 3 ; 5.27 kg
 14.65 a) 1.10×10^4 m 3 b) 112 kN
 14.67 a) 0.107 m b) 2.42 s
 14.69 a) $H/2$ b) H
 14.71 0.0958 kg
 14.73 33.5 N
 14.75 b) 12.2 N c) 11.8 N
 14.77 b) 2.52×10^{-4} m 3 , 0.124
 14.79 risen by 5.57×10^{-4} m
 14.81 a) $1 - \rho_B/\rho_L$ b) $(\rho_L - \rho_B)L/(\rho_L - \rho_W)$
 c) 4.60 cm
 14.83 a) la/g b) $\omega^2 l^2/2g$
 14.87 a) $2\sqrt{h(H-h)}$ b) h
 14.89 a) 0.200 m/s b) 6.97×10^4 Pa
 14.91 $3h_1$
 14.93 a) $r = r_0(1 + 2gy/v_0^2)^{-1/4}$ b) 1.10 m
 14.95 a) 80.4 N
 14.97 a) $\sqrt{2gh}$ b) $(\rho_a/\rho_g) - h$

Chapter 15

- 15.1 a) 0.439 m; 1.28 ms b) 0.219 m
 15.3 220 m/s = 800 km/h
 15.5 a) 4.3×10^{14} Hz to 7.5×10^{14} Hz; 1.3×10^{-15} s to 2.3×10^{-15} s b) no
 15.7 a) $f = 25.0$ Hz, $T = 0.0400$ s, $k = 19.6$ rad/m
 b) $y(x, t) = (0.0700 \text{ m}) \cos 2\pi\left(\frac{x}{0.320 \text{ m}} + \frac{t}{0.0400 \text{ s}}\right)$ c) +0.0495 m d) 0.0050 s
 15.9 c) $-x$ -direction for both
 d) $v_x(x, t) = \omega A \cos(kx + \omega t)$,
 $a_x(x, t) = -\omega^2 A \sin(kx + \omega t)$
 15.11 a) 4.0 mm b) 0.040 s c) 0.14 m, 3.6 m/s
 d) 0.24 m, 6.0 m/s e) no
 15.13 b) $+x$ -direction
 15.15 a) 16.3 m/s b) 0.136 m c) both increase by factor of $\sqrt{2}$

- 15.17 0.390 s
 15.19 a) 10.0 m/s b) 0.250 m
 c) $y(x, t) = (3.00 \text{ cm}) \cos[(8.00\pi \text{ rad/s}]x - (80.0\pi \text{ rad/s}]t]$ d) 1890 m/s 2 e) yes
 15.21 a) 95 km b) 2.5×10^{-7} W/m 2
 c) 1.1×10^5 W
 15.23 a) 0.050 W/m 2 b) 2.2×10^4 J
 15.25 707 W
 15.33 a) $(1.33 \text{ m})n, n = 0, 1, 2, 3, \dots$
 b) $(1.33 \text{ m})(n + \frac{1}{2}), n = 0, 1, 2, 3, \dots$
 15.39 a) 96.0 m/s b) 461 N c) 1.13 m/s, 426 m/s 2
 15.41 a) 2.80 cm c) 277 cm d) 185 cm, 0.126 s, 1470 cm/s e) 280 cm/s
 f) $y(x, t) = (5.60 \text{ mm}) \sin[(0.0907 \text{ rad/cm}]x] \sin[(133 \text{ rad/s}]t]$
 15.43 a) $y(x, t) = (4.60 \text{ mm}) \sin[(6.98 \text{ rad/m}]x] \sin[(742 \text{ rad/s}]t]$ b) 3 $^{\text{rd}}$ c) 39.4 Hz
 15.45 a) 45.0 cm b) no
 15.47 a) 311 m/s b) 246 Hz c) 245 Hz, 1.40 m
 15.49 a) 20.0 Hz, 126 rad/s, 3.49 rad/m
 b) $y(x, t) = (2.50 \text{ mm}) \cos[(3.49 \text{ rad/m}]x - (126 \text{ rad/s}]t]$
 c) $y(t) = (2.50 \text{ mm}) \cos[(126 \text{ rad/s}]t]$
 d) $y(t) = (2.50 \text{ mm}) \cos[3\pi/2 - (126 \text{ rad/s}]t]$ e) 0.314 m/s
 c) $A = (R/d)\Delta R, \rho_{\text{max}} = 2\pi\sqrt{\rho B(R/d)\Delta R}, I = 2\pi^2\sqrt{\rho B(R/d)^2(\Delta R)^2}$
 15.51 a) $(7L/2)\sqrt{\mu_1/F}$ b) no
 15.53 a) $(2\pi A/\lambda)\sqrt{FL/M}$ b) increase by a factor of 4
 15.55 a) $4\pi^2 F \Delta x/\lambda^2$
 15.57 a) 1, 0; 2, +; 3, -; 4, 0; 5, -; 6, + b) 1, -; 2, +; 3, -; 4, +; 5, -; 6, 0 c) (a): answers would reverse sign; (b): no change
 15.61 c) C/B
 15.63 b) k decreases by a factor of $2\sqrt{2}$; ω decreases by a factor of $\sqrt{2}$
 15.65 a) 7.07 cm b) 400.0 W
 15.67 $\alpha = (v_1^2 - v_2^2)\rho/Y\Delta T$
 15.69 $n(0.800 \text{ Hz}), n = 1, 2, 3, \dots$
 15.71 c) yes
 15.73 c) $2A, 2A\omega, 2A\omega^2$
 15.75 230 N
 15.77 a) 0, L b) 0, $L/2, L$ d) no
 15.79 a) 148 N b) 26%
 15.81 b) $\frac{1}{2}\mu\omega^2 A^2 \sin^2(kx - \omega t)$
 e) $\frac{1}{2}Fk^2 A^2 \sin^2(kx - \omega t)$
 15.83 $\pi/\omega\sqrt{2}$
 15.85 a) 99.4 N c) -4.25 Hz, falls

Chapter 16

- 16.1 a) 0.344 m b) 1.2×10^{-5} m
 c) 6.9 m, 50 Hz
 16.3 a) 7.78 Pa b) 77.8 Pa c) 778 Pa
 16.5 a) 1.33×10^{10} Pa b) 9.47×10^{10} Pa
 16.7 90.8 m
 16.9 81.5°C
 16.11 0.208 s
 16.13 $Y/900$
 16.15 a) 9.44×10^{-11} m; 0.434 m
 b) 5.66×10^{-9} m; 0.101 m
 c) air; $A_{\text{air}}/A_{\text{water}} = 60.0$
 16.17 a) 1.94 Pa b) 4.58×10^{-3} W/m 2
 c) 96.6 dB
 16.19 a) 4.4×10^{-12} W/m 2 b) 6.39 dB
 c) 5.8×10^{-11} m
 16.21 14.0 dB
 16.23 a) 20.0
 b) 2.5 2π $\left(\frac{x}{0.320 \text{ m}} + \frac{t}{0.0400 \text{ s}}\right)$ c) +0.0495 m d) 0.0050 s
 15.9 c) $-x$ -direction for both
 d) $v_x(x, t) = \omega A \cos(kx + \omega t)$,
 $a_x(x, t) = -\omega^2 A \sin(kx + \omega t)$
 15.11 a) 4.0 mm b) 0.040 s c) 0.14 m, 3.6 m/s
 d) 0.24 m, 6.0 m/s e) no
 15.13 b) $+x$ -direction
 15.15 a) 16.3 m/s b) 0.136 m c) both increase by factor of $\sqrt{2}$

- 16.27 506 Hz, 1520 Hz, 2530 Hz
 16.29 a) 267 Hz b) no
 16.31 a) 614 Hz b) 1.23 kHz
 16.33 a) 172 Hz b) 86 Hz
 1

- 17.89 b) 1.9×10^8 Pa
 17.91 a) 87°C b) -80°C
 17.93 20.2°C
 17.95 a) 54.3
 17.97 a) 83.6 J b) $1.86 \text{ J/mol} \cdot \text{K}$
 c) $5.60 \text{ J/mol} \cdot \text{K}$
 17.99 a) $2.7 \times 10^7 \text{ J}$ b) 6.89 K c) 19.3 K
 17.101 2.53 cm
 17.103 a) 86.1°C b) no ice, 0.130 kg liquid water, no steam
 17.105 a) 100°C b) 0.0214 kg steam, 0.219 kg liquid water
 17.107 1.743 kg
 17.109 a) 94 W b) 1.3
 17.111 2.9
 17.113 a) $6.0 \times 10^5 \text{ s}$ (about 170 h) d) $1.5 \times 10^{10} \text{ s}$ (about 500 y); no
 17.115 $0.106 \text{ W/m} \cdot \text{K}$
 17.117 $5.82 \times 10^{-3} \text{ kg}$
 17.119 a) 69.6°C
 17.121 1.76 C°
 17.123 a) 103°C b) 27 W
 17.125 a) the reverse b) 1.2×10^{-4} c) 5.2 s
 d) to within 1.93 C°
 17.127 a) (i) 280 W (ii) 0.248 W
 (iii) $2.10 \times 10^3 \text{ W}$ (iv) 116 W ; radiation from the sun b) 3.72 L/h c) 1.4 L/h

Chapter 18

- 18.1 a) 56.2 mol b) $6.81 \times 10^6 \text{ Pa} = 67.2 \text{ atm}$
 18.3 0.959 atm
 18.5 a) 3×10^{27} molecules
 b) 3×10^{19} molecules/ cm^3
 18.7 503.0°C
 18.9 $3.36 \times 10^5 \text{ Pa}$
 18.11 0.159 L
 18.13 1.05 atm
 18.15 a) 70.2°C b) yes
 18.17 850 m
 18.19 density at sea level is 1.2% larger
 18.21 $2.28 \times 10^4 \text{ Pa}$
 18.23 a) $\$8720$ b) 3.88 cm
 18.25 a) $8.2 \times 10^{-17} \text{ atm}$ b) no
 18.27 55.6 mol , 3.35×10^{25} molecules
 18.29 a) $9.00 \times 10^{-5} \text{ m}^3$ b) $3.10 \times 10^{-10} \text{ m}^3$
 c) about the same
 18.31 b) 1.004
 18.33 a) could be true b) could be true
 c) not true d) must be true e) could be true
 18.35 a) $1.9 \times 10^6 \text{ m/s}$; no, 0.64% of c
 b) $7.3 \times 10^{10} \text{ K}$
 18.37 a) $6.21 \times 10^{-21} \text{ J}$ b) $2.34 \times 10^5 \text{ m}^2/\text{s}^2$
 c) 484 m/s d) $2.57 \times 10^{-13} \text{ kg} \cdot \text{m}^2/\text{s}$
 e) $1.24 \times 10^{19} \text{ N}$ f) $1.24 \times 10^{-17} \text{ Pa}$
 g) 8.15×10^{21} molecules
 h) 2.45×10^{22} molecules
 18.39 3800°C
 18.41 a) 1560 J b) 935 J
 18.43 a) $741 \text{ J/kg} \cdot \text{K}$ b) 5.65 kg ; 4850 L
 18.45 a) $924 \text{ J/kg} \cdot \text{K}$ b) Table 17.3 gives $910 \text{ J/kg} \cdot \text{K}$
 18.49 a) 337 m/s b) 380 m/s c) 412 m/s
 18.51 a) 610 Pa ; solid \rightarrow vapor b) $2.21 \times 10^7 \text{ Pa}$; solid \rightarrow liquid \rightarrow vapor
 18.53 no; no
 18.55 0.213 kg
 18.57 a) -178°C b) 1.17×10^{26} molecules/ m^3
 c) Titan's is 4.7 times Earth's
 18.59 1.92 atm
 18.61 a) 31 b) $8.41 \times 10^3 \text{ N}$ c) $7.8 \times 10^3 \text{ N}$
 18.63 a) 26.2 m/s b) 16.1 m/s , 5.44 m/s
 c) 1.74 m
 18.65 5.0×10^{27}
 18.67 a) same translational kinetic energy; A has greater rms speed b) B c) 4250°C d) B
 18.69 b) 303 mol/m^3 c) van der Waals
 18.71 a) $4.65 \times 10^{-26} \text{ kg}$ b) $6.11 \times 10^{-21} \text{ J}$
 c) 2.04×10^{24} molecules d) $1.24 \times 10^4 \text{ J}$
 18.73 b) r_2 c) $r_1 = R_0/2^{16}$, $r_2 = R_0$, $r_1/r_2 = 2^{-16}$
 d) U_0
 18.75 a) 517 m/s b) 299 m/s
 18.77 b) $1.40 \times 10^5 \text{ K}$, $1.01 \times 10^4 \text{ K}$
 c) $6.37 \times 10^3 \text{ K}$, $4.59 \times 10^2 \text{ K}$

- 18.79 a) $1.24 \times 10^{-14} \text{ kg}$ b) 4.16×10^{11}
 c) $2.95 \times 10^{-6} \text{ m}$, no
 18.81 a) $2R$ b) less
 18.83 CO_2 : $20.79 \text{ J/mol} \cdot \text{K}$, 0.270 ; SO_2 :
 $24.94 \text{ J/mol} \cdot \text{K}$, 0.205 ; H_2S : $24.94 \text{ J/mol} \cdot \text{K}$,
 0.039
 18.87 b) 0.0420 N c) $(2.94 \times 10^{-21}) \text{ N}$
 d) 0.0297 N , $(2.08 \times 10^{-21}) \text{ N}$ e) 0.0595 N ,
 $(4.15 \times 10^{-21}) \text{ N}$
 18.89 42.6%
 18.91 a) $4.5 \times 10^{11} \text{ m}$ b) 703 m/s , $6.4 \times 10^8 \text{ s}$
 (about 20 y), no c) $1.4 \times 10^{-14} \text{ Pa}$
 d) about 650 m/s ; evaporate
 f) $2 \times 10^3 \text{ K}$; no
 18.93 d) $T_c = 8a/27Rb$, $(V/n)_c = 3b$
 e) $p_c = a/27b^2$ f) $8/3$ g) 3.28 , 3.44 , 4.35

Chapter 19

- 19.1 b) 1330 J
 19.3 b) -6540 J
 19.5 a) 0.88 atm
 19.7 a) $(p_1 - p_2)(V_2 - V_1)$ b) negative of work done in reverse direction
 19.9 a) $3.78 \times 10^4 \text{ J}$ b) $7.72 \times 10^4 \text{ J}$ c) no
 19.11 a) 410 J b) rises
 19.13 a) 16.4 min b) $139 \text{ m/s} = 501 \text{ km/h}$
 19.15 a) internal energy b) ab c) none
 19.17 a) positive b) I: positive; II: negative
 c) into d) I: into; II: out of
 19.19 a) $1.67 \times 10^5 \text{ J}$ b) $2.03 \times 10^6 \text{ J}$
 19.21 b) 208 J c) on the piston d) 712 J
 e) 920 J f) 208 J
 19.23 a) 948 K b) 900 K
 19.25 $2/5$
 19.27 a) 25.0 C° b) 17.9 C° c) a
 19.29 a) -605 J b) 0 c) yes, 605 J , liberates
 19.31 a) 747 J b) 1.30
 19.33 a) $4.76 \times 10^5 \text{ Pa}$ b) $-1.06 \times 10^4 \text{ J}$
 c) 1.59 ; heated
 19.35 $5.1 \times 10^3 \text{ J}$; increases; increases
 19.37 b) 224 J c) $Q = 0$ d) -224 J
 19.39 11.6°C
 19.41 a) increases b) 4800 J
 19.43 a) 45.0 J b) liberates 65.0 J
 c) $Q_{ad} = 23.0 \text{ J}$, $Q_{ab} = 22.0 \text{ J}$
 19.45 a) same b) absorbs 4000 J
 c) absorbs 8000 J
 19.47 b) -2460 J
 19.49 a) 1173 K b) $1.22 \times 10^4 \text{ J}$
 c) $4.26 \times 10^4 \text{ J}$ d) $4.57 \times 10^4 \text{ J}$
 19.51 -0.226 m^3
 19.53 a) $4.32 \times 10^{-4} \text{ m}^3$ b) 648 J
 c) $7.15 \times 10^5 \text{ J}$ d) $7.14 \times 10^5 \text{ J}$
 e) no substantial difference
 19.55 $3.4 \times 10^5 \text{ J/kg}$
 19.57 b) 11.9 C°
 19.59 a) 0.173 m b) 206°C c) $7.46 \times 10^4 \text{ J}$
 19.61 a) $Q = 300 \text{ J}$, $\Delta U = 0$ b) $Q = 0$,
 $\Delta U = -300 \text{ J}$ c) $Q = 750 \text{ J}$, $\Delta U = 450 \text{ J}$
 19.63 a) $W = 738 \text{ J}$, $Q = 2588 \text{ J}$, $\Delta U = 1850 \text{ J}$
 b) $W = 0$, $Q = -1850 \text{ J}$, $\Delta U = -1850 \text{ J}$
 c) 0
 19.65 a) $W = -187 \text{ J}$, $Q = -654 \text{ J}$, $\Delta U = -467 \text{ J}$
 b) $W = 113 \text{ J}$, $Q = 0$, $\Delta U = -113 \text{ J}$
 c) $W = 0$, $Q = 580 \text{ J}$, $\Delta U = 580 \text{ J}$
 19.67 a) 360 K , $2.67 \times 10^5 \text{ Pa}$ b) 1.14 L

Chapter 20

- 20.1 a) 6500 J b) 34%
 20.3 a) 23% b) $12,400 \text{ J}$ c) 0.350 g
 d) $222 \text{ kW} = 298 \text{ hp}$
 20.5 a) 25% b) 970 MW
 20.7 13.8
 20.9 a) $1.62 \times 10^4 \text{ J}$ b) $5.02 \times 10^4 \text{ J}$
 20.11 a) 767 W b) 7.27
 20.13 a) 215 J b) 378 K c) 39.1%
 20.15 a) $4.2 \times 10^4 \text{ J}$ b) 715 K
 20.17 a) 492 J b) 212 W c) 5.4
 20.19 a) 400 W b) 10.7 c) 36.9 kg
 20.21 4500 J
 20.23 37.1 hp
 20.25 a) 428 J/K b) -392 J/K c) 36 J/K

- 20.27 a) irreversible b) $+1.25 \times 10^4 \text{ J/K}$; it is consistent
 20.29 6.31 J/K
 20.31 a) $6.05 \times 10^3 \text{ J/K}$ b) five time greater for vaporization
 20.33 gallium: $+6.63 \text{ J/K}$; hand: -6.48 J/K ; greater for gallium
 20.35 a) no b) 18.3 J/K c) 18.3 J/K
 20.37 a) 0.200 b) 8000 J
 20.39 a) 27.8 K b) 15.3 K
 20.41 b) absorbed: bc ; rejected: ab , ca
 c) $T_a = T_b = 241 \text{ K}$, $T_c = 481 \text{ K}$
 d) $Q_{\text{net}} = W_{\text{net}} = 610 \text{ J}$ e) 8.7%
 20.43 a) enters: $2.10 \times 10^4 \text{ J}$; leaves: $1.66 \times 10^4 \text{ J}$
 b) $4.4 \times 10^3 \text{ J}$; 21% c) maximum is $e = 67\%$
 20.45 a) 7.0% b) $3.0 \times 10^6 \text{ J/s}$; $2.8 \times 10^6 \text{ J/s}$
 c) $6 \times 10^5 \text{ kg/h} = 6 \times 10^5 \text{ L/h}$
 20.47 a) $p_1 = 2.00 \text{ atm}$, $V_1 = 4.00 \text{ L}$; $p_2 = 2.00 \text{ atm}$,
 $V_2 = 6.00 \text{ L}$; $p_3 = 1.11 \text{ atm}$, $V_3 = 6.00 \text{ L}$;
 $p_4 = 1.67 \text{ atm}$, $V_4 = 4.00 \text{ L}$
 b) (i) $Q = 1422 \text{ J}$, $W = 405 \text{ J}$
 (ii) $Q = -1355 \text{ J}$, $W = 0$
 (iii) $Q = W = -274 \text{ J}$ (iv) $Q = 339 \text{ J}$,
 $W = 0$ c) 131 J d) 7.5% ; $e_{\text{cannot}} = 44\%$
 20.49 a) $a \rightarrow b$: $Q = 2.25 \times 10^5 \text{ J}$,
 $W = 0.90 \times 10^5 \text{ J}$, $\Delta U = 1.35 \times 10^5 \text{ J}$; $b \rightarrow c$:
 $Q = -2.40 \times 10^5 \text{ J}$, $W = 0$,
 $\Delta U = -2.40 \times 10^5 \text{ J}$; $c \rightarrow a$:
 $Q = 0.45 \times 10^5 \text{ J}$, $W = -0.60 \times 10^5 \text{ J}$,
 $\Delta U = 1.05 \times 10^5 \text{ J}$ b)
 $Q = W = 0.30 \times 10^5 \text{ J}$, $\Delta U = 0$ c) 11.1%
 20.51 $\left(\frac{T_H - T^*}{T_H}\right)\left(\frac{T^* - T_C}{T^*}\right)$; less
 20.53 a) 122 J , 78 J b) $5.10 \times 10^{-4} \text{ m}^3$
 c) $p_b = 2.32 \times 10^6 \text{ Pa}$, $V_b = 4.81 \times 10^{-5} \text{ m}^3$,
 $T_b = 771 \text{ K}$; $p_c = 4.00 \times 10^6 \text{ Pa}$,
 $V_c = 4.81 \times 10^{-5} \text{ m}^3$, $T_c = 1333 \text{ K}$;
 $p_d = 1.47 \times 10^5 \text{ Pa}$, $V_d = 5.10 \times 10^{-4} \text{ m}^3$,
 $T_d = 518 \text{ K}$ d) $e = 61.1\%$; $e_{\text{cannot}} = 77.5\%$
 20.55 a) $6.20 \times 10^4 \text{ J}$ c) $3.42 \times 10^4 \text{ J}$
 d) before: $6.20 \times 10^4 \text{ J}$; after: $3.42 \times 10^4 \text{ J}$
 20.57 a) 88.5 J b) 17.7 J
 20.59 a) $b \rightarrow c$: $nC_V \ln(T_c/T_b)$; $d \rightarrow a$: $nC_V \ln(T_a/T_d)$
 b) $nC_V \ln\left(\frac{T_c T_a}{T_b T_d}\right)$
 20.61 a) -143 J/K b) $+196 \text{ J/K}$ c) zero
 d) $+53 \text{ J/K}$

Chapter 21

- 21.1 a) 2.0×10^{10} b) 8.58×10^{-13}
 21.3 2.10×10^{28} electrons, $3.35 \times 10^9 \text{ C}$
 21.5 $3.71 \times 10^3 \text{ m}$
 21.7 a) $7.42 \times 10^{-7} \text{ C}$ on each sphere
 b) $3.71 \times 10^{-7} \text{ C}$ on one and $1.48 \times 10^{-6} \text{ C}$ on the other
 21.9 1.43×10^{13} , away from each other
 21.11 a) $2.20 \times 10^4 \text{ m/s}$
 21.13 $+0.750 \text{ nC}$
 21.15 $1.8 \times 10^{-4} \text{ N}$, $+x$ -direction
 21.17 $x = -0.144 \text{ m}$
 21.19 $2.58 \times 10^{-9} \text{ N}$, $-y$ -direction
 21.21 a) $F_x = 0$, $F_y = +2kqQa/(a^2 + x^2)^{3/2}$
 c) $2kqQ/a^2$, $+y$ -direction
 21.23 b) $kq^2(1 + 2\sqrt{2})/2L^2$
 21.25 a) $4.40 \times 10^{-16} \text{ N}$ b) $2.63 \times 10^{11} \text{ m/s}^2$
 c) $2.63 \times 10^5 \text{ m/s}$
 21.27 a) $3.31 \times 10^6 \text{ N/C}$, to the left
 b) $1.42 \times 10^{-8} \text{ s}$ c) $1.80 \times 10^3 \text{ N/C}$, to the right
 21.29 a) $-21.9 \mu\text{C}$ b) $1.02 \times 10^{-7} \text{ N/C}$
 21.31 a) $8.75 \times 10^3 \text{ N/C}$, to the right
 b) $6.54 \times 10^3 \text{ N/C}$, to the right
 c) $1.40 \times 10^{-15} \text{ N}$, to the right
 21.33 a) 364 N/C b) no, $2.73 \mu\text{m}$ downward
 21.35 $1.79 \times 10^6 \text{ m/s}$
 21.37 a) $mg = 8.93 \times 10^{-30} \text{ N}$; $F_e = 1.60 \times 10^{-15} \text{ N}$;
 yes
 b) $1.63 \times 10^{-16} \text{ kg} = 1.79 \times 10^{14} m_e$ c) no
 21.39 a) $-j$ b) $(i + j)/\sqrt{2}$ c) $-0.390i + 0.921j$
 21.41 a) $6.33 \times 10^5 \text{ m/s}$ b) $1.59 \times 10^4 \text{ m/s}$

- 21.43 a) 0 b) $E_x = -2kq(x^2 + a^2)/(x^2 - a^2)^2$,
 for $x < -a$; $E_x = +2kq(x^2 + a^2)/(x^2 - a^2)^2$,
 for $x > +a$
 21.45 a) (i) 574 N/C , $+x$ -direction
 (ii) 268 N/C , $-x$ -direction
 (iii) 404 N/C , $-x$ -direction
 b) (i) $9.20 \times 10^{-17} \text{ N}$, $-x$ -direction
 (ii) $4.30 \times 10^{-17} \text{ N}$, $+x$ -direction
 (iii) $6.48 \times 10^{-17} \text{ N}$, $+x$ -direction
 21.47 $1.04 \times 10^7 \text{ N/C}$, to the left
 21.49 a) $E_x = E_y = E = 0$
 b) $E_x = +2.66 \times 10^3 \text{ N/C}$, $E_y = 0$;
 $E = 2.66 \times 10^3 \text{ N/C}$, $+x$ -direction
 c) $E_x = +129 \text{ N/C}$, $E_y = -510 \text{ N/C}$;
 $E = 526 \text{ N/C}$, 284° clockwise from $+x$ -axis
 d) $E_x = 0$, $E_y = E = +1.38 \times 10^3 \text{ N/C}$, $+y$ -direction
 21.51 a) $E_x = -4.79 \times 10^3 \text{ N/C}$, $E_y = 0$;
 $E = 4.79 \times 10^3 \text{ N/C}$, $-x$ -direction
 b) $E_x = +2.13 \times 10^3 \text{ N/C}$, $E_y = 0$;
 $E = 2.13 \times 10^3 \text{ N/C}$, $+x$ -direction
 21.53 a) $\vec{E} = \frac{2k\lambda}{x\sqrt{x^2/a^2 + 1}}\hat{i}$ b) $\vec{E} = \frac{2k\lambda}{x}\hat{i}$
 21.55 a) $(7.0 \text{ N/C})\hat{i}$ b) $(1.75 \times 10^{-5} \text{ N})\hat{i}$
 21.57 a) 0 b) 0 c) σ/ϵ_0 directed downward
 21.59 a) yes b) no
 21.61 An infinite line of charge has a radial field in the plane through the wire, and constant in the plane of the wire, mirror-imaged about the wire
 21.63 a) $1.4 \times 10^{-11} \text{ C} \cdot \text{m}$ from q_1 toward q_2
 b) 860 N/C
 21.65 b) This also gives the correct expression for E_y since y appears in the full expression's denominator squared, so the signs carry through correctly.
 21.67 b) Opposite charges are closest so the dipoles attract.
 21.69 a) The torque is zero when \vec{p} is aligned either in the same direction as \vec{E} or in the opposite directions
 b) The stable orientation is when \vec{p} is aligned in the same direction as \vec{E}
 21.71 1680 N , from $+5.00 \mu\text{C}$ charge toward $-5.00 \mu\text{C}$ charge
 b) $22.3 \text{ N} \cdot \text{m}$, clockwise
 21.73 a) $\sqrt{\frac{kqQ}{m\pi^2 a^3}}$ b) accelerating along the y -axis away from origin
 21.75 b) $2.80 \times 10^{-6} \text{ C}$ c) 39.5°
 21.77 a) $2.09 \times 10^{23} \text{ N}$ b) $5.90 \times 10^{23} \text{ m/s}^2$ c) no
 21.79 a) $6kq^2/L^2$, away from vacant corner
 b) $(3kq^2/2L^2)(1 + 2\sqrt{2})$, toward center of square
 21.81 a) 6.0×10^{23}
 b) $F_g = 4.1 \times 10^{-31} \text{ N}$, $F_e = 5.1 \times 10^5 \text{ N}$
 c) yes for F_e and no for F_g
 21.83 a) $(2kq/x^2)[1 - (1 + a^2/x^2)^{-3/2}]$, $-x$ -direction
 b) $3kqa^2/x^4$
 21.85 a) 3.5×10^{20} b) 1.6 C ; $2.4 \times 10^{10} \text{ N}$
 21.87 a) $(mv_0^2 \sin^2 \alpha)/2eE$ b) $(mv_0^2 \sin^2 2\alpha)/eE$
 c) $h_{\text{max}} = 0.418 \text{ m}$, $d = 2.89 \text{ m}$
 21.89 a) $E_x = \frac{kQ}{a} \left(\frac{1}{r} - \frac{1}{a+r} \right)$, $E_y = 0$
 b) $\frac{kqQ}{a} \left(\frac{1}{x-a} - \frac{1}{x} \right)\hat{i}$
 21.91 a) $-(7850 \text{ N/C})\hat{i}$ b) smaller c) 18 cm
 21.93 a) $+(0.89 \text{ N/C})\hat{i}$ b) smaller c) (i) 1.2%
 (ii) 4.5%
 21.95 a) $F = \frac{2kqQ}{a} \left(\frac{1}{y} - \frac{1}{\sqrt{a^2 + y^2}} \right)$, $-x$ -direction
 b) $F = \frac{kqQ}{a} \left(\frac{1}{x-a} - \frac{1}{x+a} - \frac{2}{x} \right)$,
 $+x$ -direction
 21.97 $E_x = E_y = 2kQ/a^2$
 21.99 a) $6.25 \times 10^4 \text{ N/C}$, 225° measured counterclockwise from $+x$ -axis
 b) $1.00 \times 10^{-14} \text{ N}$, 45° measured counterclockwise from $+x$ -axis
 21.101 a) $1.19 \times 10^6 \text{ N/C}$, to the left

- b) $1.19 \times 10^6 \text{ N/C}$, to the left
 c) $1.19 \times 10^6 \text{ N/C}$, to the right
 21.103 $\vec{E} = \frac{\sigma}{2\epsilon_0} \left[-\frac{x}{|x|}\hat{i} + \frac{z}{|z|}\hat{k} \right]$
 21.105 b) $q_1 < 0$, $q_2 > 0$ c) $0.844 \mu\text{C}$ d) 56.2 N
 21.107 a) $\frac{kQ}{L} \left[\frac{1}{x+a/2} - \frac{1}{x+L+a/2} \right]$

Chapter 22

- 22.1 a) $1.75 \text{ N} \cdot \text{m}^2/\text{C}$ b) no c) i)

- 24.11 a) $6.56 \times 10^{-11} \text{ F/m}$ b) $6.43 \times 10^{-11} \text{ C}$
 24.13 a) $1.50 \times 10^{-11} \text{ F}$ b) 3.08 cm
 c) $3.13 \times 10^4 \text{ N/C}$
 24.15 a) $C_{\text{eq}} = 2.40 \mu\text{F}$; $Q_{\text{total}} = 6.72 \times 10^{-5} \text{ C}$;
 $Q_{12} = 2.24 \times 10^{-5} \text{ C}$; $Q_3 = 4.48 \times 10^{-5} \text{ C}$;
 $Q_1 = Q_2 = Q_{12} = 2.24 \times 10^{-5} \text{ C}$
 24.17 a) $Q_1 = 1.56 \times 10^{-5} \text{ C}$; $Q_2 = 2.6 \times 10^{-4} \text{ C}$
 b) 52.0 V
 24.19 $V_2 = 50 \text{ V}$; $V_3 = 70 \text{ V}$
 24.21 $C_{\text{eq}} = \frac{\epsilon_0 A}{d_1 + d_2}$
 24.23 57 μF
 24.25 0.0283 J/m^3
 24.27 19.6 J
 24.29 a) $Q^2/2\epsilon_0 A$ b) $(Q^2/2\epsilon_0 A) dx$ c) $Q^2/2\epsilon_0 A$
 24.31 b) yes c) flat sheets parallel to the plates
 24.33 a) 24.2 μC
 b) $V = 220 \text{ V}$; $Q_{35} = 7.7 \mu\text{C}$; $Q_{75} = 16.5 \mu\text{C}$
 c) 2.66 mJ d) 35 nF; 0.85 mJ; 75 nF; 1.81 mJ
 e) 220V for each capacitor
 24.35 a) 1.60 nC b) 8.0
 24.37 a) $U_{\text{parallel}} = 4U_{\text{series}}$ b) $Q_{\text{parallel}} = 2Q_{\text{series}}$
 c) $E_{\text{parallel}} = 2E_{\text{series}}$
 24.39 a) $6.20 \times 10^{-7} \text{ C/m}^2$ b) 1.28
 24.41 0.0135 m^2
 24.43 a) $2.3 \times 10^{-11} \text{ C}^2/\text{N} \cdot \text{m}^2$ b) 40 kV
 c) $\sigma = 4.6 \times 10^{-4} \text{ C/m}^2$; $\sigma_r = 2.8 \times 10^{-4} \text{ C/m}^2$
 24.45 a) 10.1 V b) 2.25
 24.47 a) 3.6 mJ; 13.5 mJ b) increased by 9.9 mJ
 24.49 a) $Q/k\epsilon_0 A$ b) $Qd/k\epsilon_0 A$ c) $k\epsilon_0 A/d$
 24.51 a) $2.4 \times 10^{-11} \text{ F}$ b) $2.9 \times 10^{-10} \text{ C}$
 c) 1.3×10^3 d) $1.7 \times 10^{-9} \text{ J}$
 24.53 a) 421 J b) $5.39 \times 10^{-9} \text{ F}$
 24.55 for $d \ll r_a$: $C = \frac{\epsilon_0 A}{d}$
 24.57 a) $U_{\text{tot}} = 158 \mu\text{J}$ b) $U_{4.5} = 72.1 \mu\text{J}$
 24.59 a) 2.5 μF b) $Q_1 = 5.5 \times 10^{-4} \text{ C}$; $V_1 = 66 \text{ V}$;
 $Q_2 = 3.7 \times 10^{-4} \text{ C}$; $V_2 = 88 \text{ V}$;
 $Q_3 = 1.8 \times 10^{-4} \text{ C}$; $V_3 = 44 \text{ V}$;
 $Q_4 = 1.8 \times 10^{-4} \text{ C}$; $V_4 = 44 \text{ V}$;
 $Q_5 = 5.5 \times 10^{-4} \text{ C}$; $V_5 = 66 \text{ V}$
 24.61 a) 76 μC b) $1.4 \times 10^{-3} \text{ J}$ c) 11 V
 d) $1.2 \times 10^{-3} \text{ J}$
 24.63 a) 2.3 μF b) $C_1 = 9.7 \times 10^{-4} \text{ C}$;
 $C_2 = 6.4 \times 10^{-4} \text{ C}$ c) 47 V
 24.65 a) 3.91 b) 22.8 V
 24.67 c) 710 μF
 24.69 a) $6.5 \times 10^{-2} \text{ F}$ b) $Q = 2.3 \times 10^4 \text{ C}$
 c) $4.0 \times 10^9 \text{ J}$
 24.71 $C_{\text{eq}} = \frac{2\epsilon_0 A}{d} \left(\frac{K_1 K_2}{K_1 + K_2} \right)$
 24.73 b) 14 μF c) 72.0 μF ; 505 μC ; 7.02 V;
 28.0 μF ; 259 μC ; 9.24 V;
 18.0 μF ; 229 μC ; 12.7 V;
 27.0 μF ; 276 μC ; 10.2 V;
 6.0 μF ; 14.9 μC ; 2.49 V
 24.75 a) $(\epsilon_0 L/D)[L + (K-1)x]$
 24.77 b) $2.38 \times 10^{-9} \text{ F}$

Chapter 25

- 25.1 $3.89 \times 10^4 \text{ C}$
 25.3 a) 3.13×10^{19} b) $J = 1.51 \times 10^6 \text{ A/m}^2$
 c) $v_d = 1.11 \times 10^{-4} \text{ m/s}$
 d) J would decrease; v_d would decrease
 25.5 a) 110 min b) 442 min c) $v_d \propto 1/d$
 25.7 a) 329 C b) 41.1 A c) 1333 min
 25.9 $5.86 \times 10^{28} \text{ e}^-/\text{m}^3$
 25.11 a) 1.216 $\Omega \cdot \text{m}$ @ 20 $^\circ\text{C}$
 25.13 a) tungsten $E = 5.16 \times 10^{-3} \text{ V/m}$
 b) aluminum $E = 2.70 \times 10^{-3} \text{ V/m}$
 25.15 a) $E_{\text{max}} = 1.21 \text{ V/m}$ b) $R = 1.45 \times 10^{-2} \Omega$
 c) $V_{\text{max}} = 1.82 \times 10^{-1} \text{ V} = 0.182 \text{ V}$
 25.17 0.125 Ω
 25.19 15 g
 25.21 $1.53 \times 10^{-8} \Omega$
 25.23 a) $1.53 \times 10^{-8} \Omega$ b) $R = 2.4 \Omega$
 25.25 a) 11.1 A b) 3.13 V c) 0.28 Ω
 25.27 a) 99.54 Ω b) 0.0158 Ω
 25.29 a) $4.67 \times 10^{-8} \Omega$ b) $6.74 \times 10^{-4} \Omega$
 25.31 a) 0.219 Ω b) $P = 3422 \text{ J/s}$; $E = 1.23 \times 10^7 \text{ J}$

- 25.33 a) $\mathcal{E} = 9.0 \text{ V}$ b) $r = 4.5 \Omega$
 25.35 a) $I = 0$ b) $\mathcal{E} = 5.0 \text{ V}$ c) 5.0 V
 25.37 a) $\mathcal{E} = 3.08 \text{ V}$ b) $r = 0.067 \Omega$ c) 1.8 Ω
 25.39 a) 1.41 A b) -13.7 V c) -1.0 V
 25.41 b) yes; linear
 25.43 a) 144 Ω b) $2.40 \times 10^2 \Omega$
 c) 100 W bulb, $I = 0.833 \text{ A}$
 d) 120 W bulb, $I = 0.500 \text{ A}$
 25.45 a) 29.8 W b) 0.248 A
 25.47 a) $P = JE$ b) $p = J^2 \rho$ c) $p = E^2/\rho$
 25.49 a) $2.59 \times 10^9 \text{ J}$ b) 0.062 L c) 1.6 h
 25.51 12.3%
 25.53 a) 24 W b) 4.0 W c) 20 W
 25.55 a) 26.7 Ω b) 4.5 A c) 454 W
 25.57 a) $3.65 \times 10^{-8} \Omega \cdot \text{m}$ b) 172 A
 c) $2.58 \times 10^{-3} \text{ m/s}$
 25.59 0.060 Ω
 25.61 a) 2.5 mA b) $2.14 \times 10^{-5} \text{ V/m}$
 c) $8.55 \times 10^{-5} \text{ V/m}$ d) $1.80 \times 10^{-4} \text{ V}$
 25.63 a) $R = \frac{\rho h}{\pi r_1 r_2}$ b) $R = \frac{\rho L}{A}$
 25.65 $I = \frac{Q}{\kappa \epsilon_0 \rho}$
 25.67 a) 0.057 Ω b) $3.34 \times 10^{-8} \Omega \cdot \text{m}$ c) 0.86 mm
 d) $2.40 \times 10^{-3} \Omega$
 e) $1.1 \times 10^{-3} \text{ } ^\circ\text{C}^{-1}$
 25.69 a) 0.2 Ω b) 8.7 V
 25.71 a) 1000 Ω b) 100 V c) 10 W
 25.73 1.42 A
 25.75 a) $I_A \left(1 + \frac{R_A}{r + R} \right)$ b) 0.0425 Ω
 25.77 b) 8-gauge c) 106 W
 d) 66 W, 175 kWh, \$19.25
 25.79 a) 0.40 A b) 1.6 W c) 4.8 W d) 3.2 W
 25.81 a) $\frac{a}{E}$ b) $2.59 \times 10^6 \text{ J}$ c) $4.32 \times 10^5 \text{ J}$
 d) 0.96 Ω e) $1.73 \times 10^6 \text{ J}$
 25.83 a) $I = \frac{v_0 A}{\rho_0 L(1 - e^{-1})}$
 b) $E(x) = \frac{v_0 e^{-x/L}}{L(1 - e^{-1})}$
 c) $V(x) = V_0 \frac{(e^{-x/L} - e^{-1})}{(1 - e^{-1})}$

Chapter 26

- 26.1 $\frac{3R}{4}$
 26.3 a) $R_9 < R_1$ b) $R_{\text{eq}} < R_1$
 26.5 a) $I = 3.50 \text{ A}$ b) $I = 4.50 \text{ A}$ c) $I = 3.15 \text{ A}$
 d) $I = 3.25 \text{ A}$
 26.7 0.769 A
 26.9 a) 8.8 Ω b) 3.18 A c) 3.18 A
 d) $V_{2,4} = 7.64 \text{ V}$; $V_{1,6} = 5.09 \text{ V}$; $V_{4,8} = 15.3 \text{ V}$
 $R_{\text{eq}} = 5.00 \Omega$; $I_{\text{total}} = 12.0 \text{ A}$; $I_{12} = 3.00 \text{ A}$;
 $I_4 = 9.00 \text{ A}$; $I_3 = 8.00 \text{ A}$; $I_6 = 4.00 \text{ A}$
 26.11 a) $I_1 = 1.50 \text{ A}$; $I_2 = I_3 = I_4 = 0.50 \text{ A}$
 b) $P_1 = 10.1 \text{ W}$; $P_2 = P_3 = P_4 = 1.12 \text{ W}$;
 c) $I_1 = 1.33 \text{ A}$; $I_2 = I_3 = 0.667 \text{ A}$
 d) $P_1 = 8.00 \text{ W}$; $P_2 = P_3 = 2.00 \text{ W}$
 e) $R_2 + R_3$ is brighter; R_1 is dimmer
 26.15 a) 18.0 V; 3.00 A
 26.17 a) 0.100 A for each
 b) 400- Ω bulb: 4.00 W; 800- Ω bulb: 8.00 W
 c) 400- Ω bulb: 0.300 A; 800- Ω bulb: 0.150 A
 d) 400- Ω bulb: 36.0 W; 800- Ω bulb: 18.0 W;
 total: 54.0 W
 e) in series, 800- Ω bulb is brighter; in parallel, 400- Ω bulb is brighter and total light output is greater
 26.19 1010 s
 26.21 a) 2.00 A b) 5.00 Ω c) 42.0 V d) 3.50 A
 26.23 a) 8.00 A b) $\mathcal{E}_1 = 36.0 \text{ V}$; $\mathcal{E}_2 = 54.0 \text{ V}$
 c) 9.00 Ω
 26.25 a) 1.60 A, 1.40 A, 0.20 A b) 10.4 V
 26.27 a) $\mathcal{E} = 36.40 \text{ V}$ b) 0.500 A
 26.29 a) -2.14 V, a is at a higher potential
 b) $I_{100} = 0.250 \text{ A}$; $I_{75} = 0.200 \text{ A}$;
 $I_A = 0.500 \text{ A}$ downward; $V = 0$
 26.31 a) 0.641 Ω b) 975 Ω
 26.33 a) 17.8 V b) 22.7 V c) 27.5%

- 26.35 c) 3.34 V
 26.37 a) 543 Ω b) 1.88 mA c) 203 Ω
 26.39 a) $C = 8.49 \times 10^{-7} \text{ F}$ b) $\tau = 2.89 \text{ s}$
 26.41 a) $t = 4.21 \times 10^{-3} \text{ s}$ b) $I = 0.125 \text{ A}$
 26.43 190 μC
 26.45 $I = 13.6 \text{ A}$
 26.47 a) 0.938 A b) 0.606 A
 26.49 a) $1.33 \times 10^{-4} \text{ C}$
 b) $v_R = 9.12 \text{ V}$; $v_C = 8.88 \text{ V}$
 c) $v_R = v_C = 8.88 \text{ V}$ d) $6.75 \times 10^{-5} \text{ C}$
 26.51 900 W
 26.53 a) 6.0 A, 720 W b) 3.5 A, 420 W
 26.55 a) $13.6 \mu\Omega = 1.36 \times 10^{-5} \Omega$
 b) $2.14 \times 10^{-8} \Omega$
 26.57 a) 9.9 W b) 16.3 W, brighter
 26.59 a) 18.7 Ω b) 7.5 Ω
 26.61 $I_1 = 0.848 \text{ A}$; $I_2 = 2.14 \text{ A}$; $I_3 = 0.171 \text{ A}$
 26.63 2.00- Ω resistor: 5.21 A; 4- Ω resistor: 1.11 A;
 5- Ω resistor: 6.32 A
 26.65 a) 0.222 V b) 0.464 A
 26.67 12.7 V
 26.69 a) 186 V, upper terminal +
 b) 3.00 A from - to + terminal
 c) 20.0 Ω
 26.71 a) $P_1 + P_2$ b) $\frac{P_1 P_2}{(P_1 + P_2)}$
 26.73 a) -12.0 V b) 1.71 V c) 4.20 V
 26.75 $R_3 = 10.8 \Omega$; $R_2 = 1.08 \Omega$; $R_1 = 0.12 \Omega$
 26.77 a) 114.4 V b) 263 V c) 266 V
 26.79 b) 1897 Ω
 26.81 a) 224- Ω resistor: 24.8 V; 589- Ω : 65.2 V
 b) 3.87 k Ω c) 62.6 V d) no
Chapter 27
 27.1 a) $(-6.68 \times 10^{-4} \text{ N})\hat{k}$
 b) $(+6.68 \times 10^{-4} \text{ N})\hat{i} + (7.27 \times 10^{-4} \text{ N})\hat{j}$
 27.3 a) positive b) $5.05 \times 10^{-2} \text{ N}$
 27.5 $9.47 \times 10^6 \text{ m/s}$
 27.7 a) $\vec{B}_z = -0.175 \text{ T}$; $\vec{B}_z = -0.256 \text{ T}$
 b) yes, \vec{B}_z d) zero, 90 $^\circ$
 27.9 a) $\vec{B} = 1.46 \text{ T}$ at 40.0 $^\circ$ from the +x-axis,
 toward the z-axis in the xz plane
 b) $\vec{F} = 7.48 \times 10^{-16} \text{ N}$, at 50 $^\circ$ from the
 +x-axis toward the +z-axis
 27.11 a) $3.05 \times 10^{-3} \text{ Wb}$ b) $1.83 \times 10^{-3} \text{ Wb}$ c) 0
 27.13 -7.79 $\times 10^{-4} \text{ Wb}$
 27.15 a) $1.60 \times 10^{-4} \text{ T}$, into the page
 b) $1.11 \times 10^{-7} \text{ s}$
 27.17 $7.93 \times 10^{10} \text{ N}$, south
 27.19 a) $1.2 \times 10^7 \text{ m/s}$ b) 0.10 T
 27.21 a) $8.35 \times 10^3 \text{ m/s}$ b) $2.62 \times 10^{-8} \text{ s}$
 c) 7.26 kV
 27.23 a) 107 T b) no
 27.25 a) $8.38 \times 10^{-4} \text{ T}$
 27.27 a) no b) 1.40 cm
 27.29 $B = 4.45 \times 10^{-2} \text{ T}$
 27.31 $1.29 \times 10^{25} \text{ kg}$, 78
 27.33 a) $1.34 \times 10^4 \text{ A}$ b) horizontal
 27.35 $F = 0.724 \text{ N}$, at 63.4 $^\circ$ below the +x-axis
 27.37 9.7 A
 27.39 a) 817 V b) 113 m/s^2
 27.41 a) $-(ILB)\hat{j}$ b) yes
 27.43 a) $1.5 \times 10^{-16} \text{ s}$ b) 1.1 mA
 c) $9.3 \times 10^{-24} \text{ A} \cdot \text{m}^2$
 27.45 a) rotates about axis A_z b) $\alpha = 294 \text{ rad/s}^2$
 27.47 -2.42 J
 27.49 a) 1.13 A b) 3.69 A c) 98.2 V d) 362 W
 27.51 a) 4.7 mm/s
 b) $4.5 \times 10^{-3} \text{ V/m}$ in the +z-direction
 c) 53 μV
 27.53 a) F_2/qv_1 in the -y-direction b) $F_2/\sqrt{2}$
 27.55 $\vec{B} = 3.68 \text{ T}$ at a right angle to v_1
 27.57 a) $8.9 \times 10^{-17} \text{ J}$; $5.5 \times 10^5 \text{ eV}$
 b) $7.7 \times 10^{-8} \text{ s}$ c) 1.2 T d) same as in (a)
 27.59 4.46 A
 27.61 a) -1.98 $\times 10^{-6} \text{ C}$
 b) $(9.69 \times 10^{14} \text{ m/s})(4\hat{i} + 3\hat{j})$
 c) $R = 5.69 \text{ cm}$
 d) $1.47 \times 10^7 \text{ Hz}$ e) $(R, 0, 1.72 \text{ m})$
 27.63 9 τ

- 27.65 1.6 mm
 27.67 $(Mg \tan \theta/LB)$, right to left
 27.71 a) $8.46 \times 10^{-3} \text{ T}$ b) 0.271 m
 c) $2.14 \times 10^{-2} \text{ m}$
 27.73 1.80 N to the left
 27.75 0.0242 T, in the +y-direction
 27.77 a) 0.0442 N \cdot m clockwise b) stretched
 c) $7.98 \times 10^{-3} \text{ J}$
 27.79 0.444 N, in the -y-direction
 27.81 b) side (0, 0) to (0, L): $(B_0 IL/2)\hat{i}$;
 side (0, L) to (L, L): $(-B_0 IL)\hat{j}$;
 side (L, L) to (L, 0): $(-B_0 IL/2)\hat{i}$;
 side (L, 0) to (0, 0): 0 c) $(-B_0 IL)\hat{j}$
 27.83 2.52 m/s b) 7.60 A c) 0.197 Ω
 27.85 a) $\vec{\mu} = -IA\hat{k}$ b) $B_x = 3D/IA$, $B_y = 4D/IA$,
 $B_z = -12D/IA$
 27.87 $-B\tau/2$
 27.89 a) 5.14 m b) $1.72 \times 10^{-6} \text{ s}$ c) 6.09 mm
 d) 3.04 cm

Chapter 28

- 28.1 a) $(-1.92 \times 10^{-5} \text{ T})\hat{k}$ b) 0
 28.3 a) $\vec{B} = 6.00 \times 10^{-10} \text{ T}$ out of the paper
 $\vec{B} = 1.20 \times 10^{-9} \text{ T}$ out of the paper c) 0
 28.5 a) 0 b) $(-1.31 \times 10^{-6} \text{ T})\hat{k}$ out of the paper
 c) $(-4.62 \times 10^{-7} \text{ T})\hat{k}$
 d) $(1.31 \times 10^{-6} \text{ T})\hat{j}$
 28.7 attractive b) 1.00×10^{-6}
 28.9 a) $4.00 \times 10^{-7} \text{ T}$ out of the paper c) 0
 b) $1.52 \times 10^{-8} \text{ T}$ out of the paper
 28.11 a) $(5.00 \times 10^{-11} \text{ T})\hat{j}$ b) $(-5.00 \times 10^{-11} \text{ T})\hat{i}$
 c) $(-1.77 \times 10^{-11} \text{ T})\hat{k}$ d) 0
 28.13 $1.76 \times 10^{-5} \text{ T}$ into the paper
 28.15 a) $8.0 \times 10^{-4} \text{ T}$
 b) $4.00 \times 10^{-5} \text{ T}$, 20 times larger
 28.17 a) 10.0 A b) above the wire
 c) directly east of the wire.
 28.19 a) $(-1.0 \times 10^{-7} \text{ T})\hat{i}$
 b) $(2.19 \times 10^{-6} \text{ T})$, $\theta = 46.8^\circ$ from x toward z
 c) $(7.9 \times 10^{-6} \text{ T})\hat{i}$
 28.21 a) 0 b) $6.67 \times 10^{-6} \text{ T}$
 c) $7.53 \times 10^{-6} \text{ T}$ to the left
 28.23 a) 0 b) 0 c) $4.0 \times 10^{-4} \text{ T}$ to the left
 28.25 a) $6.00 \times 10^{-6} \text{ N}$, repulsive
 b) $2.40 \times 10^{-5} \text{ N}$
 28.27 $4.6 \times 10^{-5} \text{ N/m}$, repulsive but negligible
 28.29 $\mu_0 I^2/2\pi Ag$
 28.31 $m_0 I_1 - I_2/4R, 0$
 28.33 a) $3.042 \times 10^{-3} \text{ T}$ b) $1.34 \times 10^{-4} \text{ T}$
 28.35 a) 905 A b) $-3.83 \times 10^{-4} \text{ T} \cdot \text{m}$
 28.37 a) $\frac{\mu_0 I}{2\pi r}$ b) 0
 28.39 $B = \frac{\mu_0 I}{2\pi r}$; $r = R/2$; $r = 2R$
 28.41 a) 1790 turns/m b) 63.0 m
 28.43 a) $3.72 \times 10^6 \text{ A}$ b) $2.49 \times 10^5 \text{ A}$ c) 237 A
 28.45 $1.11 \times 10^{-3} \text{ T}$
 28.47 a) 0.0725 A b) 0.0195 A
 28.49 a) i) $1.1 \times 10^{-3} \text{ T}$ ii) $4.7 \times 10^{-6} \text{ A/m}$
 iii) 5.9 T
 28.51 a) $1.00 \times 10^{-6} \text{ T}$ into the paper
 b) $(7.49 \times 10^{-8} \text{ N})\hat{j}$
 28.53 a) $1.1 \times 10^{13} \text{ m/s}^2$, away from the wire
 b) 62.5 N/C, away from the wire
 c) $mg \approx 10^{-29} \text{ N}$, negligible
 28.55 $5.75 \times 10^{-6} \text{ T}$; $2.21 \times 10^{-21} \text{ N}$ perpendicular
 to line ab and to velocity
 28.57 a) $\pm 607 \text{ m/s}$ b) $9.2 \times 10^{-6} \text{ T}$
 28.59 a) 2.00 A out of the paper
 b) $2.13 \times 10^{-6} \text{ T}$, to the right
 c) $2.06 \times 10^{-6} \text{ T}$
 28.61 a) $1.11 \times 10^{-5} \text{ N/m}$
 b) out of page: $1.11 \times 10^{-5} \text{ N/m}$ upward
 28.63 23.2 A
 28.65 a) $\mu_0 \pi N N' I I' a^2 a'^2 (\sin \theta)/2x^3$
 b) $-\mu_0 \pi N N' I I' a^2 a'^2 (\cos \theta)/2x^3$
 28.67 a) $(\mu_0 N I a^2/2)[((x+a/2)^2 + a^2)^{-3/2}]$
 + $a^2)^{-3/2}] + ((x-a/2)^2 + a^2)^{-3/2}]$
 c) $(\mu_0 N I a/4)(4/5)^{3/2}$

- d) 0.0202 T e) 0, 0
 28.69 $\mu_0 I/8R$, out of the paper
 28.71 a) $3I/2\pi R^3$ b) i) $\mu_0 I r^2/2\pi R^3$ ii) $\mu_0 I/2\pi r$
 28.73 zero
 28.75 $16a/3$
 28.77 b) $\mu_0 I_0/2\pi r$
 c) $(I_0 r^2/a^2)(2 - r^2/a^2)$
 d) $(\mu_0 I_0 r^2/2\pi a^2)(2 - r^2/a^2)$
 28.79 $\mu_0 I$
 28.81 a) $\mu_0 n I/2$, in the +x-direction
 b) $\mu_0 n I/2$, in the -x-direction
 28.83 $7.73 \times 10^{-23} \text{ J/T} = 0.0833 \mu\text{B}$
 28.85 c) 6.15 mm
 28.87 $\mu_0 Q n/a$

Chapter 29

- 29.1 a) 4.50 Wb b) 20.3 V
 29.3 a) $Q = N\Phi_B/R$ b) no
 29.5 a) +34 V b) counterclockwise
 29.7 a) $I = i; B = \frac{\mu_0 i}{2\pi r}$ into the page
 b) $d\Phi_B = \frac{\mu_0 I}{2\pi r} L dr$ c) $\Phi_B = \frac{\mu_0 i L}{2\pi} \ln(b/a)$
 d) $\mathcal{E} = \frac{\mu_0 I L}{2\pi} \ln(b/a) \frac{di}{dt}$
 29.9 a) 5.44 mV b) clockwise
 29.11 a) $\mathcal{E} = +Abv$ b) clockwise c) $\mathcal{E} = -Abv$
 d) counterclockwise
 29.13 10.4 rad/s
 29.15 a) counterclockwise b) clockwise c) $I = 0$
 29.17 a) a to b b) b to a c) b to a
 29.

Chapter 31

- 31.1 a) $I_{\text{rms}} = 0.34 \text{ A}$ b) $I = 0.48 \text{ A}$ c) 0
 d) $(i^2)_{\text{avg}} = 0.12 \text{ A}^2$
 31.3 a) 31.8 V b) 0
 31.5 a) 0.0132 A b) 0.132 A c) 1.32 A
 31.9 a) 1.51 k Ω b) 0.239 H c) 497 Ω d) 16.6 μF
 31.11 13.3 μF
 31.13 a) $i = (0.0253 \text{ A}) \cos[(720 \text{ rad/s})t]$
 b) 180 Ω
 c) $v_L = (-4.56 \text{ V}) \sin[(720 \text{ rad/s})t]$
 31.15 b) $v = 20.5 \text{ V}$, $v_r = 7.6 \text{ V}$, $v_L = 12.9 \text{ V}$
 c) $v = -15.2 \text{ V}$, $v_R = -22.5 \text{ V}$, $v_L = 7.3 \text{ V}$
 31.17 a) 696 Ω b) 0.0431 A
 c) $v_R = 8.62 \text{ V}$, $v_C = 28.7 \text{ V}$ d) -73.3°
 31.19 a) 601 Ω b) 49.9 mA c) -70.6° , lags
 d) $v_R = 9.98 \text{ V}$, $v_L = 4.99 \text{ V}$, $v_C = 33.3 \text{ V}$
 31.21 a) 113 Hz; 15 mA b) 7.61 mA; lag
 31.23 50.0 V
 31.25 a) $P_{\text{max}} = 40.0 \text{ W}$ b) $I_{\text{rms}} = 0.167 \text{ A}$
 c) $R = 7.20 \times 10^2 \Omega$
 31.29 a) $+45.8^\circ$, 0.697 b) 344 Ω c) 155 V
 d) 48.6 W e) 48.6 W f) 0 g) 0
 31.31 a) 150 V b) 150 V, 1290 V, 1290 V
 c) 3.75 Ω
 31.33 a) 1.00 b) 75.0 W c) 75.0 W
 31.35 a) $Z = 115 \Omega$ b) $Z = 146 \Omega$ c) $Z = 146 \Omega$
 31.37 a) 10 b) 2.40 A c) 28.8 A d) 500 Ω
 31.39 a) $N_2 = \frac{1}{2}N_1$ b) 13 A c) 9.0 Ω
 31.41 0.124 H
 31.43 a) $t_1 = \pi/2\omega$, $t_2 = 3\pi/2\omega$ b) $2I/\omega$
 c) $I_{\text{avg}} = 2I/\omega$
 31.45 a) inductor b) 0.133 H
 31.47 a) $I = 1.15 \text{ A}$, $V_L = 31.6 \text{ V}$, $V_R = 57.5 \text{ V}$,
 $V_C = 14.7 \text{ V}$
 b) $I = 0.860 \text{ A}$, $V_L = 47.3 \text{ V}$, $V_R = 43.0 \text{ V}$,
 $V_C = 5.47 \text{ V}$
 31.49 $\sqrt{(R^2 + \omega^2 L^2)[R^2 + (\omega L - 1/\omega C)^2]}$
 31.53 b) $V_B = LV^2/4[R^2 + (\omega L - 1/\omega C)^2]$,
 $V_E = V^2/4\omega C[R^2 + (\omega L - 1/\omega C)^2]$
 d) $\omega = 0$; $U_B = 0$; $U_E = CV^2/4$; $\omega \rightarrow \infty$;
 both U_B and $U_E \rightarrow 0$;
 $U_B = U_E$ at $\omega = \omega_0 = 1/\sqrt{LC}$
 31.57 a) $I_R = V/R$, $I_L = V/\omega L$, $I_C = \omega CV$
 c) $\omega = 0$: $I_L \rightarrow \infty$, $I_C \rightarrow 0$; $\omega \rightarrow \infty$: $I_L = 0$,
 $I_C \rightarrow \infty$ d) 159 Hz e) 0.50 A
 f) $I_R = 0.50 \text{ A}$, $I_L = I_C = 0.050 \text{ A}$
 31.59 a) 102 Ω b) 0.882 A c) 270 V
 31.61 a) 0.750 A b) 160 Ω c) 619 Ω , 341 Ω
 d) 341 Ω
 31.63 $i_{\text{av}} = 0$, $i_{\text{rms}} = I_0/\sqrt{3}$
 31.65 a) ω_0 decreases by $\frac{1}{2}$ b) X_C doubles
 c) X_C decreases by $\frac{1}{2}$ d) no
 31.67 a) L and C b) factor of $\frac{1}{2}$
 31.69 a) $V/\sqrt{R^2 + 9L/4C}$
 b) $[2V/\sqrt{R^2 + 9L/4C}]\sqrt{L/C}$
 c) $[V/2\sqrt{R^2 + 9L/4C}]\sqrt{L/C}$
 d) $2LV^2/(R^2 + 9L/4C)$
 e) $LV^2/2(R^2 + 9L/4C)$
 31.73 a) $V_R/2$ b) 0 c) 0
 31.75 a) 0.400 A b) 36.9 $^\circ$
 c) $Z_{\text{cpx}} = (400 \Omega) - i(300 \Omega)$, $Z = 500 \Omega$
 d) $I_{\text{cpx}} = (0.320 \text{ A}) - i(240 \text{ A})$

Chapter 32

- 32.1 a) 1.28 s b) $8.15 \times 10^{15} \text{ km}$
 32.3 a) $6.0 \times 10^4 \text{ Hz}$ b) $6.0 \times 10^7 \text{ Hz}$
 c) $6.0 \times 10^{13} \text{ Hz}$ d) $6.0 \times 10^{16} \text{ Hz}$
 32.5 a) $f = 6.94 \times 10^{14} \text{ Hz}$ b) $E_{\text{max}} = 375 \text{ V/m}$
 32.7 $\vec{E}(z,t) = (1.74 \times 10^5 \text{ V/m})\hat{i} \times \cos[(1.28 \times 10^7 \text{ rad/m})z - (3.83 \times 10^{15} \text{ rad/s})t]$
 $\vec{B}(z,t) = (5.80 \times 10^{-4} \text{ T})\hat{j} \times \cos[(1.28 \times 10^7 \text{ rad/m})z - (3.83 \times 10^{15} \text{ rad/s})t]$
 32.9 a) +y-direction b) $7.11 \times 10^{-4} \text{ m}$

- c) $\vec{B}(y,t) = (-1.03 \times 10^{-2} \text{ T})\hat{i} \times \sin[(8.84 \times 10^5 \text{ rad/m})y - (2.65 \times 10^{12} \text{ rad/s})t]$
 32.11 a) 361 m b) 0.0174 rad/m
 c) $5.22 \times 10^6 \text{ rad/s}$ d) 0.0144 V/m
 32.13 a) 381 nm b) 526 nm c) 1.38 d) 1.91
 32.15 a) 330 W/m² b) 500 V/m; 1.7 μT
 32.17 $1.33 \times 10^{-8} \text{ T}$, + y-direction
 32.19 a) $1.1 \times 10^4 \text{ W/m}^2$ b) $3.0 \times 10^{-10} \text{ T}$
 c) 840 W; assuming isotropic transmission
 32.21 $2.5 \times 10^{25} \text{ J}$
 32.23 $E_{\text{max}} = 12.0 \text{ V/m}$, $B_{\text{max}} = 4.00 \times 10^{-8} \text{ T}$
 32.25 $8.5 \times 10^5 \text{ W}$
 32.27 a) $8.68 \times 10^{-15} \text{ kg/m}^2 \cdot \text{s}$
 b) $2.60 \times 10^{-6} \text{ kg/m} \cdot \text{s}^2$
 32.29 $S = \epsilon_0 c E^2$
 32.31 a) 7.10 mm b) 3.55 mm c) $1.56 \times 10^8 \text{ m/s}$
 32.33 a) 4.38 mm b) 1.38 mm c) 4.38 mm
 32.35 a) $L = 30.5 \text{ cm}$ b) $f = 2.46 \times 10^9 \text{ Hz}$
 c) $L = 35.5 \text{ cm}$; $f = 2.11 \times 10^9 \text{ Hz}$
 32.39 a) $I = 0.00602 \text{ W/m}^2$
 b) 2.13 N/C, $7.10 \times 10^{-9} \text{ T}$
 c) $1.20 \times 10^{-12} \text{ N}$
 32.41 a) $E_{\text{max}} = 701 \text{ V/m}$, $B_{\text{max}} = 2.34 \times 10^{-6} \text{ T}$
 b) $\mu_E = \mu_B = 1.09 \times 10^{-6} \text{ J/m}^3$
 c) $1.07 \times 10^{-11} \text{ J}$
 32.43 a) $r = R$: $I = 6.4 \times 10^7 \text{ W/m}^2$, $P_{\text{rad}} = 0.21 \text{ Pa}$;
 $r = R/2$: $I = 2.6 \times 10^8 \text{ W/m}^2$, $P_{\text{rad}} = 0.85 \text{ Pa}$
 32.45 $7.78 \times 10^{-13} \text{ rad/s}$
 32.47 a) $I\rho/\pi a^2$ in direction of current
 b) current out of page; $\mu_0 I/2\pi a$, clockwise
 c) $I^2 \rho/2\pi^2 a^3$, radially inward
 d) $I^2 \rho/\pi a^2 = I^2 R$
 32.49 0.0368 V
 32.51 a) 23.6 h b) throw it
 32.53 a) $2.66 \times 10^7 \text{ m}$ b) 0.0673 s
 c) $6.50 \times 10^{-23} \text{ Pa}$ d) 0.190 m
 32.55 a) $4\pi R^3 \rho G m^2/3r^2$ b) $LR^2/4r^2 c$
 c) 1.90^{-7} m , independent of r
 32.57 b) $1.4 \times 10^{-11} \text{ s}^{-1}$ c) $2.6 \times 10^{-8} \text{ s}^{-1}$
- Chapter 33**
- 33.1 39.4 $^\circ$
 33.3 a) 1.55 b) 549 nm
 33.5 a) $5.17 \times 10^{-7} \text{ m}$ b) $3.40 \times 10^{-7} \text{ m}$
 33.7 a) 47.5 $^\circ$ b) 66.0 $^\circ$
 33.9 $2.51 \times 10^8 \text{ m/s}$
 33.13 a) frequency = f ; wavelength = $n\lambda$;
 speed = $n\lambda = nv$ b) frequency = f ;
 wavelength = $(\frac{n}{n'})\lambda$; speed = $(\frac{n}{n'})v = (\frac{n}{n'})c$
 33.15 71.8 $^\circ$
 33.17 a) 51.3 $^\circ$ b) 33.8 $^\circ$
 33.19 a) 58.1 $^\circ$ b) 22.8 $^\circ$
 33.21 1.77
 33.23 24.4 $^\circ$
 33.25 a) A: $I_0/2$ B: $I_0/8$ C: $3I_0/32$ b) 0
 33.27 a) 1.40 b) 35.5 $^\circ$
 33.29 $\alpha = \arccos(\frac{\cos\theta}{\sqrt{2}}) = \cos^{-1}(\frac{\cos\theta}{\sqrt{2}})$
 33.31 6.38 W/m²
 33.33 a) first: $I = I_0/2$, second: $I = 0.25I_0$,
 third: $I = 0.125I_0$ all linearly polarized along
 the axis of their respective filters.
 33.35 a) $I_R = 0.374I$ b) $I_V = 2.35I$
 33.39 a) $\sin\theta_3 = (n_1 \sin\theta_1)/n_3$ c) yes
 33.41 72.0 $^\circ$
 33.45 1.53
 33.47 1.8
 33.49 a) 48.6 $^\circ$ b) 48.6 $^\circ$
 33.51 39.1 $^\circ$
 33.53 a) $n = 1.11$ b) i) 9.75 ns
 ii) 4.07 ns; total = 8.95 ns
 33.55 0.22 $^\circ$
 33.61 b) 38.9 $^\circ$ c) 5.0 $^\circ$
 33.63 a) 35 $^\circ$ b) 10.1 W/m², 19.9 W/m²
 33.67 a) $\Delta = 2\theta_a - 6\sin^{-1}(\frac{1}{n} \sin\theta_a) + 2\pi$
 b) $\cos^2\theta_2 = (n^2 - 1)/8$

- c) red: $\theta_2 = 71.9^\circ$; $\Delta = 230.1^\circ$;
 violet: $\theta_2 = 71.6^\circ$; $\Delta = 233.2^\circ$; violet
Chapter 34
 34.1 39.2 cm to right of mirror; 4.85 cm
 34.3 image at (x_0, y_0)
 34.5 b) 33.0 cm to left of vertex, 1.20 cm tall,
 inverted, real
 34.7 0.213 mm
 34.9 18.0 m from convex side of glass shell, 0.50 cm
 tall, erect, virtual
 34.11 a) $m = \frac{f}{(f-s)}$ c) $s > f$ d) $s < f$ e) $- \infty$
 f) $s = f$ g) $s' = 0$ i) $s < f$ j) $s > f$
 k) $s > 2f$ l) it becomes infinite
 34.13 a) concave b) $f = 2.50 \text{ cm}$, $R = 5.00 \text{ cm}$
 34.15 2.67 cm
 34.17 a) at the center of the ball, $m = +1.33$ b) no
 34.19 $s = 0.395 \text{ m}$
 34.21 8.35 cm to left of vertex, 0.326 mm, erect
 34.23 a) 1.06 m to right of lens, 17.7 mm tall, real,
 inverted b) all same as (a)
 34.25 71.2 cm to right of lens, $m = -2.97$
 34.27 $f = 3.69 \text{ cm}$, object is 2.82 cm to left of lens
 34.29 $n = 1.67$
 34.33 Object is 26.3 cm from lens with height
 1.24 cm; image is erect; same side
 34.35 10.2 m
 34.37 a) 1.4×10^{-4} b) 5.25×10^{-4} c) 1.50×10^{-3}
 34.39 a) 85 mm b) 135 mm
 34.41 a) 11 b) $2.160 \times 10^{-3} \text{ s}$
 34.43 a) convex b) 50 mm to 56 mm
 34.45 a) 80.0 cm b) 76.9 cm
 34.47 a) +2.33 diopters b) -1.67 diopters
 34.49 a) 6.06 cm b) 4.12 mm
 34.51 4.17 cm from lens; image is located on same
 side as ant
 34.53 a) 8.37 mm b) 21.4 c) 297
 34.55 19.4 m
 34.57 a) -6.33 b) 1.90 cm c) 0.126 rad = 7.22 $^\circ$
 34.59 a) 66.1 cm b) -59.1
 34.61 4.80 m/s
 34.63 $n/2$
 34.65 a) 13.3 cm b) 26.2 cm
 34.67 a) 46.2 cm from mirror, on opposite side of
 mirror; virtual b) 2.88 cm, erect c) no
 34.69 a) $-12.0 \text{ cm} < s < 0$ b) erect
 34.71 $f = \pm 4.4 \text{ cm}$, $\pm 13.3 \text{ cm}$
 34.73 $v = 31 \text{ m/s}$
 34.75 b) i) 120.0 cm from mirror, 119.96 cm from
 mirror ii) $m = -0.600$, $m' = -0.360$
 c) faces perpendicular to axis: squares with side
 0.600 mm; faces parallel to axis: rectangles
 with sides of length 0.360 mm (parallel to axis)
 and 0.600 mm (perpendicular to axis)
 34.77 b) image = 2.4 cm high; $m = -0.13$
 34.79 a) -3.3 cm b) virtual c) 1.9 cm to right of
 vertex at right end of rod d) real, inverted
 e) 105 mm
 34.81 a) $f = 58.7 \text{ cm}$, converging
 b) $h = 4.47 \text{ mm}$, virtual
 34.83 a) 2.53 mm
 34.85 a) $R = 8.8 \text{ mm}$ b) no, behind the retina
 c) $s' = 14 \text{ mm}$ from the cornea. In front of the
 retina. Yes. The lens needs to complete the
 focusing.
 34.87 2.00
 34.89 a) 3.75 cm to left of first lens b) 332 cm
 c) real d) $h = 60.0 \text{ mm}$. inverted.
 34.91 10.6 cm
 34.93 a) 0.24 m b) 0.24 m
 34.95 Inside the glass, 72.1 cm from the spherical
 surface
 34.97 0.80 cm
 34.99 -26.7 cm
 34.101 1.24 cm above page
 34.103 a) 46.7 m b) 35.0 m
 34.105 134 cm to left of object
- Chapter 35**
- 35.1 a) 2.50 m b) 1.00 m, 4.00 m
 35.3 0.75 m, 2.00 m, 3.25 m, 4.50 m, 5.75 m,
 7.00 m, 8.25 m

- 35.5 a) 2.0 m b) constructively
 c) 1.0 m; destructively
 35.9 0.83 mm
 35.11 590 nm
 35.13 12.6 cm
 35.15 1200 nm
 35.17 a) $m = 19$, 39 bright fringes
 b) $m = \pm 19$, $\theta = \pm 73.3^\circ$
 35.19 a) 0.750 λ_0 b) 80 nm
 35.21 1670 rad
 35.23 a) 0.888 mm b) 0.444 mm
 35.25 71.4 m
 35.27 114 nm
 35.29 0.0235 λ
 35.31 a) $\Delta T = 56 \text{ nm}$ b) i) 2180 nm
 ii) 198.5 nm; 11.0 wavelengths
 35.33 a) 514 nm; green b) 603 nm; orange
 35.35 0.11 μm
 35.37 0.570 mm
 35.39 1.82 mm
 35.41 $n = 1.730$
 35.43 27.3 $^\circ$, 66.5 $^\circ$
 35.45 $n = 1.57$
 35.47 b) constructive: $r_2 - r_1 = (m + \phi/2\pi)\lambda$,
 $m = 0, \pm 1, \pm 2, \pm 3, \dots$;
 destructive: $r_2 - r_1 = (m + \frac{1}{2} + \phi/2\pi)\lambda$,
 $m = 0, \pm 1, \pm 2, \pm 3, \dots$
 35.49 a) $\sqrt{x^2 + (y+d)^2} - \sqrt{x^2 + (y-d)^2} = m\lambda$
 c) $\sqrt{x^2 + (y+d)^2} - \sqrt{x^2 + (y-d)^2} =$
 $(m + \frac{1}{2})\lambda$
 35.51 $6.8 \times 10^{-5} (\text{C}^\circ)^{-1}$
 35.53 $\lambda/2d$, independent of m
 35.55 b) 72 cm
 35.57 $n = 1.42$
 35.59 a) pattern moves down the screen
 b) $I = I_0 \cos^2[(\pi/\lambda)(d \sin\theta + (n-1)L)]$
 c) $d \sin\theta = m\lambda - (n-1)L$
 35.61 14.0
- Chapter 36**
- 36.1 506 nm
 36.3 $m_{\text{max}} = 113$; 226 dark fringes
 36.5 $\pm 45.4 \text{ cm}$
 36.9 $\pm 16.0^\circ$, $\pm 33.4^\circ$, $\pm 55.6^\circ$
 36.11 0.920 μm
 36.13 a) 10.8 mm b) 5.4 mW
 36.15 a) 6.75 mm b) $2.43 \times 10^{-6} \text{ W/m}^2$
 36.17 a) 668 mm b) $9.36 \times 10^{-5} I_0$
 36.19 a) $\pm 13.0^\circ$, $\pm 26.7^\circ$, $\pm 42.4^\circ$, $\pm 64.1^\circ$
 b) $I = 2.08 \text{ W/m}^2$
 36.21 a) 3 b) 2
 36.23 a) $\pm 0.0627^\circ$ b) 0.249 I_0 c) 0.0256 I_0
 36.25 cases (i), (iii): slits 1 and 3 and slits 2 and 4;
 case (ii): slits 1 and 2 and slits 3 and 4
 $d = 1.50 \times 10^4 \text{ nm}$ in width;
 a) $4.50 \times 10^4 \text{ nm}$ in separation
 36.29 a) 4790 b) 19.0° , 40.7° c) no
 36.31 a) yes b) 13.3 nm
 36.33 23.3 $^\circ$, 52.3 $^\circ$
 36.35 10.5 $^\circ$, 21.3 $^\circ$, 33.1 $^\circ$
 36.37 a) $R = 17,500$ b) yes
 c) i) 587.8170 nm ii) 587.7834 nm
 iii) 587.7834 nm $< \lambda < 587.8170 \text{ nm}$
 36.39 0.232 nm
 36.41 a) 0.461 m
 36.43 1.9 m
 36.45 92 cm
 36.47 1.45 m
 36.49 a) Hubble: 77 m; Arecibo: $1.1 \times 10^6 \text{ m}$
 b) 1500 km
 36.51 no
 36.53 a) i) 25.6 $^\circ$ ii) 10.2 $^\circ$ iii) 5.1 $^\circ$ b) i) 60.0 $^\circ$
 ii) 23.1 $^\circ$ iii) 11.5 $^\circ$
 36.55 2.07
 36.57 a) 1.80 mm b) 0.798 mm
 36.59 $\Delta\theta_{\pm} = \frac{2\lambda}{dN}$
 36.61 b) for $3\pi/2$: any two slits separated by one
 other slit; for the other cases: any two slits
 separated by three other slits

- 36.65 513 nm
 36.67 second order
 36.69 c) $\pm 2.6 \text{ rad}$
 36.71 492 km
- Chapter 37**
- 37.1 Flash at AA'
 37.3 $2.60 \times 10^8 \text{ m/s}$
 37.5 a) 0.998c b) 126 m
 37.7 1.12 h, clock on spacecraft
 37.9 92.5 m
 37.11 a) $6.6 \times 10^2 \text{ m}$
 b) $4.92 \times 10^{-5} \text{ s}$, $1.48 \times 10^4 \text{ m}$; yes c) 447 m
 37.13 a) 3.57 km b) $9.00 \times 10^{-5} \text{ s}$
 c) $8.92 \times 10^{-5} \text{ s}$
 37.15 a) 0.806c b) 0.974c c) 0.997c
 37.17 0.385c
 37.19 0.784c
 37.21 $v = 0.611c$
 37.23 0.837c, away
 37.25 a) 0.159c b) $\$1.72 \times 10^8$
 37.27 b) $a = (F/m)(1 - v^2/c^2)^{1/2}$
 37.29 a) $a = (\sqrt{3}/2)c = 0.866c$
 b) $c\sqrt{1 - (\frac{1}{2})^{2/3}} = 0.608c$
 37.31 a) $(\sqrt{3}/2)c = 0.866c$ b) $\sqrt{35/36}c = 0.986c$
 37.33 a) $4.50 \times 10^{-10} \text{ J}$ b) $1.94 \times 10^{-18} \text{ kg} \cdot \text{m/s}$
 c) 0.968c
 37.35 a) $3.3 \times 10^{-14} \%$; no
 b) $4.0 \times 10^{-16} \text{ kg}$; increases; no
 37.37 a) $1.1 \times 10^2 \text{ kg}$ b) 0.24 m
 37.39 a) $8.68 \times 10^{-10} \text{ J}$ b) $2.71 \times 10^{-10} \text{ J}$ c) 0.453
 37.41 a) nonrelativistic: $5.34 \times 10^{-12} \text{ J}$;
 relativistic: $5.65 \times 10^{-12} \text{ J}$; 1.06
 b) nonrelativistic: 6.78 $\times 10^{-11} \text{ J}$;
 relativistic: $3.31 \times 10^{-10} \text{ J}$; 4.88
 37.43 a) $2.06 \times 10^6 \text{ eV}$ b) $3.30 \times 10^{13} \text{ J}$
 c) 2.06 MeV
 37.45 $v = 0.652c$
 37.47 a) $4.2 \times 10^7 \text{ kg/s}$; $4.6 \times 10^6 \text{ tons}$
 b) $1.5 \times 10^{13} \text{ y}$
 37.49 a) $\Delta = 2.11 \times 10^{-5}$ b) $2.15 \times 10^4 \text{ MeV}$
 37.51 0.700c
 37.53 a) 0.995c b) 1.0%
 37.55 a) $v = (1 - 9 \times 10^{-9})c$ b) $m_{\text{rel}} = 7 \times 10^3 m$
 37.57 $1.68 \times 10^5 \text{ eV}$
 37.59 a) 0.800c b) 1.00c c) i) $2.33 \times 10^{-11} \text{ J}$
 ii) $1.00 \times 10^{-10} \text{ J}$
 d) i) $1.88 \times 10^{-11} \text{ J}$ ii) $4.81 \times 10^{-11} \text{ J}$
 37.65 b) $\Delta x' = \sqrt{(\Delta x)^2 - (c\Delta t)^2}$
 c) $1.44 \times 10^{-8} \text{ s}$
 37.67 0.357c, receding
 37.69 a) 140% b) 55000c c) 63000%
 37.75 a) 13.1 km/s, toward
 b) $5.96 \times 10^9 \text{ m} = 0.040$ Earth-sun distance
 (AU); $5.55 \times 10^{29} \text{ kg} = 0.279 m_{\text{sun}}$
 37.77 a) 0.7554c b) 5.26e
 c) center of momentum: less energy
- Chapter 38**
- 38.1 a) about $8.3 \times 10^{-19} \text{ J} = 5.2 \text{ eV}$
 b) about $6.1 \times 10^{-34} \text{ J} \cdot \text{s} = 3.8 \times 10^{-15} \text{ eV} \cdot \text{s}$
 38.3 a) $5.77 \times 10^{14} \text{ Hz}$, $1.27 \times 10^{-27} \text{ kg} \cdot \text{m/s}$,
 $3.82 \times 10^{-19} \text{ J} = 2.38 \text{ eV}$
 38.5 a) $5.92 \times 10^{20} \text{ Hz}$ b) $5.06 \times 10^{-13} \text{ m}$
 38.7 $2.5 \times 10^3 \text{ m/s}$
 38.9 a) $5.0 \times 10^{14} \text{ Hz}$ b) $2.3 \times 10^{20} \text{ photons/s}$
 c) no
 38.11 a) $K_2 = 4K_1$ b) $E_2 = 2E_1$
 38.13 a) 264 nm b) 4.70 eV
 38.15 a) 434.1 nm b) $6.906 \times 10^{14} \text{ Hz}$
 c

- 39.41 a) $9.42 \times 10^5 \text{ m/s}$; nonrelativistic
 b) $V_{\text{acc}} = 2.53 \text{ V}$
 39.43 a) $E = c\sqrt{2mK} = 4.05 \times 10^{-7}\sqrt{K}$
 b) $E_{\text{photon}} > E_{\text{electron}}$
 39.45 $1.66 \times 10^{-17} \text{ m}$; no
 39.47 a) $1.10 \times 10^{-10} \text{ m}$ b) $9.09 \times 10^{-13} \text{ m}$
 39.49 a) $(1/\sqrt{15})(\hbar/mc)$
 b) i) 1.53 MeV , $6.26 \times 10^{-13} \text{ m}$
 ii) $2.81 \times 10^3 \text{ MeV}$, $3.41 \times 10^{-16} \text{ m}$
 39.51 a) $2.1 \times 10^{-20} \text{ kg} \cdot \text{m/s}$ b) 39 MeV
 c) 0.29 MeV ; no
 39.53 $1.4 \times 10^{-35} \text{ kg} = (5.8 \times 10^{-8} m_{\text{pion}})$
 39.55 a) $1.1 \times 10^{-35} \text{ m/s}$ b) $2.3 \times 10^{21} \text{ y}$, no
 39.57 a) $7.27 \times 10^5 \text{ m/s}$, nonrelativistic
 b) $V = 1.50 \text{ V}$
 39.59 a) $2d \sin \theta = m\lambda$, $m = 1, 2, 3, \dots$ b) 53.1°
 c) less
 39.61 a) $A|x|/x$, $x \neq 0$ b) $(3/2)(\hbar^2 A^2/m)^{1/3}$
 39.63 $\omega = E/\hbar$
 39.65 a) $0.21 \text{ kg} \cdot \text{m/s}$ b) 1.7 m
 39.67 $P = 4\pi|A|^2 r^2 e^{-2ar} dr$, $r = 1/\sqrt{2\alpha}$; no
 39.69 a) $\psi(x) = (\sin k_0 x)/k_0 x$ b) L c) $2L$
 d) h , h
 39.71 $2.2 \times 10^{-16} \text{ m}$

Chapter 40

- 40.1 a) $1.2 \times 10^{-67} \text{ J}$ b) $1.1 \times 10^{-33} \text{ m/s}$
 c) $1.4 \times 10^{33} \text{ s}$ d) $3.7 \times 10^{-67} \text{ J}$
 40.3 $L = 1.66 \times 10^{-10} \text{ m}$
 40.5 0.61 nm
 40.7 a) 0 , $L/2$, L b) $L/4$, $3L/4$ c) yes
 40.11 a) $6.0 \times 10^{-10} \text{ m}$, $1.1 \times 10^{-24} \text{ kg} \cdot \text{m/s}$
 b) $3.0 \times 10^{-10} \text{ m}$, $2.2 \times 10^{-24} \text{ kg} \cdot \text{m/s}$
 c) $2.0 \times 10^{-10} \text{ m}$, $3.3 \times 10^{-24} \text{ kg} \cdot \text{m/s}$
 40.15 $3.43 \times 10^{-10} \text{ m}$
 40.19 $2.2 \times 10^{-14} \text{ m}$
 40.21 a) 4.3×10^{-8} b) 4.2×10^{-4}
 40.23 $1/\sqrt{2}$
 40.25 a) 1.3×10^{-3} b) 10^{-143}
 40.27 a) $1.11 \times 10^{-33} \text{ J} = 6.90 \times 10^{-15} \text{ eV}$;
 $2.21 \times 10^{-33} \text{ J} = 1.38 \times 10^{-14} \text{ eV}$
 40.29 a) 0.21 eV b) 5900 N/m
 40.31 $\Delta x \Delta p = (2n + 1)\hbar$
 40.33 a) $5.9 \times 10^{-3} \text{ eV}$ b) $106 \mu\text{m}$
 c) $0.0118 \text{ eV} = 1.18 \times 10^{-2} \text{ eV}$
 40.35 $B = \frac{K_1 - K_2}{K_1 + K_2} A$; $C = \frac{2K_1}{K_1 + K_2} A$
 40.37 a) $19.2 \mu\text{m}$ b) $11.5 \mu\text{m}$
 40.39 a) $(\frac{1}{2} + 1/\pi)$ b) $\frac{1}{2}$ c) yes
 40.41 a) $2dx/L$ b) 0 c) $2dx/L$
 40.45 a) $B = C$, $A \sin \frac{\sqrt{2mE}}{\hbar} L + B \cos \frac{\sqrt{2mE}}{\hbar} L = De^{-\kappa L}$
 $\frac{\sqrt{2mE}}{\hbar} A = \kappa C$, $\frac{\sqrt{2mE}}{\hbar} A \cos \frac{\sqrt{2mE}}{\hbar} L = B \sin \frac{\sqrt{2mE}}{\hbar} L$
 $B \sin \frac{\sqrt{2mE}}{\hbar} L = -\kappa D e^{-\kappa L}$
 40.49 $6.63 \times 10^{-34} \text{ J} = 4.14 \times 10^{-15} \text{ eV}$,
 $1.33 \times 10^{-33} \text{ J} = 8.27 \times 10^{-15} \text{ eV}$, no
 40.51 b) $A_0 = \left(\frac{m\omega}{\hbar\pi}\right)^{1/4}$
 c) classical turning points $A = \pm \sqrt{\frac{\hbar}{\omega m}}$
 40.53 a) $(n_x + n_y + n_z + (3/2))\hbar\omega$
 b) $(3/2)\hbar\omega$, $(5/2)\hbar\omega$
 40.55 a) $E_n = n^2 \hbar^2 / 8mL^2$, $n = 2, 4, 6, \dots$
 b) $E_n = n^2 \hbar^2 / 8mL^2$, $n = 1, 3, 5, \dots$ c) same
 d) odd in part (a), even in part (b)
 40.57 b) increases c) infinite
 40.59 a) $-E/A$, $+E/A$ c) decrease

Chapter 41

- 41.1 a) Possible values of L and L_z : $L = \hbar$ and
 $L_z = 0$; $L = \sqrt{2}\hbar$ and $L_z = -\hbar, 0$, or $+\hbar$
 $L = \sqrt{6}\hbar$ and $L_z = -2\hbar, -\hbar, 0, +\hbar$ or $+2\hbar$

- b) For $L = \hbar$: $\theta_L = 90.0^\circ$;
 For $L = \sqrt{2}\hbar$: $\theta_L = 135^\circ, 90.0^\circ$, or 45° ;
 For $L = \sqrt{6}\hbar$: $\theta_L = 144.7^\circ, 114^\circ, 90.0^\circ, 65.9^\circ$,
 or 35.3°
 41.3 $l = 4$
 41.5 $1.414\hbar, 19.49\hbar, 199.5\hbar$
 41.7 -14.4 eV
 41.9 b) $1/\sqrt{2\pi}$
 41.11 a) $5.29 \times 10^{-11} \text{ m}$ b) $1.06 \times 10^{-10} \text{ m}$
 c) $2.85 \times 10^{-13} \text{ m}$
 41.15 a) 9 b) $3.47 \times 10^{-5} \text{ eV}$ c) $2.78 \times 10^{-4} \text{ eV}$
 41.17 a) 0.468 T b) 3
 41.19 $1.68 \times 10^{-4} \text{ eV}$; $m_s = 1/2$
 41.21 g
 41.23 a) $2.5 \times 10^{30} \text{ rad/s}$
 b) $2.5 \times 10^{13} \text{ m/s}$, not valid
 41.25
- | e^- | n | l | m_l | m_s |
|-------|-----|-----|-------|----------------|
| 1 | 1 | 0 | 0 | $\frac{1}{2}$ |
| 2 | 1 | 0 | 0 | $-\frac{1}{2}$ |
| 3 | 2 | 0 | 0 | $\frac{1}{2}$ |
| 4 | 2 | 0 | 0 | $-\frac{1}{2}$ |
| 5 | 2 | 1 | -1 | $\frac{1}{2}$ |
| 6 | 2 | 1 | 0 | $\frac{1}{2}$ |
| 7 | 2 | 1 | +1 | $\frac{1}{2}$ |
| 8 | 2 | 1 | -1 | $-\frac{1}{2}$ |
| 9 | 2 | 1 | 0 | $-\frac{1}{2}$ |
| 10 | 2 | 1 | +1 | $-\frac{1}{2}$ |
- 41.27 4.18 eV
 41.29 a) $1s^2 2s^2 2p^1$ b) -30.6 eV
 c) $1s^2 2s^2 2p^6 3s^2 3p^1$ d) -13.6 eV
 41.31 a) -13.6 eV b) -3.4 eV
 41.33 a) $8.95 \times 10^{17} \text{ Hz}$, 3.70 keV , 0.335 nm
 b) $1.68 \times 10^{18} \text{ Hz}$, 6.93 keV , 0.179 nm
 c) $5.48 \times 10^{18} \text{ Hz}$, 22.7 keV , 0.0547 nm
 41.35 a) $0, \sqrt{2}\hbar, \sqrt{6}\hbar, \sqrt{12}\hbar, \sqrt{20}\hbar$
 b) 7470 nm , infrared, not visible
 41.37 a) $1.51e$ b) i) $1.8e$ ii) $-2.75e$
 41.39 a) $2a$ b) 0.238
 41.41 b) 0.176
 41.43 $\cos^{-1}(-\sqrt{1 - (1/m)})$
 41.45 $4a$
 41.47 $2 \rightarrow 1, 1 \rightarrow 0, 0 \rightarrow -1, \hbar B/2m$;
 $1 \rightarrow 1, 0 \rightarrow 0, -1 \rightarrow -1, 0$;
 $0 \rightarrow 1, -1 \rightarrow 0, -2 \rightarrow -1, \hbar B/2m$
 41.49 3.00 T
 41.51 a) $1 - 2 \times 10^{-7}$ b) 0.9978 c) 0.978
 41.53 a) $4, 20$ b) $1s^2 2s^2 2p^3$
 41.55 a) 122 nm b) $1.52 \times 10^{-3} \text{ nm}$; increases
 41.57 a) 0.188 nm , 0.250 nm ;
 b) 0.0471 nm , 0.0624 nm
 41.59 b) O shell

Chapter 42

- 42.1 a) 6.1 K b) $3.47 \times 10^4 \text{ K}$
 42.3 $5.65 \times 10^{-13} \text{ m}$
 42.5 a) carbon: 0.0644 nm ; oxygen: 0.0484 nm
 b) $1.45 \times 10^{-46} \text{ kg} \cdot \text{m}^2$; yes
 42.7 a) $1.03 \times 10^{12} \text{ rad/s}$
 b) carbon: 66.3 m/s oxygen: 49.8 m/s
 c) $6.11 \times 10^{-12} \text{ s}$
 42.9 a) $1.20 \times 10^{-21} \text{ J} = 7.52 \times 10^{-3} \text{ eV}$
 b) 0.165 mm
 42.11 b) $\hbar/2\pi l$
 42.13 a) 963 m/s b) $8.22 \times 10^{-20} \text{ J} = 0.513 \text{ eV}$
 c) $2.42 \mu\text{m}$, infrared
 42.15 $2.16 \times 10^3 \text{ kg/m}^3$
 42.17 a) 1.12 eV
 42.19 1.19×10^6
 42.21 $1.5 \times 10^{22} \text{ states/eV}$
 42.23 b) ground: $E = 3\pi^2 \hbar^2 / 2mL^2$, 2;
 first: $E = 6\pi^2 \hbar^2 / 2mL^2$, 6;
 second: $E = 9\pi^2 \hbar^2 / 2mL^2$, 6
 42.25 a) $0.0233 R$ b) 7.65×10^{-3} c) no; the ions
 42.27 $f(E) = 0.31 = 31\%$
 42.29 0.20 eV below the band
 42.31 a) 5.56 mA b) -5.18 mA ; -3.77 mA
 42.33 a) 977 N/m b) $1.26 \times 10^{14} \text{ Hz}$
 42.35 a) $3.8 \times 10^{-29} \text{ C} \cdot \text{m}$ b) $1.3 \times 10^{-19} \text{ C}$

- c) 0.78 d) 0.059
 42.37 a) 0.96 nm b) 1.8 nm
 42.39 a) 0.129 nm b) $8, 7, 6, 5, 4$ c) $484 \mu\text{m}$
 d) $118 \mu\text{m}$, $135 \mu\text{m}$, $157 \mu\text{m}$, $189 \mu\text{m}$, $236 \mu\text{m}$
 42.41 b) i) 2.94 ii) 4.73 iii) 7.58 iv) 0.837
 v) 5.5×10^{-9}
 42.43 a) 1.147 cm , 2.239 cm
 b) 1.172 cm , 2.344 cm ; 0.025 cm , 0.050 cm
 42.45 $4.38 \times 10^{-20} \text{ J} = 0.273 \text{ eV}$
 42.47 a) $4.24 \times 10^{-47} \text{ kg} \cdot \text{m}^2$ b) i) $4.30 \mu\text{m}$
 ii) $4.28 \mu\text{m}$ iii) $4.40 \mu\text{m}$
 42.49 2.03 eV
 42.51 a) $4.66 \times 10^{28} \text{ atom/m}^3$ b) 4.7 eV
 42.53 b) $3.80 \times 10^{10} \text{ Pa} = 3.75 \times 10^5 \text{ atm}$
 42.55 a) $1.66 \times 10^{35} \text{ m}^{-3}$ b) yes c) $7 \times 10^{35} \text{ m}^{-3}$
 d) no
 42.57 a) $-p^2/2\pi\epsilon_0 r^3$ b) $+p^2/2\pi\epsilon_0 r^3$

Chapter 43

- 43.1 a) $Z = 14, N = 14$ b) $Z = 37, N = 48$
 c) $Z = 81, N = 124$
 43.3 0.533 T
 43.5 a) parallel, 70.3 MHz , 4.27 m , radio
 b) antiparallel, 46.2 MHz , 6.48 mm , microwave
 43.7 $5.575 \times 10^{-13} \text{ m}$
 43.9 $1.13 \times 10^7 \text{ m/s}$
 43.11 a) 76.21 MeV b) 76.67 MeV
 c) 0.6%
 43.13 a) ${}^{235}\text{U}$ b) ${}^{24}\text{Mg}$ c) ${}^{15}\text{N}$
 43.15 0.0500 MeV
 43.17 156 keV
 43.19 a) 0.836 MeV b) 0.700 MeV
 43.21 $1.58 \times 10^{12} \text{ s}$
 43.23 a) 159 decays/min b) 0.43 decay/min
 43.25 a) ${}^3\text{He}$ b) 40.9 y
 43.27 2.80 days
 43.29 5730 y
 43.31 a) 2.02×10^{15} b) 1.01×10^{15} , $3.78 \times 10^{11} \text{ Bq}$
 c) 2.52×10^{14} , $9.45 \times 10^{10} \text{ Bq}$
 43.33 a) 0.421 Bq b) $1.14 \times 10^{-11} \text{ Ci}$
 43.35 500 rad , 2000 rem , 5.0 J/kg
 43.37 a) $1.75 \times 10^3 \text{ Gy} = 1.75 \times 10^3 \text{ Sv}$
 $= 1.75 \times 10^5 \text{ rem}$, 263 J
 b) $1.75 \times 10^3 \text{ Gy} = 2.63 \times 10^3 \text{ Sv}$
 $= 2.63 \times 10^5 \text{ rem}$, 263 J
 43.39 a) 12.5 rad , 12.5 rem b) the antineutrinos are
 not absorbed
 43.41 a) $= 3, A = 6$ b) -10.14 MeV
 c) 11.60 MeV
 43.43 a) $Z = 3, A = 7$ b) 7.151 MeV
 c) 1.4 MeV
 43.45 a) 173.3 MeV b) $4.42 \times 10^{23} \text{ MeV/g}$
 43.47 1.586 MeV
 43.53 23.9858 u , 0.021% , 0.9%
 43.55 a) ${}^{25}\text{Al} \rightarrow {}^{25}\text{Mg}$
 b) β^+ decay or electron capture
 c) 3.255 eV or 4.277 MeV
 43.57 a) ${}^{14}\text{C} \rightarrow {}^{14}\text{N} + \beta^- + \bar{\nu}_e$
 b) 0.1565 MeV/decay
 c) $1.35 \times 10^4 \text{ g}$, $3.44 \times 10^3 \text{ decays/s}$
 d) $539 \text{ MeV/s} = 8.63 \times 10^{-11} \text{ J/s}$
 e) $3.63 \times 10^{-5} \text{ Gy} = 3.63 \times 10^{-3} \text{ rad}$,
 RBE = 1.0 ; $36 \mu\text{Sv} = 3.6 \text{ mrem}$
 43.59 0.960 MeV
 43.61 $1.287 \times 10^{-3} \text{ u}$
 43.65 a) 5.0×10^4 b) $10^{-15000} \approx 0$
 43.67 29.2%
 43.69 a) $9.6 \times 10^{-7} \text{ J}$ b) $1.9 \times 10^{-4} \text{ rad}$
 c) $1.3 \times 10^{-4} \text{ rem}$ d) $1.5 \times 10^6 \text{ s} = 17 \text{ d}$
 43.71 $1.3 \times 10^4 \text{ y}$
 43.73 a) 0.48 MeV
 b) $3.270 \text{ MeV} = 5.239 \times 10^{-11} \text{ J}$
 c) $3.155 \times 10^{11} \text{ J/mol}$
 43.77 185 MeV
 43.79 b) $4.1 \times 10^4 \text{ Bq}$, $3.6 \times 10^5 \text{ Bq}$, $7.5 \times 10^5 \text{ Bq}$,
 $1.1 \times 10^6 \text{ Bq}$, $1.3 \times 10^6 \text{ Bq}$, $1.5 \times 10^6 \text{ Bq}$
 c) 3.2×10^9 d) $1.5 \times 10^6 \text{ Bq}$

Chapter 44

- 44.1 a) $1.27 \times 10^{-14} \text{ J}$ b) $9.46 \times 10^{-14} \text{ J}$
 c) 2.10 pm ; smaller

- 44.23 a) no b) no c) yes d) yes
 44.27 a) $0, 1, -1, 0$ b) $0, 0, 0, 1$ c) $-e, 1, 0, 0$
 d) $-e, 0, 0, -1$
 44.29 a) **udd** b) no c) yes
 44.31 $u \rightarrow d$; $p \rightarrow n + \beta^+ + \nu_e$
 44.33 a) $3.28 \times 10^7 \text{ m/s}$ b) 1640 Mly
 44.35 a) $1.04 \times 10^8 \text{ m/s}$ b) 1.44
 44.37 a) 5.494 MeV b) $1.0 \times 10^5 \text{ TeV}$
 44.39 -783 keV , endoergic
 44.41 $0.966 \mu\text{m}$
 44.43 a) 14.0 TeV b) $1.05 \times 10^5 \text{ TeV}$

- 44.45 a) $F_c = 200 \text{ N}$, $F_g = 2 \times 10^{39} \text{ N}$
 b) $F_{\text{str}} = 3 \times 10^4 \text{ N}$, $F_{\text{weak}} = 3 \times 10^{-5} \text{ N}$
 c) $F_{\text{str}} > F_c > F_{\text{weak}} > F_g$ d) $F_c \approx 1 \times 10^{36} F_g$;
 $F_{\text{str}} \approx 100 F_c \approx 1 \times 10^{28} F_g$
 $F_{\text{weak}} \approx 1 \times 10^{-39} F_{\text{str}} \approx 1 \times 10^{29} F_g$
 44.47 2496 MeV
 44.49 $\lambda = 2.43 \text{ pm}$; gamma rays
 44.51 87 keV , 2.8×10^{-5}
 44.53 a) 16.0 MeV