

Compatibility - Netfinity Director with UM Services Version 2.11

Last Updated: December 10, 1999

Licensed and supported systems

Netfinity Director™ with UM Services™ Version 2.11 is licensed for and supports the following IBM Netfinity® servers, IntelliStation® workstations, IBM PC desktops, and ThinkPad® notebook computers:

Netfinity servers

Netfinity 1000
Netfinity 3000
Netfinity 3500
Netfinity 3500 M10
Netfinity 5000
Netfinity 5500
Netfinity 5500 M10
Netfinity 5500 M20
Netfinity 5600
Netfinity 7000 M10
Netfinity 8500R

IntelliStation workstations

E Pro -- M/T 6867, 6893
M Pro -- M/T 6868, 6889, 6898
Z Pro -- M/T 6865

IBM PC desktops

PC 300®GL -- M/T 6268, 6272, 6275, 6277, 6278, 6282, 6284, 6285, 6287, 6288, 6561, 6563, 6564, 6574, 6591
PC 300PL -- M/T 6562, 6565, 6584, 6592, 6594, 6871, 6862, 6892
PC 300XL -- M/T 6588
PC 710 -- M/T 6870

ThinkPad notebooks

240
380XD, 380Z
390, 390E, 390X
560X, 560Z
570
600, 600E, 600X
770, 770E, 770ED, 770X, 770Z

Note: Some models may not be available in your area.

Hardware requirements

Netfinity Director Management Server is supported on the IBM systems listed above with the following recommended configuration:

- Intel® Pentium® II 300MHz or faster
- 128MB system memory
- 150MB virtual memory
- 300MB free disk space

Netfinity Director Management Console is supported on the IBM systems listed above and on systems running a supported Microsoft® Windows® operating system.

Recommended configuration: Pentium II 300MHz processor or faster, 64MB RAM; 20MB free disk space; TCP/IP networking protocol.

A mouse is required for some operations within this product.

UM Services is supported on the IBM systems listed above and on systems with SMBIOS 2.0 or greater meeting the Intel Wired for Management (WfM) 2.0 specification.

Recommended configuration: Pentium class processor, 64MB RAM; 23MB free disk space.

Default configuration: 32MB RAM; 16MB free disk space. Additional memory and disk space is required if additional options are selected.

Software requirements

Netfinity Director Management Server requires:

- Windows NT® 4.0, with ServicePac® 4 or later
- TCP/IP networking protocol
- Microsoft Peer Web Server, Microsoft Internet Information Server 3.0, Netscape FastTrack or Enterprise Web servers (optional)

One of the following supported databases:

- Microsoft JET 4.0 (included)
- Microsoft SQL Server 6.5 and 7.0
- IBM DB2 Universal Database® Version 5.2

Netfinity Director Management Console requires:

One of the following Operating Systems:

- Windows NT 4.0, with ServicePac 4 or later
- Windows 95, with OEM Service Release 2
- Windows 98
- TCP/IP networking protocol

UM Services requires:

One of the following operating systems:

- Windows NT 4.0, with ServicePac 4 or later
- Windows 95, with OEM Service Release 2
- Windows 98
- OS/2® 4.0 with ServicePac 5
- OS/2 Warp Server for e-business
- Novell® NetWare® 4.x with ServicePac 5 or later
- Novell NetWare 5.x

One of the following Network Protocols (Windows NT, Windows 95, Windows 98, OS/2):

- TCP/IP
- NetBIOS
- IPX
- SNA

Upward Integration Modules are provided for the following workgroup or enterprise managers:

- Tivoli® Management Framework Version 3.6
- Tivoli Software Distribution Version 3.6
- Tivoli Enterprise Console Version 3.6
- Tivoli NetView Version 5.1.1 for Windows NT
- Computer Associates Unicenter TNG Framework Version 2.2, AIM/IT Workgroup Edition Version 3.0, and SHIP/IT Workgroup Edition Version 2.0
- Microsoft SMS™ Version 2.0
- Microsoft SMS Version 1.2
- Intel LANDesk® Management Suite Version 6.2

Optionally, one of the following Web browsers for direct access to a client system running UM Services:

- Microsoft Internet Explorer 4.01 or later
- Netscape Communicator 4.5 or later
- Netscape Navigator 4.5 or later