



IBM Systems

IBM Virtual Machine Manager Version 2.1.1

Release Notes





IBM Systems

IBM Virtual Machine Manager Version 2.1.1

Release Notes

Note

Before using this information and the product it supports, read the general information in "Notices" on page 15.

First Edition (July 2006)

© Copyright International Business Machines Corporation 2006. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Chapter 1. About this release 1

Changes in the VMM 2.1.1 release	1
Changes in the VMM 2.1 release.	1
Product compatibility	3
VMM information resources	3
Documentation	3
World Wide Web resources	3

Chapter 2. Installation and upgrade information 5

Chapter 3. Limitations, general problems, and workarounds 7

Limitations	7
Limitations for any agent of VMM	7
Limitations when using VMM Agent for VMware VirtualCenter	7

Limitations when using VMM Agent for VMware ESX Server	8
Limitations when using VMM Agent for VMware GSX Server	8
Limitations when using VMM Agent for Microsoft Virtual Server	9
General problems and workarounds VMM 2.1.1 release	9
General problems and workarounds VMM 2.1 release	10

Chapter 4. Corrections to the VMM 2.1 documentation 13

Notices	15
Trademarks	16

Chapter 1. About this release

IBM® Virtual Machine Manager (VMM) version 2.1.1 is a minor update to VMM 2.1.

Changes in the VMM 2.1.1 release

VMM 2.1.1 adds the following enhancements:

Support for installation of VMM on non-English operating systems

VMM 2.1.1 adds support for installation of VMM on non-English operating systems.

Fixes The following defects were fixed for VMM 2.1.1:

- Null pointer exception can occasionally occur during uninstall of VMM when a host exists without a UUID.
- Install of VMM VirtualCenter Agent fails on a system with any level of VirtualCenter greater than Version 1.3 installed.
- Enter Credentials fails for a coordinator with VirtualCenter 1.3.1 installed on a non-English operating system.

For details about the functionality in VMM 2.1, see the *IBM Virtual Machine Manager Installation and User's Guide*.

Changes in the VMM 2.1 release

VMM 2.1 adds the following enhancements:

Support for Windows® 2003 x64 Edition

VMM 2.1 supports Windows 2003 x64 Edition operating systems that are supported by IBM Director 5.1 or a virtualization application.

Improved support for IBM Director 5.1

VMM 2.1 has been updated to fully support of IBM Director 5.1 features.

Support for the latest versions of virtualization applications

VMM 2.1 includes support for the latest versions of virtualization applications that were available at the time of release.

Migration enhancements

VMM 2.1 includes the following enhancements for migration:

- When running VMware VirtualCenter 1.3, VMM 2.1 provides the **Enable Migration** attribute. The value of this attribute is used to set VMware VirtualCenter VMotion for dynamic migration of virtual machines on an ESX host.
- Virtual machines running under GSX 3.2 can be statically migrated with VMM. Migration of virtual machines running under GSX 3.1 had several issues and limitations.

Virtual machine support

VMM 2.1 includes the following enhancements for virtual machines:

- You can change the value of any undoable disk attributes when a virtual machine is turned on. Previously, a virtual machine had to be turned off to change this value. This enhancement applies to these virtual machine attributes:

- (VMM Agents for VirtualCenter and ESX only) PowerON Action for Undoable Disk
- (VMM Agents for VirtualCenter, ESX, and Virtual Server only) PowerOFF Action for Undoable Disk
- You can create virtual machines with as much as 3.6 GB of memory and as much as 12 GB of disk space.
- Virtual machines that are running under GSX 3.2 can be properly shut down and turned off when using Windows 2000.

For details about the functionality in VMM 2.1, see the *IBM Virtual Machine Manager Installation and User's Guide*.

Product compatibility

VMM 2.1.1 is supported for use with IBM Director 5.1 and later maintenance releases.

Compatibility with other products, such as operating systems or virtualization products from VMware or Microsoft®, are described in the installation chapter of the *IBM Virtual Machine Manager Installation and User's Guide*.

VMM information resources

You can find additional information about VMM and IBM Director in the product documentation and on the World Wide Web.

Documentation

In addition to the *IBM Virtual Machine Manager Version 2.1.1 Release Notes*®, VMM 2.1.1 is supported by the *IBM Virtual Machine Manager Installation and User's Guide* (vmm210_docs_user.pdf).

All documentation is in Portable Document Format (PDF). You need Adobe Acrobat Reader or Xpdf to view it.

World Wide Web resources

The following Web pages provide resources for understanding, using, and troubleshooting IBM Director and systems-management tools.

IBM Virtual Machine Manager page

www.ibm.com/servers/eserver/xseries/systems_management/ibm_director/extensions/vmm.html

Read an overview of VMM and find links to download the product, release notes, and user's guide.

IBM personal computing support page

www.ibm.com/pc/support/

Locate support for IBM hardware and systems-management software. For systems-management software support, click **Systems management**.

IBM Systems Management Software: Download/Registration page

www.ibm.com/pc/us/eserver/xseries/systems_management/dwnl.html

Download IBM systems-management software, including VMM.

IBM Systems Management page for Intel® processor-based servers

www.ibm.com/servers/eserver/xseries/systems_management

Obtain an overview of IBM systems management and IBM Director. This Web page also contains links to Web pages for IBM Director extensions including Remote Deployment Manager (RDM), Scalable Systems Manager (SSM), Server Plus Pack, and Software Distribution (Premium Edition).

IBM ServerProven® page

www.ibm.com/servers/eserver/serverproven/compat/us/

Obtain information about IBM @server® xSeries®, IBM BladeCenter®®, and IBM IntelliStation® hardware compatibility with IBM Director.

Chapter 2. Installation and upgrade information

VMM has three software components that are installed on different servers in your network:

- VMM Server is installed on the management server that is running IBM Director Server.
- VMM Console is installed on the management console that is running IBM Director Console.
- The applicable version of VMM Agent is installed on a managed system that is running one of the following sets of software:
 - IBM Director Agent, VMware VirtualCenter server, and VMware VirtualCenter Web service
 - IBM Director Agent and VMware ESX Server (service console only)
 - IBM Director Agent and VMware GSX Server
 - IBM Director Agent and Microsoft Virtual Server

Detailed installation instructions, including versions of supported virtualization applications and other system requirements, are provided in the *IBM Virtual Machine Manager Installation and User's Guide*.

Chapter 3. Limitations, general problems, and workarounds

This chapter contains information about limitations, general problems, and workarounds.

Limitations

The limitations in VMM 2.1 apply either to all VMM agents or to a specific VMM agent that is being used.

Limitations for any agent of VMM

VMM 2.1 has the following limitations for any agent of VMM:

Unable to use dircli with some language-specific versions of Windows

IBM Director command-line interface (dircli) and VMM commands use the backslash (\) for various commands. For example, the backslash is used when designating the full path name to a virtual machine configuration file. However, some language-specific versions of Microsoft Windows use a different character for backslash. Therefore, when a backslash is used with dircli, it fails to run on that language-specific version of Windows. For example, this problem occurs with the Korean and Japanese versions of Windows.

VMM icon is not displayed properly on Windows 2000 without installing Service Pack 4

After you install a VMM component on a system that is running Windows, the VMM program is listed as a currently installed program on the Add/Remove Programs window. However, when the system is running Windows 2000 without Service Pack 4, the icon for the VMM program is not displayed properly. After Service Pack 4 has been installed, the VMM icon is displayed properly. This limitation is seen when running the English and Korean versions of Windows 2000.

Limitations when using VMM Agent for VMware VirtualCenter

VMM 2.1 has the following limitations when using VMM Agent for VMware VirtualCenter:

Excessive windows prompting for undoable disk power actions

When a virtual machine has one or more undoable disks and a power operation occurs on that virtual machine, VMware VirtualCenter requires user input to complete the operation. If the power operation is originated by VMM, then VMM provides the required input. However, if there is a VMware Remote Console open at the time that the power operation occurs, a window opens that asks for the required information even though it has been provided by VMM. When a user attempts to provide the information that was requested, an error message is displayed.

This same behavior can be observed when two VMware Remote Console sessions are open to the same virtual machine. In that case, even though the question might be answered at one console, the window at the second console remains open and returns an error if the user attempts to answer the question.

Limitations when using VMM Agent for VMware ESX Server

VMM 2.1 has the following limitations when using VMM Agent for VMware ESX Server:

Changed UUIDs can cause virtual machine objects to disappear from IBM Director Console

If you turn off a virtual machine with the VMware Console and select to always create a new universal unique identifier (UUID) and later use VMM to migrate that virtual machine, the UUID for the virtual machine is changed when the virtual machine is eventually turned on at the destination host. This sequence of events causes the virtual machine object to be deleted from IBM Director and causes a Virtual Machine, Deleted event to occur.

To restore the virtual machine object to IBM Director Console, you must use VMM to discover the virtual machines on the host. From IBM Director Console, in the Group Contents pane, right-click the managed object for the host and click **Host Management** → **Discover Virtual Machines**.

Limitations when using VMM Agent for VMware GSX Server

VMM 2.1 has the following limitations when using VMM Agent for VMware GSX Server:

Shutting down and turning off a virtual machine under Windows 2000 and VMware GSX Server 3.1

If you use VMM to shut down and turn off a virtual machine that is running Windows 2000 under VMware GSX Server 3.1, the virtual machine is only shut down, it is not turned off. You must use the VMware Console to turn the virtual machine off. Further, in VMM, the virtual machine remains in the transition state. After the virtual machine has been turned off through the VMware Console, use VMM to rediscover the virtual machine so that VMM reflects the turned-off state. These limitations do not apply to virtual machines that are running under VMware GSX Server 3.2.

Migrating a turned-on virtual machine that is running Windows 2000 under VMware GSX Server 3.1

If a turned-on virtual machine that is running Windows 2000 under VMware GSX Server 3.1 is migrated, the migration process cannot be completed, because the VMM Agent for GSX cannot turn off the virtual machine, which is required for static migration. To resolve this issue, use the VMware Console to manually turn off the virtual machine. If the virtual machine is turned off within the timeout period of the VMM Server (generally 5 minutes), VMM detects the state change of the virtual machine and continues the migration. This limitation does not apply to virtual machines that are running under VMware GSX Server 3.2.

Limitations when using VMM Agent for Microsoft Virtual Server

VMM 2.1 has the following limitations when using VMM Agent for Microsoft Virtual Server:

Shutting down and turning off a virtual machine when the guest operating system is locked

If you use VMM to shut down and turn off a virtual machine when the guest operating system is locked, the virtual machine is not shut down nor turned off. You must use the Administration Web site for Microsoft Virtual Server to turn off the virtual machine. Further, in VMM, the virtual machine remains in the transition state. After the virtual machine has been turned off through the Administration Web site, use VMM to rediscover the virtual machine so that VMM reflects the turned-off state.

Migrating a turned-on virtual machine when the guest operating system is locked

If a turned-on virtual machine is migrated, but the guest operating system is locked, the migration process cannot be completed as the VMM Agent for Virtual Server cannot turn off the virtual machine, which is required for static migration. To resolve this issue, use the Administration Web site for Microsoft Virtual Server to manually turn off the virtual machine. If the virtual machine is turned off within the timeout period of the VMM Server (generally 5 minutes), VMM detects the state change of the virtual machine and continues the migration.

Registration problem with Microsoft Virtual Server 2005

Sometimes Microsoft Virtual Server 2005 does not properly unregister virtual machines. When this problem occurs, a virtual machine cannot be easily reregistered, which causes it to become unusable. This problem can occur during any unregister and reregister operations, but is exposed during migration as the migration process involves unregistering and reregistering virtual machines. This limitation does not apply to virtual machines that are running under Microsoft Virtual Server 2005 R2.

General problems and workarounds VMM 2.1.1 release

This section contains information about the following general problem and workaround that applies to VMM 2.1.1:

VirtualCenter 1.3.1 build 18881 on German operating system

When you install VirtualCenter 1.3.1 build 18881 on a German operating system and you also install the VMM VirtualCenter Agent, an attempt to enter credentials may fail with an Operation Failed error. This error was seen on build 18881 of VirtualCenter 1.3.1 but not on build 22214 of VirtualCenter 1.3.1 Patch 1. When this error occurs you can recover by using the VMware vma.exe command line utility to reset the user name and password that you use to log on from the VMware Web service to the VMware Server.

Follow these steps to recover from this error:

1. Stop the VMM VirtualCenter Agent (at the command line type **net stop twgipc**).
2. Stop the VMware VirtualCenter Server and WebService (Computer Manager -> services -> select the two VMware services and stop them).

3. Run the following command: **vma.exe -update -username newUsername -password newPassword** to set the user ID and password.
4. Start the VMware VirtualCenter Server and WebService (Computer Manager -> services -> select the two VMware services and start them).
5. Start the VMM VirtualCenter Agent (at the command line type **net start twgipc**).
6. Use the new user name and password that was set in step 3 to enter credentials.

General problems and workarounds VMM 2.1 release

This section contains information about these general problems and workarounds that apply to VMM 2.1:

Start Vendor Software task and VMware VirtualCenter client

If a user who does not have Windows administration privileges tries to use the Start Vendor Software task to run the VMware VirtualCenter client, an exception error message is displayed that does not indicate the true problem. If an exception error occurs, make sure that the user has Windows administration privileges on the system from which the user is trying to run VMware VirtualCenter client.

Multiple power operations in a Microsoft Virtual Server environment

Sometimes one or two events are not received by VMM Server when VMM Agent is monitoring multiple events from power operations that occur on virtual machines that are in a Microsoft Virtual Server environment. This problem occurs intermittently when more than 50 virtual machines are associated with one host. When a power operation event is not received by VMM Server, VMM cannot update the state icons for the virtual machine. If this happens, manually discover the virtual machines that are associated with a host.

Suspended virtual machines cannot be successfully unregistered and reregistered in a Microsoft Virtual Server environment

Sometimes unregistering a suspended virtual machine in a Microsoft Virtual Server environment can cause the files for the virtual machine to become corrupted. The problem becomes evident when the virtual machine is reregistered later. The virtual machine can be reregistered, but it will not turn on as expected. If you plan to use a virtual machine again, be sure that it is not suspended before you unregister it.

Unregistering a virtual machines in a Microsoft Virtual Server environment can leave a link file

When unregistering a virtual machine, Microsoft Virtual Server sometimes leaves a link file (.lnk) on its associated host. This link file prevents the virtual machine from being registered on the destination host. This problem is exposed during migration as the migration process involves unregistering and reregistering a virtual machine. To resolve the problem, you must delete the link file that is associated with the virtual machine from the source host. The event log from Microsoft Virtual Server lists the name of the link file. After the file is deleted, manually register the virtual machine to the destination host.

Chapter 4. Corrections to the VMM 2.1 documentation

At the time of release, there were no known corrections to either the VMM 2.1 documentation or online help.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product, and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Some software may differ from its retail version (if available) and may not include all user manuals or all program functionality.

IBM makes no representations or warranties regarding third-party products or services.

Trademarks

The following terms are trademarks of International Business Machines Corporation in the United States, other countries, or both:

IBM
IntelliStation
ServerProven
xSeries

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.



Part Number: 42D8938

Printed in USA

(1P) P/N: 42D8938

