



NOTES - ALL RESISTORS IN OHMS / W 10% UNLESS OTHERWISE SPECIFIED.
 - ALL CAPACITORS IN MFD. AND 400V UNLESS OTHERWISE SPECIFIED.
 - D.C. VOLTAGE READINGS WITH NO SIGNAL APPLIED USING A 20,000 Ω PER VOLT VOLTMETER.
 - NUMBERS IN PARENTHESES REFER TO AMPEG'S PART NO.
 * - 3A FUSE ONLY FOR 240V MODELS, THE P.T. FOR 240V MODELS HAS BLK WIRE CONNECTED TO BLUE WHT. WIRE.
 * - R1, R7, C1, C4 WILL NOT APPEAR IN SOME UNITS.
 - D.C. VOLTAGE READINGS ARE POSITIVE WITH RESPECT TO CHASSIS GROUND UNLESS OTHERWISE SPECIFIED.
 - CIRCUIT OF CHASSIS MAY VARY SLIGHTLY FROM THAT SHOWN HERE DUE TO NORMAL PRODUCTION CHANGES.
 - D7-D10 ARE SILICON TYPE AV 1AMP 1400V DIODES

 AREA CODE (201) 933-4000 LINDEN, NEW JERSEY 07036	POST OFFICE BOX 515 LINDEN, N.J. 07036	MODELS VT-22 V-4 U.S. PATENT PENDING	MAGNAVOX NO 591010001
	DRN BY DATE DWG. NO PART NO REV S. C. 6/70 06200 4010244 E		