


NOTES:

1. ALL RESISTORS ARE 1/2W, 10%, UNLESS NOTED.
2. ALL CAPACITOR VALUES ARE IN MICROFARADS, UNLESS NOTED.
3. ALL TRANSISTORS ARE PET8002 OR SE4002, UNLESS NOTED.
4. DIODE CR6 IS MOUNTED IN CLIP ON CHASSIS.
5. TRANSISTORS Q15 & Q16 ARE MOUNTED IN BRACKET ON CHASSIS.
6. VOLTAGES ARE WITH POWER ON, ALL CONTROLS FULL ON, NO SIGNAL, NO LOAD AND MEASURED FROM COMMON GROUND.
7. * INDICATES VOLTAGES WITH INTENSITY CONTROL IN "OFF" POSITION.



TRANSISTOR LOCATION DIAGRAM

REV	NO	DATE	BY	PART NUMBER	DESCRIPTION	ITEM
1	1	2-16	5-70 UTS			
2	2	8-83	7-70 UTS			
3	3	8-22	8-70 UTS			

Kustom ELECTRONICS, INC. CHANUTE, KAN. 66720			
DRN	DATE	TOLERANCES	MATERIAL
SPATS	4-70	NONE	NONE
CHK	LRR	DATE	NAME
ENGR	LRR	3-70	
SCALE		PART NUMBER	
NONE	SHT 1	002-5026-00	
	OF 1		